



eProcurement System Government of India

Tender Details

Date : 13-Feb-2026 07:07 PM

Print

Basic Details

Organisation Chain	National Forensic Sciences University NFSU Dharwad Campus		
Tender Reference Number	NFSU/Dwd/CPPP/P/2026/01		
Tender ID	2026_NFSU_898551_1	Withdrawal Allowed	Yes
Tender Type	Open Tender	Form of contract	Supply
Tender Category	Goods	No. of Covers	2
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No
Payment Mode	Offline	Is Multi Currency Allowed For BOQ	No
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No

Payment Instruments

Offline	S.No	Instrument Type
	1	Direct Credit
	2	Demand Draft
	3	R-T-G-S
	4	ECS
	5	NEFT
	6	Bankers Cheque

Cover Details, No. Of Covers - 2

Cover No	Cover	Document Type	Description
1	Fee/PreQual/Technical	.pdf	Documents related to eligibility Criteria
		.pdf	Relevant Annexures of Tender
2	Finance	.pdf	Price bid on letterhead (With price break up)
		.xls	Price bid

Tender Fee Details, [Total Fee in ₹ * - 0.00]

Tender Fee in ₹	0.00	
Fee Payable To	Nil	Fee Payable At
Tender Fee Exemption Allowed	No	

EMD Fee Details

EMD Amount in ₹	50,000	EMD Exemption Allowed	Yes
EMD Fee Type	fixed	EMD Percentage	NA
EMD Payable To	National Forensic Sciences University	EMD Payable At	National Forensic Sciences University

[Click to view modification history](#)
Work /Item(s)

Title	Specialized Laboratory Furniture			
Work Description	Supply, Installation, Testing, and Commissioning (SITC) of Specialized Laboratory Furniture			
Pre Qualification Details	Please refer Tender documents.			
Independent External Monitor/Remarks	NA			
Show Tender Value in Public Domain	No			
Tender Value in ₹	25,00,000	Product Category	Furniture/ Fixture	Sub category
Contract Type	Tender	Bid Validity(Days)	105	Period Of Work(Days)
Location	NFSU Dharwad, WALMI, Belur Industrial Area,Dharwad	Pincode	580011	Pre Bid Meeting Place
Pre Bid Meeting Address	NFSU Dharwad, WALMI, Belur Industrial Area,Dharwad-580011	Pre Bid Meeting Date	17-Feb-2026 11:00 AM	Bid Opening Place
Should Allow NDA Tender	No	Allow Preferential Bidder	No	

Critical Dates

Publish Date	14-Feb-2026 10:00 AM	Bid Opening Date	24-Feb-2026 04:00 PM
Document Download / Sale Start Date	14-Feb-2026 10:00 AM	Document Download / Sale End Date	23-Feb-2026 04:00 PM
Clarification Start Date	14-Feb-2026 10:00 AM	Clarification End Date	20-Feb-2026 09:00 AM
Bid Submission Start Date	14-Feb-2026 10:00 AM	Bid Submission End Date	23-Feb-2026 04:00 PM

Tender Documents

NIT Document	S.No	Document Name	Description	Document Size (in KB)
	1	Tendernotice_1.pdf	Supply, Installation, Testing, and Commissioning (SITC) of Specialized Laboratory Furniture	508.72
Work Item Documents	S.No	Document Type	Document Name	Document Size (in KB)
	1	Tender Documents	Pten.pdf	Supply, Installation, Testing, and Commissioning (SITC) of Specialized Laboratory Furniture
	2	BOQ	BOQ_944468.xls	Price bid

Bid Openers List

S.No	Bid Opener Login Id	Bid Opener Name	Certificate Name
1.	saroj.babar@nfsu.ac.in	Saroj Babar	SAROJ PRASAD BABAR
2.	rajesh.c@nfsu.ac.in	Rajesh C	Rajesh.C
3.	manjunath.ghate@nfsu.ac.in	Manjunath Ghate	MANJUNATH GHATE

GeMARPTS Details

GeMARPTS ID	OYXBI1S2O180
Description	Specialized laboratory furniture
Report Initiated On	13-Feb-2026
Valid Until	15-Mar-2026

Tender Properties

Auto Tendering Process allowed	No	Show Technical bid status	Yes
Show Finance bid status	Yes	Stage to disclose Bid Details in Public Domain	Technical Bid Opening
BoQ Comparative Chart model	Normal	BoQ Comparative chart decimal places	2
BoQ Comparative Chart Rank Type	L	Form Based BoQ	No

TIA Undertaking

S.No	Undertaking to Order	Tender complying with Order	Reason for non compliance of Order
1	PPP-MII Order 2017	Agree	
2	MSEs Order 2012	Agree	

Tender Inviting Authority

Name	Campus Director
Address	NFSU Dharwad, WALMI, Belur Industrial Area,Dharwad

Tender Creator Details

Created By	Rajesh C
Designation	Assistant Registrar
Created Date	13-Feb-2026 05:59 PM



NOTICE INVITING TENDER

Supply, Installation, Testing, and Commissioning (SITC) of Specialized Laboratory Furniture

Ref. No: NFSU/Dharwad/Procurement/LF/2026/01 **Date:** 21/01/2026

Contact Details for this tender:

Campus Director
National Forensic Science University
Walmi Campus, Near High Court, PB Road,
Belur Industrial Area, Dharwad -580011
Ph: 9481515684

Email: purchase_dharwad@nfsu.ac.in

INDEX

SR.NO	CONTENTS	PAGE NO.
01	NOTICE INVITING TENDER	
02	ELIGIBILITY CRITERIA	
03	EVALUATION PROCEDURE	
04	GENERAL TERMS AND CONDITIONS	
05	SPECIAL TERMS AND CONDITIONS	
06	SCOPE OF WORKS	
07	TECHNICAL SPECIFICATION / BoQ	
08	Drawings	
09	ANNEXURES Annexure 1: Bidder/Contractor Information Annexure 2: Acceptance Of All Terms and Conditions Annexure - 3: Memorandum Annexure - 4: Declaration on Blacklisting / Liquidation / Bankruptcy Annexure - 5: Details of Annual Financial Turnover Annexure - 6: Details of works/Experience Annexure - 7: Format of Indemnity Bond Annexure - 8: Public Procurement (Preference to Make in India) Annexure - 9: Consolidated BoQ compliance Tables Annexure - 10: Format of Bank Guarantee Annexure - 11: Contract Agreement (Draft)	

1. NOTICE INVITING TENDER

National Forensic Sciences University (NFSU), an Institution of National Importance is the world's first and only Forensic Sciences University established by the Government of India under the Ministry of Home Affairs (MHA), Government of India.

The National Forensic Sciences University (NFSU), Dharwad Campus, invites online tenders in a **Two-Bid System** (Technical Bid and Financial Bid) from reputed manufacturers or authorized dealers for the **“Supply, Installation, Testing, and Commissioning (SITC) of Specialized Laboratory Furniture”** at the NFSU Dharwad Campus on **CPP Portal**.

1.1 Eligibility and Bid Submission

- 1.1.1 The Tender document can be downloaded e-procurement/ NFSU Website. it may be noted that all subsequent notifications, changes and amendments on the project/document would be posted on the same website. The bidders are advised to visit e-procurement portal and get familiarized with the procedure for submission of the tenders.
- 1.1.2 The bidders should go through the Tender Document and submit online response through e-procurement portal only.
- 1.1.3 All Bidders shall provide the required information accurately as per details in Eligibility Criteria.
- 1.1.4 Bidders who meet the specified minimum qualifying criteria, shall be eligible.
- 1.1.5 The bidder shall provide Valid copies of documents mentioned under **Section 2** shall be uploaded in the Technical Bid. Failure to do so shall result in rejection of the bid. The originals may be called for verification if necessary.
- 1.1.6 Bidders who have been blacklisted by Central/State Government Departments, PSUs, Central PSUs, Autonomous Bodies, or Institutions shall not be permitted to quote. If such bids are received, they shall be summarily rejected.
- 1.1.7 The successful Bidder shall be required to execute an Agreement within **7 days** from the date of issue of intimation by this office. The Tender Document shall form an integral part of such Agreement. If the Agreement is not executed within the stipulated time, the tender shall be deemed to be cancelled.
- 1.1.8 Even though the Bidders meet the eligibility criteria mentioned in **Section-2** they are subject to be disqualified if they have:
 - Made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements; and/or –
 - Record of poor performance such as abandoning the works, not properly completed the contract, inordinate delays in completion, litigation history,

1.2 Scope of Work & Technical Compliance

- 1.2.1 The work involves the supply and fixing of laboratory workbenches, storage cabinets, and specialized seating as per the provided layout and technical specifications.
- 1.2.2 All materials (e.g., SEFA-compliant worktops, CRCA steel frames, chemical-resistant coatings) must be approved by the **Engineer Section/Campus Director, NFSU Dharwad**, prior to installation.
- 1.2.3 Rates must be quoted inclusive of all taxes (GST), freight, insurance, installation charges, and statutory levies.

1.2.4 Work must commence within **7 days** of the Work Order. The bidder must deploy skilled manpower familiar with laboratory gas line integration and ergonomic standards.

1.2.5 Conditional or partial tenders are not acceptable.

1.3 Mandatory Site Visit & Certification

1.3.1 Mandatory Requirement: Bidders must visit the site to examine the laboratories and surroundings to obtain all necessary information for preparing the Tender.

1.3.2 Visit Certificate: It is mandatory to obtain a **Site Visit Certificate** from the concerned department at NFSU Dharwad during the visit. This certificate **must be attached** to the Technical Bid documents.

1.3.3 Insight for Quoting: Quoting without a site visit is strictly discouraged. The visit is essential to gain the necessary insights for accurate rate quoting, taking into account the dimensions, utility points, and installation complexities.

1.3.4 Bids submitted without the mandatory Site Visit Certificate shall be considered **non-responsive and will be rejected**. All costs for the visit shall be at the Bidder's expense.

1.4 Tender Validity:

1.4.1 The tender shall remain valid for a period of **100 days** from the last date of submission. A shorter validity shall render the tender non-responsive

1.4.2 In exceptional circumstances, prior to expiry of the original time limit, the NFSU Dharwad Campus. May request that the Bidders may extend the period of validity for a specified additional period.

1.4.3 A Bidder may refuse the request without forfeiting his earnest money deposit.

1.5 Provisions for Micro and Small Enterprises (MSE):

1.5.1 The MSE registered bidder should upload the registration certificate in the CPP portal along with the technical bid documents. The MSE registration to specify manufacturing / service of the tender item(s).

1.5.2 Policy is meant for procurement of only goods produced and services rendered by MSE's. However, traders are excluded from the purview of Public Procurement Policy.

1.6 Format and signing of Tender: Successful Bidder shall sign all the pages of the tender document as a token of acceptance of all the terms and conditions of the contract.

1.7 Late Tender: In e-procurement system, Bidder shall not be able to submit the bid after the bid submission time and date as the icon or the task in the e-procurement portal will not be available. NFSU Dharwad Campus will not be liable (or) responsible for any delay due to unavailability of the portal and the Internet link.

1.8 the NFSU Dharwad Campus reserves the right to accept or reject any Tender, and to cancel the Tender process and reject all Tenders, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the NFSU's action.

1.9 NFSU reserves the right to reject a proposal if it is established that the recommended bidder has engaged in corrupt or fraudulent practices. Firms found guilty of such practices shall be declared ineligible for award of NFSU contracts, either indefinitely

or for a specified duration.

1.10 Make in India Provisions

Only “Class-I” and “Class-II” local suppliers shall be eligible to bid, as per DPIIT Notification No. P-45021/2/2017-PP (BE-II) dated 04.06.2020 (as amended).

Schedule/Details of Tender

Tender No.:	NFSU/Dharwad/Procurement/LF/2026/01 Date: 21/01/2026	
Name of Project	Supply, Installation, Testing, and Commissioning (SITC) of Specialized Laboratory Furniture	
Period of Completion/Delivery	45 days	
Tender Type	Open	
Tender Category	Procurement & Works	
Type/Form of Contract	Procurement, Supply & Fixing	
Bid Validity days	100 days	
Name of the Client	National Forensic Sciences University, Dharwad Campus	
Address of Communication	Purchase Department, National Forensic Sciences University, Dharwad Campus, WALMI, Near High Court Dharwad, Belur Industrial Area, PB Road, Dharwad-580011 Email Id: purchase_dharwad@nfsu.ac.in	
Submission of Tender Document	CPPP Portal	
Earnest Money to be deposited with the Tender	50,000	Demand Draft NEFT RTGS In form of DD in the name of “Campus Director, NFSU, Dharwad Campus” payable at Dharwad (Karnataka)
Tender Starting Date	14/02/2026	
Last date and Time for online submission (uploading) of tender	23/02/2026	
Date and Time of opening of Tender (Technical Bid)	24/02/2026	
Date and Time of opening of Tender (Financial Bid)	Shall be intimated to technically qualified bidders thro' CPP portal.	
Pre-bid meeting Date, Time & Venue	NA	

-Sd-

Campus Director
NFSU Dharwad Campus

2. ELIGIBILITY CRITERIA

2.1 Legal and Regulatory compliance

2.1.1 Company/Firm Registration: the bidder shall be a valid legal entity (Proprietorship / Firm / Company / LLP) registered with the appropriate government authority. Bidders must submit the Registration or Incorporation certificate along with details of ownership.

2.1.2 Specialized OEM/Authorized Status: The bidder must be an Original Equipment Manufacturer (OEM) of Laboratory Furniture or an Authorized Dealer/Distributor of an OEM. In the case of an authorized dealer, a valid Manufacturer's Authorization Form (MAF) addressed to the Campus Director, NFSU Dharwad, must be submitted.

2.1.3 Registration: Statutory Registrations: The bidder shall be registered with:

- Income Tax Department (PAN),
- Goods and Services Tax (GST), and

Copies of GST registration, PAN, latest GST/IT return acknowledgements submitted.

2.1.4 BIS/ISI Certification (Mandatory): Bidders must comply with the **Furniture (Quality Control) Order, 2025**. The products supplied must bear the **ISI Mark** and conform to the following Indian Standards:

- IS 17633:2022** for Tables and Desks (Lab Workbenches).
- IS 17634:2022** for Storage Units (Under-bench cabinets).

2.1.5 Industrial License: The OEM must possess a valid **Factory License** or **Industrial License** issued by the relevant State/Central authority for the manufacturing of scientific/laboratory furniture.

2.2 Experience and Technical Performance

2.2.1 Past Experience: The bidder must have successfully executed projects involving the Supply, Installation, Testing, and Commissioning (SITC) of Laboratory Furniture (Modular Workbenches, and Lab Cabinets).

2.2.2 Technical Certifications: To ensure "Laboratory Grade" quality, the bidder/OEM should ideally possess or comply with:

- SEFA Membership/Compliance: Proof of compliance with SEFA (Scientific Equipment and Furniture Association) standards (e.g., SEFA 8M for casework).
- Quality Standards: ISO 9001:2015, ISO 14001:2015, and ISO 45001:2018 certifications.
- BIFMA Certification: Certification for ergonomic and safety standards for laboratory seating/furniture.

2.2.3 Government/PSU Experience: The bidder must have at least two (2) years of experience in supplying lab furniture to Central/State Government departments, PSUs, or Government Educational/Research Institutions (e.g., IITs, NITs, AIIMS).

2.2.4 Minimum Value of Similar Works: Successfully completed works in the last 5 years:

- One similar work of value not less than 80% of the estimated cost, OR
- Two similar works each of value not less than 60% of the estimated cost, OR
- Three similar works each of value not less than 40% of the estimated cost.

2.3 Financial Standing & Turnover

2.3.1 Bidder's Average Annual Turnover: The Bidder (if they are a dealer/distributor) must demonstrate a minimum average annual turnover of

Rs. 12,00,000 (Twelve Lakh only) during the last three consecutive financial years.

2.3.2 OEM's Average Annual Turnover: The Original Equipment Manufacturer (OEM) must demonstrate a minimum average annual turnover of **Rs. 1,00,00,000 (One Crore only)** during the last three consecutive financial years.

Note: Audited financial statements or a CA certificate for both the Bidder and the OEM must be submitted to verify these figures.

2.3.3 Positive Net Worth: The bidder must have a **positive net worth** as of the end of the last financial year. The net worth shall be calculated as: *(Total Assets - Total Liabilities)*.

2.4 Blacklisting / debarment:

2.4.1 The bidder should not have been blacklisted, debarred, or removed from the approved list by any State / Central Government Department / PSU / Central PSU / Autonomous Body / Government Educational Institution at the time of bidding. A **self-declaration** to this effect on the bidder's letterhead shall be submitted.

2.4.2 Conflict of Interest: The bidder shall not have a conflict of interest that substantially affects fair competition. Any bidder found to have a conflict of interest (e.g., multiple bids from the same OEM under different dealers without authorization) shall be disqualified.

2.4.3 Anti-Collusion: The bidder warrants that the bid has been arrived at independently and submitted without any collusion aimed at artificially fixing prices or influencing the tender outcome.

2.5 Make in India (MII) Preference

Only "**Class-I Local Suppliers**" (Local content $\geq 50\%$) and "**Class-II Local Suppliers**" (Local content $\geq 20\%$) are eligible. A self-certification of local content is mandatory.

3. EVALUATION PROCEDURE

Tender documents uploaded through the e-Procurement system shall be opened on the scheduled date and time.

3.1 **Constitution of Evaluation Committee:**

An Evaluation Committee shall be constituted by the University or the Procuring Entity to conduct the evaluation of Technical and Financial Bids.

3.2 **Technical Bid Evaluation:**

- 3.2.1 The Committee will first evaluate the Technical Bids and verify the eligibility criteria as specified in the Tender Document.
- 3.2.2 Only those bidders who fully comply with the eligibility criteria and submit all required documentation shall be considered technically qualified.
- 3.2.3 Technical Bids found non-responsive or incomplete shall be rejected.
- 3.2.4 The list of technically qualified bidders shall be uploaded and published on the CPPP/GeM portal for transparency.

3.3 **Opening of Financial Bids:**

- 3.3.1 Financial Bids corresponding to the technically qualified bidders shall be opened publicly on the date and time specified in the Tender Document or as notified later via CPPP/GeM portal.

3.4 **Financial Bid Evaluation:**

- 3.4.1 **Eligibility for Opening:** Based on the results of the Technical Evaluation, NFSU Dharwad Campus will open and evaluate the Financial Bids **only** of those Bidders who have been declared "Technically Qualified."

- 3.4.2 **Examination of Bids:** The Evaluation Committee will examine the Financial Bids for completeness, mathematical correctness, and overall competitiveness. Bids that are found to be "unrealistically low" (Predatory Pricing) may be subject to further scrutiny or rejection as per GFR guidelines.

- 3.4.3 **Comparative Statement:** A comprehensive comparative statement (L1, L2, L3, etc.) will be prepared based on the **Total Evaluated Cost**. This cost shall include the basic price of all six (6) items, GST, packing and forwarding, insurance, freight, and installation/commissioning charges.

- 3.4.4 **Arithmetical Corrections & Discrepancies:** NFSU Dharwad Campus shall correct arithmetical errors on the following mandatory basis:

- Unit Price vs. Total: If there is a discrepancy between the unit price and the line item total (Unit Price \times Quantity), the unit price shall prevail and the total shall be corrected.
- Exception: If there is an obvious misplacement of the decimal point in the unit price, the line item total shall govern and the unit price will be corrected.
- Subtotal vs. Grand Total: If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the grand total shall be corrected.
- Words vs. Figures: If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail.
- Exception: If the amount in words is clearly related to an arithmetic error, the amount in figures shall prevail subject to the rules above.

3.5 **Selection and Ranking:**

3.5.1 The bidder offering the lowest evaluated cost and complying with all the technical and financial conditions shall be considered for award of contract, subject to verification of other bid conditions including integrity and past performance.

3.5.2 NFSU reserves the right to negotiate with the L1 bidder if the quoted rates are found to be higher than the prevailing market rates or the internal estimate.

3.6 **Right to Accept or Reject Bids:**

3.6.1 The Procuring Entity reserves the right to accept or reject any or all bids in part or full without assigning any reason or to annul the tender process at any stage, without incurring any liability to the affected bidders.

3.6.2 Variations, deviations, or alternative offers that do not conform to tender requirements or confer unauthorized benefits shall be rejected.

3.7 **Publication of Results:** The outcome of the evaluation, including the name of the successful bidder and the final contract price, shall be published on the CPPP/GeM portal in accordance with transparency regulations.

4. GENERAL TERMS AND CONDITIONS

4.1 Commencement and Duration of Contract

4.1.1 Commencement: The contractor shall commence the work (including site measurement and design finalization) within **7 days** from the date of issuance of the Work Order.

4.1.2 Completion Period: The entire scope, including **Supply, Installation, Testing, and Commissioning (SITC)**, shall be completed within **45 days**.

4.1.3 Extension: No extension shall be granted except under exceptional circumstances (Force Majeure) via a formal written amendment signed by the Campus Director, NFSU Dharwad.

4.2 Scope of Supply and Installation

4.2.1 Integrated Scope: The scope includes the design, engineering, supply, assembly, and fixing of modular laboratory furniture, including workbenches, storage cabinets, fume hoods, and integrated utility services (gas, water, electrical) as per the approved layout.

4.2.2 Technical Conformity: All furniture must conform to SEFA 8M (Metal Casework) and BIS (IS 17633/17634) standards. Electrical and plumbing integrations must comply with the National Building Code (NBC) and IE Rules.

4.2.3 Turnkey Responsibility: The contractor shall provide all materials, specialized tools (laser levels, high-precision drills), and skilled technicians for a seamless "plug-and-play" installation.

4.3 Material, Quality Control, Standards, and Approvals

4.3.1 Pre-Dispatch Approval: Before shipping, the contractor must obtain approval for all material samples from the Engineering Section, NFSU Dharwad Campus.

4.3.2 Documentation: Operation manuals, maintenance catalogs for worktops, and "As-Built" layout drawings must be submitted upon completion.

4.3.3 Inspections: NFSU reserves the right to conduct a **Pre-Dispatch Inspection (PDI)** at the OEM's factory. Substandard goods identified during PDI or on-site shall be replaced at the contractor's cost.

4.4 Payment Terms

4.4.1 Payment shall be made only upon submission of the final bill after successful completion of the entire scope of work and acceptance by the authorized representative of NFSU Dharwad Campus.

4.4.2 No advance payment or mobilization advance shall be made under any circumstances.

4.4.3 The bill shall be accompanied by all necessary supporting documents including service reports, material usage logs, attendance registers (if applicable), and any test or inspection certificates as required.

4.4.4 Payment against bills will be processed and **released within 21 days** from the date of receipt of the complete and duly certified bill.

4.5 Earnest Money Deposit (EMD) and Security Deposit.

4.5.1 Earnest Money Deposit (EMD)

- Value:** Every bidder must submit an EMD of **Rs. 50,000 (Rupees Fifty Thousand only)**.
- Mode of Submission:** The EMD shall be submitted online through the e-

procurement portal or in the form of a **Demand Draft / Fixed Deposit Receipt / Bank Guarantee** from a Nationalized or Scheduled Bank, drawn in favor of "**The Campus Director, NFSU Dharwad.**"

- **Exemption:** Bidders registered with MSME / NSIC for the specific items (Laboratory Furniture) are exempted from EMD submission, provided they upload a valid registration certificate (Udyam Registration).
- **Forfeiture:** The EMD shall be forfeited if:
 - The bidder withdraws or modifies the bid during the period of validity.
 - The successful bidder fails to sign the contract agreement within the stipulated time.
 - The successful bidder fails to furnish the required Security Deposit.
- **Refund:** EMD of unsuccessful bidders will be returned within 30 days of the award of the contract. The EMD of the successful bidder will be returned after the submission of the Security Deposit. No interest shall be payable on the EMD.

4.5.2 Security Deposit (Performance Security)

- **Value:** The successful bidder shall be required to furnish a Security Deposit equal to **5% of the total Contract Value.**
- **Mode of Recovery:** * The deposit may be submitted in the form of a Performance Bank Guarantee (PBG) from a Nationalized/Scheduled bank, valid for a period of 60 days beyond the date of completion of all contractual and warranty obligations. Alternatively, the Security Deposit shall be recovered/deducted at the rate of 5% from bill and/or the Final Bill of the contractor.
- **Purpose:** The Security Deposit is intended to ensure the satisfactory performance of the laboratory furniture and the fulfilment of all warranty obligations.
- **Forfeiture:** NFSU Dharwad reserves the right to forfeit the Security Deposit in the event of a breach of contract, failure to rectify manufacturing defects during the warranty period, or abandonment of the work.
- **Refund:** The Security Deposit (without interest) shall be released after the successful completion of the Defect Liability Period or the Warranty Period, whichever is later, subject to a "No Dues Certificate" from the Engineering Section, NFSU Dharwad Campus.

4.6 Safety, Security, and Compliance

4.6.1 Legal & Statutory Liability: The contractor is strictly liable for enforcing safety measures and adhering to the Factory Act, Workmen's Compensation Act, Minimum Wages Act, and other applicable labor laws. The contractor must provide necessary protection from natural elements and ensure access to safe drinking water for all site workers.

4.6.2 Regulatory Compliance: The Contractor shall comply with all relevant safety regulations and guidelines issued by CPWD, KPWD, and the National Building Code (NBC) as applicable to laboratory installations and interior fit-outs.

4.6.3 Labor Law Compliance: All installation and commissioning works are to be executed in full compliance with relevant Central and State Government Labor Laws. No master-servant relationship shall exist between the contractor's personnel and NFSU Dharwad.

4.6.4 Liability for Injury/Damage: The contractor bears sole responsibility for any injuries, accidents, or property damage (including damage to the laboratory floor or utility lines) arising from their operations, including actions of their employees or authorized representatives.

4.6.5 Site Security & Material Movement: Strict entry/exit procedures govern the movement of laboratory furniture, installation tools, personnel, and vehicles. All material movement (inward and outward) must be documented with proper challans and is subject to security verification at the campus gates.

4.6.6 Labor Accommodation: No labor camp or accommodation will be permitted within the NFSU premises. All arrangements and costs for labor housing outside the project site must be borne entirely by the contractor.

4.6.7 Environmental & Safety Norms: Work must be carried out in adherence to environmental protection guidelines prescribed by the Ministry of Environment, Forest and Climate Change (MoEFCC) and the Ministry of Housing and Urban Affairs. The contractor shall ensure minimal noise and dust pollution during the assembly of modular units.

4.6.8 Hazard Prevention: The Contractor is responsible for ensuring the safety of campus personnel, preventing fire hazards (especially during gas line testing), and minimizing environmental impact.

4.6.9 Personal Protective Equipment (PPE): Adequate safety measures, including the mandatory use of PPE (safety helmets, gloves, high-visibility vests, and safety shoes), shall be implemented by the installation team at all times.

4.6.10 Removal of Undesirable Persons: NFSU reserves the right to require the immediate removal of any person deemed undesirable from the site. The contractor shall be responsible for any consequential losses or delays resulting from such removal.

4.6.11 Rectification of Damages: Any damage to the campus environment, existing infrastructure, or safety violations resulting from the Contractor's operations shall be rectified promptly at the Contractor's own cost to the satisfaction of the Engineer Section.

4.6.12 Code of Conduct: Smoking, alcohol consumption, or the use of prohibited substances within the NFSU campus/work site is strictly prohibited and shall be grounds for immediate contract termination.

4.7 Manpower and Technical Personnel.

4.7.1 Professional Qualifications: All personnel deployed must be specialized technicians experienced in the SITC (Supply, Installation, Testing, and Commissioning) of modular laboratory furniture.

4.7.2 Conduct and Discipline: Since the work is within an Institution of National Importance, personnel must maintain the highest standards of professional conduct. Any staff found causing a nuisance or lacking in discipline will be removed and replaced immediately at the contractor's cost.

4.7.3 Statutory Compliance & Labor Laws: The contractor shall be the sole employer of the personnel deployed. All staff must be covered under relevant social security and insurance (Workers' Compensation). The contractor shall indemnify **NFSU Dharwad** against any claims arising from labor laws, including the Minimum Wages Act and the Code on Social Security.

4.7.4 Work Schedule & Night Work: Installation is restricted to campus working hours. Any requirement for "overtime" or night shifts to meet the 45-day deadline requires prior written approval from the Engineer Section, with the contractor providing all necessary safety lighting and supervision.

4.7.5 Safety & PPE: The contractor must provide and enforce the use of **Personal Protective Equipment (PPE)**, including safety shoes, gloves, and eye protection, especially during the handling of heavy worktops and power-tool operations.

4.7.6 Prohibition of Child Labor: Only adult personnel (18+) are permitted. Engagement of child labor will result in immediate termination of the contract and forfeiture of the Security Deposit.

4.8 Site Management and Laboratory Housekeeping

4.8.1 Final Site Clearance: Upon completion of installation, the contractor shall remove all packaging materials (wooden crates, cardboard, plastic wrapping), leftover hardware, and installation debris. The laboratories must be handed over in a "broom-clean" and dust-free state, ready for immediate scientific use.

4.8.2 Dust & Contamination Control: During the assembly of modular units and drilling for floor/wall fixings, the contractor must use vacuum-assisted tools or temporary screens to prevent dust from spreading to adjacent areas. This is critical for maintaining the air quality standards of the forensic wings.

4.8.3 Disposal of Waste: All waste materials must be disposed of at the contractor's own expense in accordance with local environmental regulations. No debris shall be left in the campus corridors, staircases, or common areas, ensuring no obstruction to university traffic.

4.8.4 Storage and Temporary Facilities:

- Storage: NFSU may provide a designated indoor space for the temporary storage of furniture components. The security and safety of the stored materials remain the sole responsibility of the contractor.
- The contractor is liable for all local taxes, duties, and levies associated with the movement and storage of tools and equipment.

4.9 Warranty and Defect Liability Period (DLP)

4.9.1 Comprehensive Warranty: The Contractor shall provide a comprehensive warranty for a period of 3 years (36 months) from the date of final commissioning and formal handover of the laboratory furniture. This warranty covers all manufacturing defects, structural failures, and workmanship errors.

4.9.2 OEM Commitment: For bidders who are authorized dealers, a Manufacturer's Authorization Form (MAF) must be submitted, explicitly confirming that the OEM will honor the 3-year warranty and ensure the availability of spare parts (matching handles, locks, and powder-coat shades) for the entire duration.

4.9.3 Exclusions: The warranty shall not cover damages resulting from fire, natural disasters, accidents, or blatant misuse/handling of the furniture outside the prescribed laboratory protocols.

4.10 Amendment

4.10.1 Prior to the deadline for submission of tenders, NFSU Dharwad Campus reserves the right to modify, amend, or clarify the tender documents by issuing corrigenda or addenda. Such corrigenda/addenda shall be published on the e-procurement portal and shall form an integral part of the tender documents. Bidders are advised to regularly check the portal for any updates until the final submission date.

4.10.2 After the award of the contract, any alterations, modifications, or amendments to the scope of work, terms, or conditions shall be made exclusively through a formal written amendment, duly signed by authorized representatives of both parties. No oral or unilateral changes shall be valid or binding.

4.10.3 Requests for amendments after contract award shall be submitted in writing with appropriate justifications and shall require mutual consent before implementation.

4.11 Compliance with Laws

4.11.1 The Contractor shall, at all times during the performance of the contract, comply fully with all applicable Central, State, and Municipal laws, statutes, ordinances, and regulations. This includes, but is not limited to, laws governing manufacturing, transport, labor, health, safety, and environmental protection.

4.11.2 Industrial & Technical Authorizations: The Contractor is responsible for obtaining and maintaining all necessary:

- Manufacturing Licenses: Factory licenses and industrial clearances for lab furniture production.
- Standards Compliance: Mandatory Quality Control Orders (QCO) and BIS certifications applicable to furniture.
- Trade Permits: Necessary authorizations for the transport and entry of materials into the NFSU Dharwad Campus.

4.11.3 Intellectual Property Rights (IPR) Compliance: The Contractor warrants that the supply and installation of the laboratory furniture (including specialized designs or fume hood exhaust systems) does not infringe upon any third-party patents, trademarks, or copyrights.

- Any legal action or "cease and desist" orders arising from IPR infringement shall be the sole responsibility of the Contractor.
- The Contractor shall indemnify NFSU against all costs and damages resulting from any such infringement claims.

4.11.4 Tax & Fiscal Obligations: The Contractor shall comply with all provisions of the GST Act, Income Tax Act (TDS), and other fiscal statutes.

4.11.5 Statutory Indemnity: Any liability—including penalties, fines, or damages—arising out of a violation of *any* law by the Contractor shall be borne **solely by the Contractor**. NFSU Dharwad Campus shall be fully indemnified and held harmless against all such claims or legal proceedings.

4.11.6 Notification of Regulatory Changes: The Contractor shall promptly notify NFSU Dharwad Campus in writing of any change in laws, quality control orders (such as new BIS mandates), or tax regulations (GST amendments) that may affect the execution or performance of the contract.

4.11.7 Severability & Conformity: In the event any provision of this contract is found to be inconsistent with any applicable law, such provision shall be deemed amended to conform to the law, while all other provisions shall remain in full force and effect.

4.12 Indemnity Clause

4.12.1 General Indemnity: The Contractor shall indemnify, defend, and hold harmless **NFSU Dharwad Campus**, including its officials, employees, and agents, against all claims, demands, actions, losses, damages, costs, and expenses (including reasonable legal fees) arising out of or related to the execution of this contract.

4.12.2 Personal Injury or Fatality: The Contractor is solely liable for any personal injury or death of workers, university staff, students, or third parties resulting from the Contractor's on-site activities, including the handling of heavy laboratory components, use of power tools, or installation of overhead fixtures.

4.12.3 Technical Non-Compliance: The Contractor shall indemnify the University against any losses arising from the use of unauthorized, substandard, or non-compliant materials (e.g., non-SEFA compliant casework or non-BIS certified furniture) that fail to meet the prescribed laboratory safety standards.

4.12.4 Property & Infrastructure Damage: The Contractor shall be liable for any damage caused directly or indirectly to the University's property, including:

- Damage to specialized laboratory flooring (e.g., Epoxy or Vinyl floors).
- Damage to existing wall structures, false ceilings, or utility lines (Water, Gas, Electricity, and LAN).
- Damage to any scientific equipment already present in the vicinity of the installation site.

4.12.5 Statutory & Tax Indemnity: The Contractor shall indemnify NFSU against all liabilities resulting from non-compliance with:

- Applicable Labour Laws and Social Security regulations.
- Tax obligations, including GST filing and Income Tax (TDS) requirements.
- Intellectual Property Rights (IPR), ensuring that no patented laboratory designs or fume hood technologies are infringed upon.

4.12.6 Professional Negligence: Any other breach of contract, professional negligence, or wrongful act associated with the **Supply, Installation, Testing, and Commissioning (SITC)** of the laboratory furniture shall be the sole responsibility of the Contractor.

4.12.7 Defense of Claims: The Contractor shall be solely responsible for the defense and settlement of any disputes or legal proceedings arising from such claims at their own cost. NFSU Dharwad Campus shall not be joined as a party to such disputes, and if so joined, the Contractor shall bear all legal costs incurred by the University for its defense.

4.13 Other Conditions

4.13.1 Access to the Site: The Contractor shall strictly ensure that no unauthorized person is allowed access to the Site or to any location where work related to the Contract is being or is intended to be carried out. Controlled access measures shall be implemented to ensure safety and security of personnel, equipment, and the premises.

4.13.2 Discoveries: Any items of value or institutional data discovered unexpectedly during the installation (e.g., hidden under old flooring or behind wall panels) shall be reported immediately to the Engineering Section, NFSU Dharwad Campus. Such items remain the exclusive property of NFSU Dharwad.

4.13.3 Fire Prevention: The Contractor shall take all necessary precautions to prevent the occurrence of fire during the course of the works. In the event of any fire incident, immediate action shall be taken by the Contractor to extinguish the fire with all available resources, including assistance from the city fire services, to safeguard human life and property.

4.14 Documentation and Supervision

4.14.1 Photographs: The contractor shall submit high-resolution periodic photographic records (soft and hard copies) illustrating the progress of:

- Material arrival and unboxing (to verify brand/make).
- Stage-wise assembly of modular frames and cabinetry.
- Final installation of worktops and service fixtures.

4.14.2 Extra Item Procedure: No work beyond the original scope of the tender shall be executed without a formal Written Variation Order.

4.15 TERMINATION:

4.15.1 Termination on Expiry: The contract shall naturally terminate upon the successful completion of the **Defect Liability Period or warranty period** and

final settlement of dues.

4.15.2 Termination for Force Majeure: Either party may terminate the contract if "Act of God" events (natural disasters, pandemics, etc.) prevent the fulfillment of obligations for a continuous period exceeding 30 days.

4.15.3 Termination for Default/Insolvency: NFSU reserves the right to terminate the contract immediately if the contractor:

- Becomes insolvent or files for bankruptcy.
- Persistently fails to meet the 45-day completion deadline.
- Supplies materials that significantly deviate from **SEFA/BIS** standards.

4.15.4 Termination on Notice: Either party may terminate the contract for convenience by providing **one month's written notice**. In such cases, the contractor shall be paid for the work/supply completed and verified up to the date of termination.

4.15.5 Prohibition of Sub-Contracting: The contractor shall **not** assign or subcontract the assembly, installation, or commissioning to any third party. The use of unauthorized sub-contractors shall be grounds for **immediate termination** and forfeiture of the Security Deposit.

4.16 Dispute Resolution and Arbitration

4.16.1 Amicable Settlement: In the event of any dispute regarding the quality of furniture, installation accuracy, or financial claims, both parties shall first attempt to reach an amicable resolution through mutual negotiations.

4.16.2 Sole Arbitration: If negotiations fail, the dispute shall be referred to **Sole Arbitration** by the **Campus Director, NFSU Dharwad**, or an official appointed by him.

4.16.3 Statutory Governance: Arbitration shall be conducted in accordance with the **Arbitration and Conciliation Act, 1996**, and its subsequent amendments. The venue of arbitration shall be Dharwad.

4.16.4 Finality of Award: The Arbitrator's award shall be final and binding on both parties. Work shall not be suspended during arbitration proceedings unless specifically directed.

4.16.5 Jurisdiction: All legal matters and disputes arising from this tender are subject to the exclusive jurisdiction of the **courts in Dharwad, Karnataka**.

5. SPECIAL TERMS AND CONDITIONS (STC)

5.1 Technical Standards & Material Quality

5.1.1 C-Frame Structural Integrity: The furniture must be a true cantilevered C-Frame system. No front vertical legs are permitted. The skeletal structure must be self-supporting, allowing for the suspension or removal of under-bench cabinets without compromising the stability of the Jet Black Granite worktop.

5.1.2 Load Bearing Capacity: The workbench assembly must be engineered to support a minimum static load of 200 kg per linear meter. The bidder must provide a structural stability certificate or test report for the C-frame design upon request.

5.1.3 Precision Leveling: All C-frame units must include heavy-duty leveling bolts with a minimum adjustment range of -5mm to +20mm to ensure a perfectly level work surface across the 6300mm and 7575mm long runs specified in the BOM.]

5.1.4 Service Access: Removable back panels must be provided throughout the length of the tables to allow the NFSU maintenance team easy access to plumbing and electrical conduits.

5.2 Material Specifications & Testing

5.2.1 Corrosion Resistance (7-Tank Process): All CRCA components must undergo a mandatory 7-tank pre-treatment process (Degreasing, De-rusting, Phosphating, etc.) prior to powder coating.

5.2.2 Coating Quality: The powder coating must be Pure Epoxy-Polyester with a thickness of 60-80 microns. It must pass the "Cross-Cut Adhesion Test" and "Salt Spray Test" (minimum 500 hours) to ensure longevity in a chemical-heavy forensic environment.

5.2.3 Worktop Specifications: The Jet Black Granite must be 18mm (± 2 mm) thick, pre-treated with a water-repellent sealer. Edges must be machine-polished (Half-Round/Bullnose) to prevent injury and chemical accumulation.

5.3 Electrical and Utility Integration

5.3.1 Electrical Safety: All electrical raceways must be internally separated from gas/water lines. The Havells/Anchor/Norysis (or equivalent) modules must be wired using fire-retardant (FR) copper cables.

5.3.2 Commissioning of Services: The contractor is responsible for the internal "internal-point-to-point" connection of all electrical sockets, MCBs, and switches within the raceways.

5.3.3 Plumbing for Sinks: For the Polypropylene Sinks, the contractor must ensure a leak-proof seal using chemical-resistant silicone. The 3-way swan neck faucets must be tested for pressure up to 2 bar.

5.4 Mobile Island Stability (For Item No. 2): Caster Performance: The mobile island units must be equipped with high-grade, non-marking Twin-Wheel PU Casters. The locking mechanism must be robust enough to prevent any "creeping" or movement of the island while in use for sensitive microscopic or forensic analysis.

5.5 Technical Compliance & Certifications:

5.5.1 SEFA Compliance: The bidder must provide proof that the furniture design and materials comply with SEFA 8M (Metal Casework) standards.

5.5.2 OEM Authorization: If the bidder is not the manufacturer, a specific Manufacturer's Authorization Form (MAF) mentioning the tender ID and confirming a minimum 3-year spare part availability is mandatory.

5.6 Installation and Handover

5.6.1 Stage-wise Inspection: NFSU Engineering Section will inspect the C-frame skeletal structure before the granite worktop is placed to verify pipe thickness

(1.6mm/2mm) and powder coating quality.

5.6.2 Debris Management: Being a forensic facility, "Dust-Free" installation is required. The contractor must use vacuum-assisted drilling and ensure no metallic filings are left in the laboratory floor crevices.

5.6.3 As-Built Drawings: Upon completion, the contractor must submit a detailed layout showing the exact routing of electrical and plumbing lines within the furniture for future maintenance.

6. SCOPE OF WORKS (SITC)

The scope of work under this contract is an integrated "Turnkey" responsibility, ensuring the transition from a bare laboratory shell to a fully functional forensic research facility.

6.1 Supply Phase (Procurement & Logistics)

- 6.1.1** Manufacturing: Fabrication of all C-Frame skeletal structures, under-bench suspended cabinets, and mobile island units as per the finalized dimensions and material specifications (CRCA IS 513:1994).
- 6.1.2** Worktop Procurement: Sourcing and precision cutting of Jet Black Granite (18mm ± 2mm) to match the specified square footage (approx. 400+ sq. ft. total).
- 6.1.3** Component Aggregation: Procurement of all specialized laboratory fittings, including:

 - 6.1.4** Polypropylene Sinks and 3-way Swan Neck Faucets.
 - 6.1.5** Electrical modules (Havells/Anchor/Norysis) and single-tier/double-tier reagent racks.
 - 6.1.6** Logistics: Safe packing, insurance, and transportation of all components to the NFSU Dharwad Campus. The contractor is responsible for unloading and shifting materials to the respective laboratory floors.

6.2 Installation Phase (On-Site Assembly)

- 6.2.1** Layout Verification: Initial site measurement and marking to ensure the 6300mm and 7575mm long-run benches fit perfectly within the room dimensions.
- 6.2.2** Skeletal Assembly: Erection of the C-Frame cantilevered system using 60mm x 30mm MS Pipes. This includes securing the frames and ensuring they are perfectly level using adjustable feet (tolerance -5mm to +20mm).
- 6.2.3** Worktop Fixing: Mounting of the Jet Black Granite worktops onto the C-Frames using specialized adhesives. This includes:

 - 6.2.4** Machine polishing of edges at the site where necessary.
 - 6.2.5** Cutting precise holes for sinks, taps, and electrical raceways.
 - 6.2.6** Sealing all joints with chemical-resistant epoxy grout.

- 6.2.7** Cabinetry Suspension: Fixing of suspended/hanging under-bench units and installation of mobile islands with PU-coated twin-wheel castors.

6.3 Testing Phase (Technical Validation)

- 6.3.1** Structural Load Testing: Verification that the cantilevered system handles the specified static load without deflection.
- 6.3.2** Utility Integrity Testing
- 6.3.3** Hydro-Testing: Checking all sink drains and faucet connections for zero leakage.
- 6.3.4** Electrical Continuity: Testing all 16/6 Amp sockets, switches, and MCBs for proper wiring, earthing, and polarity.
- 6.3.5** Component Functionality: Verification of the smooth operation of all telescopic drawer slides, 180-degree hinges, and reagent rack stability.

6.4 Commissioning & Handover (Final Integration)

- 6.4.1** System Integration: Final "Point-to-Point" connection of laboratory services to the main university utility inlets.
- 6.4.2** Cleaning & Aesthetics: Removal of all protective films, deep cleaning of granite


surfaces, and application of stone-sealing agents.


6.4.3 Documentation: Submission of the "Project Completion Folder" including:

- As-Built Drawings showing final furniture placement and utility routing.
- Test Reports for powder coating thickness (60+ microns) and electrical safety.
- Warranty Certificates for the furniture and third-party electrical/plumbing components.

7. Technical Specifications/BoQ

“Supply and Fixing of Furniture Work for Laboratory at NFSU Dharwad Campus, Karnataka”

SR NO	ITEM	QTY	UNIT	Image
1	<p>C-FRAME M-ISLAND (CRCA) - 4560 mm (L) X 1260 mm (W) X 900 mm (H)</p> <ul style="list-style-type: none"> • Worktop Material: The worktop should be 18mm (+/- 2mm) thick Jet-Black Granite worktop. The exposed edges of the worktop should be chamfered and smoothed. The bottom of the worktop should be polished and there should be a V groove throughout the length of the exposed edges to protect the cabinets from meeting the spillages. The overhang on the storage cabinet is 25 mm at the front side and 30 mm at the sides. JET BLACK GRANITE (62 sq ft) • Assembly of Construction for Work Bench: C frame systems are the modern lab furniture architecture. Based on a cantilevered design, C-frame systems do not need legs for support. C-Frames assemblies are manufactured from standard hollow metal sections, confirming to I.S. Code 7138:1973 (Indian Standard specification for steel tubes for furniture) and all sheet metal components are of CRCA confirming to IS Code 513:1994. The suspended under-bench welded units are supported on heavy-duty steel frames fully carrying the load of worktops. C-frame are constructed from a rectangular pipe with a cross section of 60mm x 30 /40 mm and 1.6/2 mm thick, are without a vertical front leg to give a clean look. The C-frame legs are supplied with adjustable feet (tolerance from -5mm to +20mm) to correct the unevenness of flooring. The structure has removable back panel (wherever required as per design finalization) to provide access for maintenance throughout the length of table. The structure shall be duly treated for the rust prevention and coated with epoxy powder coated (with minimum thickness of 60 micron). The horizontal frames connecting the C' Frames and other required frames shall be of the similar 	06	SET	

<p>specifications. Together with the C-Frames and Horizontal Members connected together, the skeletal structure of the work-bench is formed on which the worktop can be placed and the hanging-type storage cabinets can be suspended.</p> <ul style="list-style-type: none"> • Material of Construction for Work Bench: 18-20G thick CRCA Sheet. Interior & Exterior will be provided with powder-coated finish. (50-70Microns) • Storage - 600 mm wide one Drawer two shutter with one shelf storage, 2 no wheel lockable + 2 no wheel non lockable (Qty - 6) • Structure - 60 MM X 30 MM X 1.6 MM MS PIPE (Qty - 5) • Filler Panel - REMOVABLE PANEL 600mm TO 900 mm (Qty - 12) - Filler Panel (Qty - 2) • Reagent Rack - Double side double tire reagent rack - (Qty - 3) • Electrical Module - 3M Plate with 16/6 Amp Socket and 16 Amp MCB or switch (Make: Havells/Anchor / Norysis/Equivalent) (Qty - 12) 			
<p>2 PLINTH M-WALL (CRCA)</p> <ul style="list-style-type: none"> - 1400 mm (L) X 750 mm (W) X 900 mm (H) • Worktop Material: <p>The worktop should be 18mm (+/- 2mm) thick Jet-Black Granite worktop. The exposed edges of the worktop should be chamfered and smoothened. The bottom of the worktop should be polished and there should be a V groove throughout the length of the exposed edges to protect the cabinets from meeting the spillages. The overhang on the storage cabinet is 25 mm at the front side and 30 mm at the sides. JET BLACK GRANITE (11 sq ft)</p> <ul style="list-style-type: none"> • Material of Construction for Work Bench: 18-20G thick CRCA Sheet. Interior & Exterior will be provided with powder-coated finish. (50-70Microns) • Storage - 600 mm wide two shutter under sink (Qty - 2) • Filler Panel - Filler Panel (Qty - 2) • Sink & Tap - Polypropylene SINK 560X355(Qty - 2) - Three-way swan neck cpve & brass faucet (Qty - 2) 	06	SET	

D-FRAME M-WALL (CRCA)


- 1200 mm (L) X 750 mm (W) X 900 mm (H)

• Worktop Material:

The worktop should be 18mm (+/- 2mm) thick Jet-Black Granite worktop. The exposed edges of the worktop should be chamfered and smoothed. The bottom of the worktop should be polished and there should be a V groove throughout the length of the exposed edges to protect the cabinets from meeting the spillages. The overhang on the storage cabinet is 25 mm at the front side and 30 mm at the sides. JET BLACK GRANITE (11 sq ft)

• Assembly of Construction for Work Bench:

D Frame assembly from standard hollow section conforming to IS 7138/60 mm < 30mm * 2 mm thick with crca sheet of 16 gauge. All D-Frames assemblies should be manufactured from standard hollow metal sections; confirming to I.S. Code 7138:1973 (Indian Standard specification for steel tubes for furniture) and all sheet metal components should be of CRCA confirming to IS Code 513:1994. D-frame should be constructed from a rectangular pipe with a cross section of 60mm x 30mm and should be 2 mm thick and should be without a vertical front leg to give a clean look. This shall provide more knee space or leg space and would facilitate uninterrupted lateral movement of the under-bench units within the bench run. The D-frame legs should be supplied with adjustable feet (tolerance from - 5mm to + 20mm) to correct the unevenness of flooring. The tubular enclosed type construction shall discourage dust accumulation and unwanted development of bacteria & fungus. The structure should have a removable back panel to provide access for maintenance throughout the length of table. The D-frame shall also have skirting at back bottom side. Finish on metal surface: Epoxy polyester powder coating with dry film thickness of 40-60 microns. Interior & Exterior will be provided with powder-coated finish. Under Bench Cupboards will be provided with Top Drawer and Bottom one Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided (Hardware Make: Godrej/Ebco/Hettich) • Material of Construction for Work Bench: 18-20G thick CRCA Sheet.



3


15



Nos

Interior & Exterior will be provided with powder-coated finish. (50-70Microns)
Storage Dimension - 450mm W ^ * 520 mm D

- Structure - 60 MM X 30 MM X 2 MM MS PIPE
- Filler Panel - REMOVABLE PANEL 600mm TO 900 mm. Filler Panel
- Electrical Socket - 200 x 120 mm single electrical raceway with electric point (Qty - 2)
- Electrical Module - 3M Plate with 16/6 Amp Socket and 16 Amp MCB or switch (Make: Havells/Anchor / Norysis/Equivalent) (Qty - 2)

Drawings





ISOMETRIC

Annexure - 1:

Details of Bidders (on the letter head of the bidder) **(to be submitted with Technical Bid)**

To

The Campus Director, NFSU, Dharwad Campus, Dharwad -580011

Sir,

I hereby submit my bid for your tender no. -.....

Details are as under along with all required documents.

Field	Details to be Filled
Company Name*	
Make / Brand*	
Registration Number*	
Registered Address*	
Name of Partners / Directors	
Bidder Type* (Indian/Foreign)	
City*	
State*	
Country*	
Postal Code*	
PAN / TAN Number*	<i>(PAN/TAN must be 10 characters, e.g., AESTEG2458A) For bidders without PAN/TAN, enter 'TEMPZ9999'*</i>
GSTIN Registration Number*	
Company's Establishment Year	
Company's Nature of Business*	

Field	Details to be Filled
Company's Legal Status*	(Limited Company/Undertaking/Joint Venture/Partnership/Others)
Company Category*	(Micro unit as per MSME/Small unit/Medium unit/Ancillary unit/Project affected person/SSI/Others)
Category – (a) OEM, (b) OEM authorized distributor (mention clearly), (c) Other Supplier	
Authorization letter by the OEM (Yes / No)	
Factory License / Industrial License Number	

Contact Person Details

Field	Details to be Filled
Title*	(Mr / Mrs / Dr / Shri / Ms)
Contact Person Name*	
Date of Birth*	(DD/MM/YYYY)
Correspondence Email*	(Email for all tender correspondence, can be same as login email)
Designation	
Phone Number*	(e.g., +91-XX-XXXXXXX)
Mobile Number*	

****Mandatory fields to be filled by the bidder**

Seal & Signature with name & date and PAN & Aadhar card no. of the signatory.

Annexure 2

ACCEPTANCE OF ALL TERMS AND CONDITIONS (To Be Submitted on Bidder's Letter Head)

To
Campus Director,
National Forensic Sciences University (NFSU)
Dharwad Campus
Dharwad – 580007, Karnataka, India

Subject: Tender for "....."

Ref: Tender No. "....."

1. I/We have downloaded/obtained the tender documents including all corrigenda and annexures for the above-mentioned tender and have carefully read and understood the entire terms, conditions, specifications, Bill of Quantities, and other related documents which form the contract agreement.
2. I/We hereby unconditionally accept all the terms and conditions of the tender documents, corrigenda, and undertake to submit the signed tender documents in case the work is awarded to me/us. I/We submit our tender for execution as specified within the stipulated schedule.
3. I/We agree that time is the essence of the contract and failure to complete work on schedule shall attract penalties as specified. Extensions allowed at the discretion of the Engineer shall not absolve us from final completion responsibility.
4. I/We accept responsibility for earnest money, security deposits, performance guarantees, retention money, and any other payments as per tender terms and conditions, fully abiding by all contractual obligations.
5. I/We confirm submission of the earnest money and understand that failure to commence work within 7 days of issuance of Letter of Intent or failure to execute the contract or submit security deposits may lead to cancellation of LOI and forfeiture of earnest money by NFSU Dharwad.
6. I/We also enclose the Letter of Undertaking as prescribed in the tender documents.

Date: _____

Signature of Authorized Signatory

Name (in Capital Letters): _____

Designation: _____

Seal & Address of the Tenderer:

Annexure – 3

MEMORANDUM
(To be submitted on Bidder's Letter Head)

Tender No.

Sl. No.	Description	Values / Description corresponding to clause
i)	Name of the Work	Tender for Supply, Installation, Testing, and Commissioning (SITC) of Specialized Laboratory Furniture at NFSU Dharwad Campus.
ii)	Owner / Client / Employer	National Forensic Sciences University (NFSU), Dharwad Campus, Karnataka
iii)	Type of Tender	Item Rate Contract (SITC Basis).
iv)	Earnest Money Deposit (EMD)	Rs. 50,000/- (Rupees Fifty Thousand Only).
v)	Date of Commencement of work	Within Seven days from the date of issue of work order or the date of handing over the site whichever is later
vi)	Time for Completion	45 days from the date of commencement of work.
vii)	Technical Specification/ Bills Of Quantities.	As per tender document
viii)	Period for payment	As per tender document
ix)	Technical Standards Applicable	SEFA 8M / BIS (IS 17633 & 17634) and approved Technical Specifications.
x)	Validity of Tender	As per tender document
xi)	Warranty & Defect Liability Period	Comprehensive Warranty of 03 Years (36 Months) from the date of final commissioning and handover.
	Performance Security	5% of Contract Value
xii)	Arbitration	As per tender document
xiii)	Jurisdiction	As per tender document

Date: _____

Signature of Authorized Signatory

Name (in Capital Letters): _____

Designation: _____

Seal & Address of the Tenderer:

Annexure - 4

DECLARATION ON BLACKLISTING / LIQUIDATION / BANKRUPTCY (To be submitted on Bidder's Letter Head)

Date: _____

To,
The Campus Director
National Forensic Science University Dharwad
WALMI Campus, Near High Court, PB Road
Belur Industrial Area, Dharwad – 580 011

Subject: Submission of Declaration Letter – Reg. Tender No: _____

Name of Tender / Work: _____

1. I/We declare that our Firm/Company has not been blacklisted or debarred by any Government Department or Public Sector Undertaking.
2. I/We declare that our Firm/Company has not been liquidated, declared bankrupt, nor is under any insolvency proceedings.
3. I/We certify that all information furnished by our Firm/Company is true and correct. If any information is found to be incorrect or untrue, NFSU Dharwad Campus may summarily reject the bid or terminate the contract without any further notice, without prejudice to any other rights or remedies available.
4. I/We certify that I/we am/are authorized to sign this declaration on behalf of the Firm/Company. The original of this letter shall be submitted to the NFSU Dharwad Campus during contract signing if awarded.

Yours faithfully,
(Signature of the Bidder with Seal)
Name: _____
Designation: _____

Annexure – 5

DETAILS OF ANNUAL FINANCIAL TURNOVER (To be certified by the Chartered Accountant)

Financial Year	Annual Turnover as per Audited Balance Sheet (Rs.)
2024-2025	
2023-2024	
2022-2023	
Average Annual Turnover	

Certification

This is to certify that the above information is true and correct as per the audited/un-audited financial statements of M/s. _____ (Name of the Firm/Company) for the years mentioned above.

Firm's/Company's Name : _____

CA Firm Name : _____

Membership Number : _____

Date : _____

Signature & Seal of Chartered Accountant : _____

Note:

- The above data should be supported by Audited Balance Sheets.
- In case audited accounts for the latest financial year are not available by the date of tender submission, a certificate from a Chartered Accountant (CA) along with un-audited accounts may be submitted.

Annexure – 6

(To be provided on bidder's letter head and supported by documents)

A) Details of Work Completed during Last 3 Years

Sr. No	PO/WO details	Name of the works	Name of the Client	Value of the works	Date of start	Date of Completion	Remarks

B) Details of ongoing works

Sr. No	PO/WO details	Name of the works	Name of the Client	Value of the works	Date of start	Date of Completion	Remarks

Declaration:

I/We hereby declare that the information furnished above is true and correct to the best of my/our knowledge. I/We understand that furnishing any false information may result in rejection of the tender or termination of the contract.

Date: _____

Signature of the Tenderer: _____

Seal of the Tenderer: _____

Annexure – 7

FORMAT OF INDEMNITY BOND

(To be notarized on a Stamp Paper of appropriate value)

Name of the Service: _____

KNOW all men by these presents that M/s.

(Name and address of the Agency)

do hereby execute this Indemnity Bond in favor of National Forensic Sciences University

(NFSU) Dharwad, Dharwad on this _____ day of _____, _____ (year).

THIS DEED WITNESSETH as follows:

We, (Name and address of the Contractor/Agency), do hereby indemnify and save
harmless NFSU Dharwad from:

1. Any third-party claims, civil or criminal complaints, liabilities, site mishaps, accidents, or disputes; and/or damages occurring or arising out of any mishap due to my/our negligence in performing the contract for (Name of Work/Service);
2. Any damages, loss, or expenses due to or resulting from any negligence or breach of duty on the part of me/us or my/our employees;
3. Any claims by employees of mine/ours under the Workmen Compensation Act, Employees Liability Act, Minimum Wages Act, or any other applicable law or regulation in force from time to time in respect of injuries to persons or property arising out of or during the execution of contract and/or during employment of any workman/employee;
4. Any act or omission of mine/ours which may involve any loss, damage, liability, or civil/criminal action.

IN WITNESS WHEREOF, the above-named has set his/her/their signature on this _____
day of _____, _____.

Signed and delivered by the above-named in the presence of:

1.

2.

Annexure - 8

PUBLIC PROCUREMENT (PREFERENCE TO MAKE IN INDIA) (Certified by Cost Accountant to be submitted by Bidder)

Sub: “.....”

Ref: Tender No.

We, the statutory auditor (or as the case may be) of
M/s (Name of the Bidder), hereby certify that M/s
..... (Name of the Bidder) meets the mandatory
minimum local content requirement of the tender as per Public Procurement
(Preference to Make in India) - local content policy quoted vide offer no.
..... dated against EPI NIT No. dt.
..... by M/s (Name of the Bidder).

The percentage of local content in the bid is % and the items
offered in the bid meet the minimum local content. Details of the location(s) at
which the local value addition is made shall be provided.

Date: _____

Signature of Authorized Signatory

Name (in Capital Letters): _____

Designation: _____

Seal & Address of the Tenderer:

Annexure - 9:

Consolidated BoQ compliance Tables

(To be submitted with Technical Bid)

A compliance sheet should be submitted in the format given below along with the Technical Bid. Bidder MUST NOT write any Price here. PRICE must be written in BOQ Price Bid (Excel sheet) onlyseparately.

Table-1

Please indicate whether you have 'QUOTED' or 'NOT QUOTED' for each item.

For each item of furniture please write 'CONFIRM' (if you are able to supply as per our specification) or 'DEVIATION' (if you are deviating from our specification). The specific deviation with complete details should invariably be recorded.

SR NO	ITEM	QTY	UNIT	QUOTED OR NOT QUOTED	CONFIRM OR DEVIATION
1	<p>C-FRAME M-ISLAND (CRCA) - 4560 mm (L) X 1260 mm (W) X 900 mm (H)</p> <ul style="list-style-type: none"> • Worktop Material: The worktop should be 18mm (+/- 2mm) thick Jet-Black Granite worktop. The exposed edges of the worktop should be chamfered and smoothened. The bottom of the worktop should be polished and there should be a V groove throughout the length of the exposed edges to protect the cabinets from meeting the spillages. The overhang on the storage cabinet is 25 mm at the front side and 30 mm at the sides. JET BLACK GRANITE (62 sq ft) • Assembly of Construction for Work Bench: C frame systems are the modern lab furniture architecture. Based on a cantilevered design, C-frame systems do not need legs for support. C-Frames assemblies are manufactured from standard hollow metal sections, confirming to I.S. Code 7138:1973 (Indian Standard specification for steel tubes for furniture) and all sheet metal components are of CRCA confirming to IS Code 513:1994. The suspended under-bench welded units are supported on heavy-duty steel frames fully carrying the load of worktops. C-frame are constructed from a rectangular pipe with a cross section of 	<u>06</u>	<u>SET</u>		

	<p>60mm x 30 /40 mm and 1.6/2 mm thick, are without a vertical front leg to give a clean look. The C-frame legs are supplied with adjustable feet (tolerance from -5mm to +20mm) to correct the unevenness of flooring. The structure has removable back panel (wherever required as per design finalization) to provide access for maintenance throughout the length of table. The structure shall be duly treated for the rust prevention and coated with epoxy powder coated (with minimum thickness of 60 micron). The horizontal frames connecting the C' Frames and other required frames shall be of the similar specifications. Together with the C-Frames and Horizontal Members connected together, the skeletal structure of the work-bench is formed on which the worktop can be placed and the hanging-type storage cabinets can be suspended.</p> <ul style="list-style-type: none"> • Material of Construction for Work Bench: 18-20G thick CRCA Sheet. Interior & Exterior will be provided with powder-coated finish. (50-70Microns) • Storage - 600 mm wide one Drawer two shutter with one shelf storage, 2 no wheel lockable + 2 no wheel non lockable (Qty - 6) <ul style="list-style-type: none"> • Structure - 60 MM X 30 MM X 1.6 MM MS PIPE (Qty - 5) • Filler Panel - REMOVABLE PANEL 600mm TO 900 mm (Qty - 12) - Filler Panel (Qty - 2) • Reagent Rack - Double side double tier reagent rack - (Qty - 3) • Electrical Module - 3M Plate with 16/6 Amp Socket and 16 Amp MCB or switch (Make: Havells/Anchor / Norysis/Equivalent) (Qty - 12) 			
2	<p>PLINTH M-WALL (CRCA) - 1400 mm (L) X 750 mm (W) X 900 mm (H)</p> <ul style="list-style-type: none"> • Worktop Material: The worktop should be 18mm (+/- 2mm) thick Jet-Black Granite worktop. The exposed edges of the worktop should be chamfered and smoothened. 	<u>06</u>	<u>SET</u>	

	<p>The bottom of the worktop should be polished and there should be a V groove throughout the length of the exposed edges to protect the cabinets from meeting the spillages. The overhang on the storage cabinet is 25 mm at the front side and 30 mm at the sides. JET BLACK GRANITE (11 sq ft)</p> <ul style="list-style-type: none"> • Material of Construction for Work Bench: 18-20G thick CRCA Sheet. Interior & Exterior will be provided with powder-coated finish. (50-70Microns) • Storage - 600 mm wide two shutter under sink (Qty - 2) • Filler Panel - Filler Panel (Qty - 2) • Sink & Tap - Polypropylene SINK 560X355(Qty - 2) <ul style="list-style-type: none"> - Three-way swan neck cpve & brass faucet (Qty - 2) 			
3	<p>D-FRAME M-WALL (CRCA)</p> <ul style="list-style-type: none"> - 1200 mm (L) X 750 mm (W) X 900 mm (H) • Worktop Material: The worktop should be 18mm (+/- 2mm) thick Jet-Black Granite worktop. The exposed edges of the worktop should be chamfered and smoothened. The bottom of the worktop should be polished and there should be a V groove throughout the length of the exposed edges to protect the cabinets from meeting the spillages. The overhang on the storage cabinet is 25 mm at the front side and 30 mm at the sides. JET BLACK GRANITE (11 sq ft) • Assembly of Construction for Work Bench: D Frame assembly from standard hollow section conforming to IS 7138/60 mm < 30mm * 2 mm thick with crca sheet of 16 gauge. All D-Frames assemblies should be manufactured from standard hollow metal sections; confirming to I.S. Code 7138:1973 (Indian Standard specification for steel tubes for furniture) and all sheet metal components should be of CRCA confirming to IS Code 513:1994. D-frame should be constructed from a rectangular pipe with a cross section of 	<u>15</u>	<u>Nos</u>	

	<p>60mm x 30mm and should be 2 mm thick and should be without a vertical front leg to give a clean look. This shall provide more knee space or leg space and would facilitate uninterrupted lateral movement of the under-bench units within the bench run. The D-frame legs should be supplied with adjustable feet (tolerance from -5mm to +20mm) to correct the unevenness of flooring. The tubular enclosed type construction shall discourage dust accumulation and unwanted development of bacteria & fungus. The structure should have a removable back panel to provide access for maintenance throughout the length of table. The D-frame shall also have skirting at back bottom side. Finish on metal surface: Epoxy polyester powder coating with dry film thickness of 40-60 microns. Interior & Exterior will be provided with powder-coated finish. Under Bench Cupboards will be provided with Top Drawer and Bottom one Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided (Hardware Make: Godrej/Ebco/Hettich) • Material of Construction for Work Bench: 18-20G thick CRCA Sheet. Interior & Exterior will be provided with powder-coated finish. (50-70Microns)</p> <p>Storage Dimension - 450mm W * 520 mm D</p> <ul style="list-style-type: none"> • Structure - 60 MM X 30 MM X 2 MM MS PIPE • Filler Panel - REMOVABLE PANEL 600mm TO 900 mm. Filler Panel • Electrical Socket - 200 x 120 mm single electrical raceway with electric point (Qty - 2) • Electrical Module - 3M Plate with 16/6 Amp Socket and 16 Amp MCB or switch (Make: Havells/Anchor / Norysis/Equivalent) (Qty - 2) 			
--	---	--	--	--

NFSU considers the bids only if the bidder is submitting the quote for all the six items and full quantity. Bids submitted for few quantities/ only few items will not be accepted.

Annexure - 10

Format for Bank Guarantee for Performance Security (Performance Bank Guarantee)

(To be submitted by the successful bidder after placement of the purchase Order)

To
Campus Director
National Forensic Sciences University
Dharwad Campus, Dharwad -580011

Subject: Performance Bank Guarantee (PBG)

Reference : NFSU :- Purchase Order No. _____, dated _____

Dear Sir,

1. We hereby issue a Bank Guarantee as follows: -
Bank Guarantee No.
Date:
Amount of Guarantee Rs. _____,
Guarantee covers From _____ To _____
Last Date for Lodgment of Claim: _____
2. This deed of Guarantee executed by the (Name of the Bank: _____) constituted under _____ Act, having its Central Office at _____ and amongst other places a branch at _____ (hereinafter referred to as "The Bank") in favor of The Campus Director, National Forensic Sciences University, Dharwad Campus(here in after referred to as NFSU.) for an amount of not exceeding Rs. _____ (in words: Rupees _____ only) at the request of M/s _____ (hereinafter referred to as the "Contractor" / "Supplier").
3. In consideration of The Campus Director, National Forensic Sciences University, Dharwad Campus(here in after called NFSU.) having entered into an agreement vide NFSU's Purchase Order No. dated _____ with M/s _____ (hereinafter called the Supplier) to carry out the supply and installation of the<Name of the equipments /work/job> at National Forensic Sciences University, Dharwad Campusas per their above order, the Supplier agreed to execute a Bank Guarantee for 5% of the total order value viz. Rs. _____ (Rupees _____ -) towards Performance Security / Performance Guarantee obligation for a period of _____ year(s)/ month(s) from _____ to _____.
4. We, the _____ Bank, _____ Branch (hereinafter referred to as a Guarantor) at the request of the supplier, irrevocably undertake to indemnify and to keep indemnify NFSU. without any demur to the extent of Rs. _____ (Rupees _____) in the event of the aforesaid Supplier failing to comply the Warranty / contractual Obligations as per the agreed terms to the full satisfaction of the Company as mentioned in the NFSU Dharwad Campus's purchase order.
5. NOW THIS BANK HEREBY GUARANTEES that in the event of the said Supplier failing to abide by any of the conditions referred in tender document / purchase order/performance of the equipment/Machinery/service, etc. this Bank shall pay to National Forensic Sciences University, Dharwad Campus, Dharwad -580011 on demand and without protest or demur Rs. _____ (Rupees _____).

6. We Bank, further agree that the Guarantee herein contained shall remain in full force and affect during the period that would be taken for the performance of the equipment and / or services as stated in the Purchase Order issued by NFSU, Dharwad Campus and that it shall continue to be enforceable till the completion of the period and certified that warranty and contractual obligations have been fully carried out by the supplier and accordingly discharges the Guarantee subject. However, NFSU, Dharwad Campus shall have no right under after the expiry of the Guarantee, i.e. (date).
7. We, Bank undertake not to revoke this Guarantee, during its currency except with the previous consent of NFSU, Dharwad Campus in writing.
8. Notwithstanding anything contained herein,
 - (a) Our liability under the Bank Guarantee shall not exceed Rs. _____ Rupees _____).
 - (b) This Bank Guarantee shall be valid up to _____.
 - (c) We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if NFSU Dharwad Campus serve upon us a written claim or demand on or before expiry of date (i.e. _____).

NOT WITH STANDING anything contained herein above, our liability under this Guarantee is restricted to Rs. _____ (Rupees _____ only). Our guarantee shall remain in force until, unless a Demand or claim under the guarantee is made on our Bank in writing on or before , all your rights under the said guarantee be forfeited and we shall be relieved and discharged from all liabilities thereunder.

This Bank further agrees that the decision of National Forensic Sciences University, Dharwad Campus, Dharwad -580011 as to whether the said Supplier has committed a breach of any of the conditions referred in tender document / purchase order shall be final and binding.

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at _____ situated _____ at _____ (Address of local branch) as following details:

Name of the Bank	
Branch Name	
Branch Code	
IFSC Code	
E-mail Id	
Phone / Mobile No.	

Seal & Signature of the Bank

Annexure – 11

National Forensic Sciences University, Dharwad Campus CONTRACT AGREEMENT (DRAFT)

This Agreement is made at Dharwad on the _____ day of _____, 20, between:
The Campus Director, National Forensic Sciences University, Dharwad Campus (hereinafter called the 'Client' which expression shall, unless repugnant to the context, be deemed to mean and include its successors, legal representatives and assigns), of the First Part, AND M/s. _____, having its registered office at _____ (hereinafter called the 'Agency' which expression shall unless repugnant to the context or meaning thereof mean and include its successors-in-interest, assigns, representatives), of the Second Part.

WHEREAS The Client desires to engage the Contractor for providing the works of " _____" at National Forensic Sciences University, Dharwad Campus, as per the terms and conditions stipulated below and the tender documents.

- Scope of Agreement:** All terms, conditions, schedule of work, technical specifications, bill of quantities, and allied documents enclosed in the tender—including clarifications, amendments, and corrigenda—shall form an integral part of this Works Agreement.
- Legal Compliance:** The Contractor shall be fully responsible for compliance with all prevailing laws, statutory regulations, bylaws, rules and directions—including but not limited to those relating to labour (Minimum Wages, EPF, ESI, Workmen's Compensation), safety, and environmental regulations—pertaining to execution and performance of the works at NFSU Dharwad Campus.
- Liability and Compensation:** The Contractor shall be solely liable for any accidents, injuries, damages, or compensation claims arising out of works/services performed by their personnel. The Client shall bear no liability in respect of personnel employed by the Contractor on site.
- Termination Clause**
 - 1 This Agreement may be terminated by the Client by giving 30 (thirty) days' written notice without assigning any reason.
 - 2 Violation of contract terms, suppression of facts, or non-compliance shall attract cancellation without notice or compensation.
- Penalty Clause:** In case of non-compliance, the Client reserves the right to:
 - a) Cancel/revoke the contract; and/or
 - b) Impose penalty up to 10% of the total contract value.
- Tender Documents and Amendments:** The Agency agrees to comply with all attached tender documents, annexures, scopes of work, and any amendments issued by the Client during the contract tenure.
- Taxation:** The Agency shall fully comply with all applicable tax laws in India and keep the Client indemnified against any claims, penalties, or liabilities arising therefrom.

8. Dispute Resolution and Jurisdiction:

8.1 In case of dispute or difference arising out of or in connection with this Agreement, the decision of the Client shall be final.

8.2 Jurisdiction for all legal matters shall be the competent courts located in Dharwad.

9. Duration of Agreement: This Agreement shall come into force from _____ and shall remain valid for a period of months, extendable or curtailable at the discretion of the Campus Director, NFSU Dharwad Campus.

IN WITNESS WHEREOF, the parties hereunto have set their hands and seals on the day, month, and year first above written at Dharwad:

For and on behalf of

National Forensic Sciences University, Dharwad

Signature: _____

Name: _____

Designation: _____

Stamp/Seal of the University

For and on behalf of

M/s. _____ (Agency)

Signature: _____

Name of Authorized Signatory: _____

Designation: _____

Stamp/Seal of the Firm

Witnesses:

1. _____
2. _____