

राष्ट्रीय न्यायालयिक विज्ञान विश्वविद्यालय (राष्ट्रीय महत्त्व का संस्थान, गृह मंत्रालय, भारत सरकार)

National Forensic Sciences University (An Institution of National Importance under Ministry of Home Affairs, Government of India)



Sector-9, Gandhinagar (Gujarat) - 382007

OPEN TENDER ENQUIRY (TWO BIDS)

Technical and Financial Bids to be submitted online (CPPP) as per schedule of requirement

TENDER DOCUMENT

FOR

SUPPLY AND INSTALLATION OF POTENTIAL ELECTROCHEMICAL WORK STATION- 01 NO.
AT NATIONAL FORENSIC SCIENCES UNIVERSITY (NFSU), GOA CAMPUS

Tender No: NFSU/HQ/38(5)/2023-PUR/CPPP14

Purchase and Store Department
National Forensic Sciences University
Sector-9, Near Police Bhawan
Gandhinagar (Gujarat) – 382007
Contact No: 079-2397-7123/24
Email: purchase_gnr@nfsu.ac.in

INDEX

Sr. No.	Particulars	Page No.
1.	Introduction and Tender Schedule	3
2.	Instruction for online Bid Submission	4
3.	General Terms and Conditions	7-16
4.	Annexures (I to X) for Technical Bid	17-30
5.	Contents of Bid Submission	31

The National Forensic Sciences University (NFSU), an Institution of National Importance is the world's first and only Forensic Sciences University established by the Government of India under the Ministry of Home Affairs (MHA), Women Safety Division.

NFSU invites online Bids in two-bid format for the Supply & Installation of "POTENTIAL ELECTROCHEMICAL WORK STATION- 01 NO." at NFSU, Goa Campus from Original Equipment Manufacturer (OEM)/ Authorized distributers/ Authorized dealer.

TENDER SCHEDULE

Name of Organization	National Foren	sic Sciences University
Open Tender Notice No. (NIT)	NFSU/HQ/38(5)/2023-PUR/CPPP14
Tender Type	Open	
(Open/Limited/EOI/Auction/Single/Global)		
Tender Category (Services/Goods/Works)	Goods	
Type/Form of Contract(Supply /Auction	Supply	
/Service /Buy /Empanelment /Sell)		
Product Category/Name	"Potential Elec	trochemical Work Station-
	01 No."	
Is Multi Currency Allowed	Yes	
Date of Issue/Publishing	16/03/2024 (18	8:55 Hrs)
Document Download/Sale Start Date	16/03/2024 (18	8:55 Hrs)
Document Download/Sale End Date	08/04/2024 (17	7:00 Hrs)
Clarification Start Date	16/03/2024 (18	8:55 Hrs)
Clarification End Date	26/03/2024 (17	7:00 Hrs)
Last Date and Time for Uploading Bids	15/04/2024 (17	7:00 Hrs)
Date and Time of Opening of Technical Bids	19/04/2024 (14	4:00 Hrs)
No. of Covers (1/2/3/4)	02	
Bid Validity days (180/120/90/60/30)	180 days	
Delivery		
		s in case of indigenous goods
		in case of imported goods from
	the issue of this	purchase order and installation
	must be compl	eted one month within the
	delivery of the go	oods. (During Officer Hours)
Tender Fees	Rs. 500/-	In form of DD in the
EMD	Rs. 51,000/-	nameof "Executive
		Registrar, NFSU,
		Gandhinagar" payable
		at Gandhinagar
		(Gujarat) (Annexure-IV)
Address of Communication	Purchase and	l Store Department
		sic Sciences University
	Sector-9, Ne	
	Gandhinagar (C	Gujarat) – 382007
Contact No.	079-23977123/24	
Email Address	purchase_gnr@	nfsu.ac.in
	1	

Instruction for online Bid Submission

Electrochemical Work Station- 01 No." at Goa Campus a per technical specification given in the **Annexure-I** to the Tender Document. All offers should be made in English and should be written in both figures and words. Tender document can be downloaded from the CPP Portal (https://eprocure.gov.in/eprocure/app) and NFSU website (https://www.nfsu.ac.in/tenders). The bidders are requested to read the tender document carefully and ensure compliance with all specification/instructions herein. Non-compliance with specification/instructions in this document may disqualify the bidders from the tender exercise. The Executive Registrar, NFSU reserves the right to select the item (in single or multiple units) or to reject any quotation wholly or partly. Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificate. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

https://eprocure.gov.in/eprocure/app

REGISTRATION

- 1. Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their account.
- 3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communications from the CPP Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra / Pantasign etc.), with their profile.
- 5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6. Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

There are various search options built in the CPP Portal, to facilitate bidders to search active
tenders by several parameters. These parameters could include Tender ID, Organization
name, location, date, value etc. There is also an option of advanced search for tenders,
wherein the bidders may combine a number of search parameters such as organization name,
form of contract, location, date, other keywords etc. to search for a tender published on the
CPP Portal.

- 2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual report, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1. Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one a indicated in the tender document.
- 3. A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 4. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 5. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 6. The uploaded tender documents become readable only after the tender opening by authorized bid openers.

- 7. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 8. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance report/sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315, 0120-4200462, 0120-4001002/5.

General Instruction to the Bidders

- 1. The tender will be received online through portal https://eprocure.gov.in/eprocure/app_. In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a pre-requisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificate can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under link "Information about DSC".
- 3. Tenderer are advised to follow the Instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

Sd/Executive Registrar
National Forensic Sciences University
Gandhinagar

General Terms and Conditions

- 1. **Due date:** The tender has to be submitted online before the due date. The offers after the due date and time will not be considered. No manual bids will be considered.
- 2. **Preparation of Bids:** The offer/bid should be submitted in two bid systems i.e. Technical bid and Financial bid. The Technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e. BoQ_XXXX.
 - The Technical bid and the Financial bid should be submitted Online.
 - Note: Comparison of prices will be done ONLY on the bids submitted for the Main Equipment anything asked as 'Optional' in the specs is not to be included for overall comparison.
- 3. Tender Fee and EMD (if applicable): The tenderer should submit Tender Fee and EMD amount in the form of Demand Draft or Banker's Cheque from any of the commercial banks in favour of "Executive Registrar, NFSU, Gandhinagar payable at Gandhinagar (Gujarat) should reach Purchase and Store Department, National Forensic Sciences University, Sector-9, Gandhinagar (Gujarat) 382007 on or before the last date of Bid submission as per schedule. (Ref. Annexure-IV)
- 4. EMD Exemption: As per Rule 170 of GFR, the EMD exemption is applicable to Micro and Small Enterprises (MSEs) and Start-ups (recognized by DPIIT). In view of the above, if the bidder will claim for EMD exemption, the bidder should meet all the criteria for Micro and Small Enterprise. The bidder must have to submit the supporting documents like NSIC registration certificate, MSE registration certificate etc. issued by competent government bodies to become eligible for EMD exemptions. The certificate shall be valid as on due date/extended due date of the tender. (Ref. Annexure-IV)
- 5. **Refund of EMD:** The EMD will be returned to unsuccessful Tenderer only after the Tenders are finalized. In case of successful Tenderer, it will be retained till the successful installation of the equipment and submission of performance security. The EMD will be refunded without interest.
- 6. Opening of the tender: The online bid will be opened by a committee duly constituted for this purpose. Online bids (complete in all respect) received along with EMD (if any) will be opened as mentioned in tender schedule in presence of bidders' representative if available. Only one representative will be allowed to participate in the tender opening. Bid received without EMD (if present) will be rejected straight way. The technical bid will be opened online first and it will be examined by a technical committee (as per specification and requirement). The financial offer/bid will be opened only for the offer/bid which technically meets all requirements as per the specification, and will be opened in the presence of the vendor's representatives subsequently for further evaluation. The bidder if interested may participate on the tender opening Date and Time. The bidder should produce authorization letter from their company to participate in the tender opening.
- 7. **Acceptance/ Rejection of bids:** The committee reserves the right to reject any or all offers without assigning any reason.
- 8. Pre-qualification criteria:
 - (i) Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original equipment manufacturer (OEM) on the same and specific to the tender should be enclosed.
 - (ii) An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend support for the warranty as well. (Ref. Annexure-III).
 - (iii) OEM should be internationally reputed Branded Company.

- (iv) Non-compliance of the tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between the bidder specification and supporting documents etc. may lead to rejection of the bid.
- (v) In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
- (vi) If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
- 9. Performance Security: The supplier shall require to submit the performance security in the form of irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount equals to 5% of the item value within 21 days from the date of receipt of the purchase order and should be kept valid for period of 60 days beyond the date of completion of warranty period.
- 10. **Force Majeure:** The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
 - For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable.
 Such events may include, but are not limited to, act of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
 - If a Force Majeure situation arises, the Supplier shall promptly notify the purchaser in
 writing of such conditions and the cause thereof. Unless otherwise directed by the
 Purchaser in writing, the Supplier shall continue to perform its obligations under the
 Contract as far as is reasonably practical, and shall reasonable alternative means for
 performance not prevented by the Force Majeure event.
- 11. **Risk Purchase Clause:** In the event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the rights to purchase the item/equipment from the other source on the total risk of the supplier under risk purchase clause.
- 12. **Packing Instructions:** Each package will be marked on three sides with proper paint/indelible ink, the following:
 - i. Item Nomenclature
 - ii. Order/Contract No.
 - iii. Supplier's Name and Address
 - iv. Consignee details
 - v. Packing list reference number

The supplier must follow the applicable standards like IS 9313: 1979 etc. for packing and packing material. In the event of breakage or loss to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. NFSU will not be liable to any type of losses in any form.

- 13. **Deliver and Documents:** Delivery of the goods should be made within a maximum of 4 to 6 weeks in case of Indigenous goods and 8 to 10 weeks in case of Imported goods, from the date of Purchase Order. However, in case of special or fabricated goods the delivery period will be notified in Purchase Order. The supplier shall also send the following documents with other documents.
 - i) 3 copies Supplier invoice showing contract number, goods' description, quantity, unit price, total amount etc.
 - Insurance Certificate if applicable;

- iii) Manufacturer's/Supplier's warranty certificate;
- iv) Inspection Certificate issued by the nominated inspection agency, if any
- v) Supplier's factory inspection report; and
- vi) Certificate of Origin (if possible by the beneficiary)
- vii) Two copies of the packing list identifying the contents of each package.
- viii) The above documents should be received by the Purchaser before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses.

14. Installation & Demonstration:

The Supplier is required to complete the installation and demonstration of the equipment within one month of the arrival of materials at the consignee's site of installation. Failure to do so will result in the application of the penalty clause, which will be the same as per the supply of materials. However, in the event of a delay in site preparation at the end of purchaser/consignee, the delay will be excused, and the penalty clause will not be applicable.

In case of any mishappening/damage to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. NFSU will not be liable to any type of losses in any form.

- 15. **Extension of delivery & Installation:** If the supplier would unable to complete the order within the stipulated time, for which the supplier is responsible, it is required to request for the extension of the delivery period before the expire of the delivery period mentioned in the purchase order, it may be extended with justified reasons. In case the supplier would fail to complete the order within the stipulated time, NFSU reserve the right to cancel the contract / order and performance security / EMD may be forfeited.
- 16. **Delay delivery:** If the delivery is not made within the due date for any reason, the Committee will have the right to impose penalty 0.5% per week and the maximum deduction is 10% of the contract value/price.
- 17. **Prices:** The price should be quoted in net per unit (after breakup) and must include all packing and delivery charges.

Further, depending on the nature of the goods, there may be cost elements towards installation and commissioning, operator's training, and so on. Normally, it may be included in the equipment cost but if it is quoted separately, the same will be added in the item price for the determination of ranking of the bidders.

The offer/bid should be exclusive of taxes and duties, which will be paid by the purchaser as applicable. However, the percentage of taxes & duties shall be clearly indicated. Necessary certificate will be issued on demand.

The Buyer/Committee will have the right to award contracts to different Bidders for being lowest in particular items.

For ranking of offers, price of complete scope of supply as detailed in technical specifications, the procuring authority/Purchaser may decide as follows for comparison of price bid-

(i) All items of the bid which are mandatorily required to meet the tendered specification of the item/system.

- (ii) If a bidder has put certain items/modules which are required to meet the tendered specification in the 'optional' part of the bid, then such optional items shall also be included for the purpose of price comparison.
- (iii) On the other hand, if a bidder has inadvertently included any item/module in its main price bid which is not required as per tender specifications, then the price of such item/module shall be excluded from the price comparison provided that the price for the said item/module is clearly reflected separately in the bid.
- (iv) Anything asked as 'optional' in our specs is not to be included for overall comparison.

Non-conformities between Figures and words:

Sometimes, non-conformities/errors are also observed in responsive tenders between the quoted prices in figures and in words. This situation normally does not arise in case of e-Procurement. This should be taken care of in the manner indicated below:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected.
- (ii) If there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected.
- (iii) If there is a discrepancy between words and figures, the amount in words will prevail for calculation of price.

18. Duties:

NFSU is exempted from paying custom duty under notification 51/96 dated 23.07.1996, 43/2017 dated 30.06.2017 and 42/2022 dated 13.07.2017 as amended from time to time. Presently this is valid till 31.08.2025. Please state clearly that this certificate is required.

After taking into account the aforementioned exemption, any remaining payable amount, if applicable, should be settled by the supplier in the first instance. Subsequently, upon submission of the Bill of Entry (BoE), e-receipt, and related documentation, reimbursement will be processed based on the actual expenses incurred. It's important to note that penalties or interest will not be covered by the purchaser/consignee.

Custom clearance charges in case of Imported goods:

The Seller shall responsible for conducting custom clearance (at the port) at their own cost with the help of purchaser/consignee. The necessary documents for custom clearance will be supplied by the purchaser/consignee. The purchaser/consignee will not incur any additional cost/charges for custom clearance, warehouse or related services.

19. Taxes:

Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to Purchaser. However, GST etc., in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.

20. **Resolution of Disputes:** The dispute resolution mechanism to be applied pursuant shall be as follows:

In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the **Executive Registrar**, **NFSU** and if he is unable or unwilling to act, to the sole arbitration of some other person appointed by him

willing to act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this order.

- 21. Jurisdiction/Applicable Law: The contract shall be interpreted in accordance with the laws of the Union of Indian and all disputes shall be subject to place of Jurisdiction (i.e. Gandhinagar (Gujarat) INDIA).
- 22. **Inspection and Tests:** Inspection and tests prior to shipment of Goods and at final acceptance are as follows:
 - After the goods are manufactured and assembled, inspection and testing of the goods shall be carried out at the supplier's plant by the supplier, prior to shipment to check whether the goods are in conformity with the technical specifications attached to the purchase order. Manufacturer's test certificate with data sheet shall be issued to this effect and submitted along with the delivery documents. The purchaser shall be present at the supplier's premises during such inspection and testing if need is felt. The location where the inspection is required to be conducted should be clearly indicated. The supplier shall inform the purchaser about the site preparation, if any, needed for installation of the goods at the purchaser's site at the time of submission of order acceptance.
 - The acceptance test will be conducted by the Purchaser, their consultant or other such person nominated by the Purchaser at its option after the equipment is installed at purchaser's site in the presence of supplier's representatives. The acceptance will involve trouble free operation and ascertaining conformity with the ordered specifications and quality. There shall not be any additional charges for carrying out acceptance test. No malfunction, partial or complete failure of any part of the equipment is expected to occur. The Supplier shall maintain necessary log in respect of the result of the test to establish to the entire satisfaction of the Purchaser, the successful completion of the test specified.
 - In the event of the ordered item failing to pass the acceptance test, a period not exceeding one weeks will be given to rectify the defects and clear the acceptance test, failing which the Purchaser reserve the right to get the equipment replaced by the Supplier at no extra cost to the Purchaser.
 - Successful conduct and conclusion of the acceptance test for the installed goods and equipment shall also be the responsibility and at the cost of the Supplier.

23. Right to User Defective Goods:

If after delivery, acceptance and installation and within the guarantee and warranty period, the operation or user of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.

24. Supplier Integrity:

The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic Principles and exercising all means available to achieve the performance specified in the contract.

25. Training:

The supplier shall be required to undertake to provide the technical training to the personnel (technical and end user) to enable them to effectively operate the total equipment at the Purchaser/Consignee's premises, immediately after completing the installation of the equipment at the supplier's cost.

- 26. Incidental Services: The incidental services also include:
 - Furnishing of 01 set of detailed operations & maintenance manual.

- Arranging the shifting/moving of the item to their location of final installation within purchaser/consignee premises at the cost of Supplier through their Indian representatives.
- 27. **Insurance:** The goods to be supplied will be insured by the supplier against all risks of loss or damage from the date of shipment till such time it is delivered at purchaser/consignee's site.

28. Governing Language:

The contract shall be written in English language. English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the same language.

29. Manuals and Drawings:

- (i) Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply operation and maintenance manuals. These shall be in such details as will enable the Purchaser to operate, maintain, adjust and repair all parts of the works as stated in the specifications.
- (ii) The Manuals shall be in the ruling language (English) in such form and numbers as stated in the contract.
- (iii) Unless and otherwise agreed, the goods equipment shall not be considered to be completed for the purpose of taking over until such manuals and drawing have been supplied to the Purchaser.
- 30. **Site Preparation:** The supplier shall inform to the purchaser/consignee about the site preparation, if any, needed for the installation of equipment, immediately after the receipt of the purchaser order. The supplier must provide complete details regarding space and all the other infrastructural requirements needed for the equipment, which the purchaser/consignee should arrange before the arrival of the equipment to ensure its timely installation and smooth operation thereafter.

The supplier shall visit the purchaser/consignee site where the equipment is to be installed and may offer his advice and render assistance to purchaser/consignee in the preparation of the site and pre-installation requirements.

31. **Defective Equipment:** If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the purchaser/consignee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 30 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms and conditions, Purchaser/Consignee may consider "Banning" the supplier.

32. Spare Parts:

The supplier may be required to provide any or all of the following materials, notification, and information pertaining to spare parts manufactured or distributed by the Supplier:

- (i) Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract; and election shall not relieve the Supplier of any warranty obligation under the Contract; and
- (ii) In the event of termination of production of the spare parts:
- (iii) Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and
- (iv) Following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and specifications of the spare parts, if requested.

Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods, such as gaskets, plugs, washers, belts etc. Other spare parts and components shall be supplied as promptly as possible but in any case within six months of placement of order.

33. Termination for Default:

The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:

- (i) If the Supplier fails to delivery any or all of the Goods within the period(s) specified in the order or within any extension thereof granted by Purchaser; or
- (ii) If the Supplier fails to perform any other obligation(s) under the Contract.
- (iii) If the Supplier, in the judgement of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
 - For the purpose of this Clause:
 - (i) "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
 - (ii) "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial noncompetitive levels and to deprive the Borrower of the benefits of free and open competition;
 - In the event the Purchaser terminates the Contract in whole or in part, the Purchaser
 may procure, upon such terms and in such manner, as it deems appropriate, Goods
 or Services similar to those undelivered, and the Supplier shall be liable to the
 Purchaser for any excess costs for such similar Goods or Services. However, the
 Supplier shall continue the performance of the Contract to the extent not terminated.

34. Warranty:

- (i) Warranty period shall be **Three Year** (03 Year) from the date of installation of Goods at the Purchaser/Consignee site, against the defect of any manufacturing, workmanship and poor quality of components and tenderer also give the guarantee / warranty declaration on the letter head in prescribed format as attached with tender as **Annexure VIII**. The warranty should be comprehensive on site.
- (ii) The supplier will have to provide **Four** (04) **free services for maintenance** during the warranty period.
- (iii) The Purchaser/Consignee shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall immediately within Two (02) days arrange to repair or replace the defective goods or parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period of correction of defects in the warranty period is Two (02) days. If the supplier having been notified fails to remedy the defects within Two (02) days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract.

35. AMC/CMC:

- (i) The maintenance charges under different schemes after the expiry of the warranty should be mentioned.
- (ii) After the warranty period is over, Annual Maintenance Contract (AMC)/Comprehensive Maintenance Contract (CMC) up to next Five (05) Years will be started. The AMC/CMC charges will not be included in computing the total cost of the equipment.

36. Payment:

• Indigenous goods:

100% payment shall be made within 30 days by the Purchaser against delivery, inspection, successful installation, commissioning and acceptance of the equipment at Purchaser/Consignee site in good condition and to the entire satisfaction of the Purchaser and on production of unconditional performance bank guarantee as specified in tender terms and conditions.

Imported goods:

I. Letter of Credit:

- Letter of Credit will be established on 100% of the Purchaser Order value. 90% of the Net Purchaser Order Value shall be paid on shipment of the equipment and on the submission of the following original documents through bank:
 - a) Air Waybill/ Bill of Lading in Original
 - b) Signed commercial invoice in duplicate for claiming 90% payment.
 - c) Certificate of Country of Origin.
 - d) Packing list in duplicate.
 - e) Provide the manufacture's guarantee certificate and in-house inspection certificate.
- (ii) Balance 10% of Net Purchaser Order value shall be released after satisfactory installation / testing or commissioning and handing over of the equipment, on the submission of installation report duly certificated by the Purchaser/Consignee, through Bank and on submission of performance bank guarantee. The following documents are required for 10% payment:
 - a) Signed Commercial Invoice
 - b) Acceptance certificate by purchaser
 - c) Submission of performance bank guarantee

In case the delivery date of the contract is extended to take care of delay in supply, for which the supplier is responsible, the tenure of the LC is also to be extended, but the expense incurred for such an extension (of LC) is to be borne by the supplier.

Or

II. Telegraphic Transfer (TT): 100% payment will be made through TT after delivery and successful installation and on submission of performance bank guarantee.

The payment shall be made after deducting Government dues as applicable.

37. As per Ministry of Finance, Deptt. of Expenditure, Public Procurement Division order (Public Procurement No.1) issued form file No.6/18/2019-PPD dated 23rd July, 2020 regarding Restrictions under Rule 144 (xi) of General Finance Rules (GFRs) 2017, it is directed that any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the

Competent Authority i.e. the Deptt. for Promotion of Industry and Internal Trade (DPIIT). The said order will not apply to bidders from those countries (even sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects (updated lists of the countries are given in the Ministry of External Affairs)

"Bidder" (including the term 'tenderer', 'seller', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not failing in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participated in a procurement process.

"Bidders from a country which shares a land border with India" for the purpose of this Order means:

- (i) An entity incorporated, established or registered in such a country; or
- (ii) A subsidiary of an entity incorporated, established or registered in such a country; or
- (iii) An entity substantially controlled through entities incorporated, established or registered in such a country; or
- (iv) An entity whose beneficial owner is situated in such a country; or
- (v) An Indian (or other) agent of such an entity; or
- (vi) A natural person who is the citizen of such a country; or
- (vii) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

The beneficial owner for the purpose of above will be as under: -

In case of a company or Limited Liability Partnership, the beneficial owner is the natural person (s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercise control through other means.

Explanation-

- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five percent of share or capital or profit of the company;
- b. "Control" shall include the right to appoint majority of the directors or to control the management of policy decisions including by virtue of their shareholding or management rights or shareholders' agreements or voting agreements;
- II. In case of partnership firm, the beneficial owner is the natural person (s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- III. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person (s), who, whether acting along or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- IV. Where no natural person is identified under (I) or (II) or (III) above, the beneficial owner is the relevant natural person who holds the position of managing official;
- V. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

An agent is a person employed to do any act for another, or to represent another in dealings with the third person.

For Works contracts, including Turnkey contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

The bidder shall ensure to comply with the said order. If the bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law.

38. It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled 'Annexure-X' for the same). The 'Annexure-X' once submitted in the Technical Bid will be final. Submission of Revised 'Annexure-X' will NOT be accepted.

The Bidders cannot claim themselves as Class-I or Class-II Local suppliers by claiming the services such as Transportation, Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/CMC etc. as Local Value Addition.

- 39. **User list & Experience :** Brochure detailing technical specification and performance, list of industrial/forensic labs/Government/Semi —Government Autonomous body/private Sector and educational Establishment where the items have been supplied must be provided. (Ref. Annexure- V & VI)
- 40. **Application Specialist:** The Tenderer should mention in the Techno-Commercial bid the availability and name of Application Specialist and Service Engineers in the nearest regional office. (Ref. Annexure- V)
- 41. **Compliance report/certificate/sheet:** This report/certificate must be provided indicating conformity to the technical specifications. (Annexure-I)
- 42. **Certification/Standard/Benchmarks:** The goods must be certified based on applicable standards like ISO, ISI, QCI, BIS or other international standards etc. The certificate for the same should be attached with bidding documents.

43. Other Conditions:

- In case the bidder is silent on any clause(s) mentioned in the tender document, NFSU shall construe that the bidder had accepted the clause(s) as per the tender. No any claim in this regard will be entertained. Further there should be no any counter offer to the general terms and conditions of the tender.
- II. The provisions of applicable rules (like GFR etc.) of public procurement, issued by Government of India will be applicable on this tender.
- 44. Address and Contact details for Inspection, Delivery, Installation and Payment:

Prof. Naveen Chaudhary

Campus Director,
National Forensic Sciences University - Goa Campus
Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email:director_goa@nfsu.ac.in

Technical Compliance Report

TENDER	NO:
---------------	-----

NAME OF ITEM: Potential Electroch	emical Work Station- (01 No.
Manufacturer	Brand	Model

Sr. No	Technical Specification	Numeric Values & Other Information	Whether Comply (Yes/No
	Electrochemical Workstation should be able to perform following techniques		
	a) Cyclic Voltammetry (CV)		
	b) Galvanostatic Charge Discharge (GCD)		
	c) Electrochemical impedance spectroscop	У	
1.	(EIS)		
	d) Linear Sweep Voltammetry (LSV) (LS		
	includes Isc, Voc, Pwr Max (W), Pwr Max(V FF),	
	e) Staircase Voltammetry (SCV)		
	f) Tafel Plot (TAFEL)		
	g) Chrono Amperometry (CA)		
	h) Chrono Coulometry (CC)		
	i) Differential Pulse Voltammetry (DPV)		
	j) Normal Pulse Voltammetry (NPV)		
	k) Differential Normal pulse Voltamemtr	·y	
	(DPNV)		
	I) Square Wave Voltammetry (SWV)		
	m) AC Voltammetry (ACV)		
	n) Second Harmonic AC Voltammetry (SHACV)		
	o) Amperometric i-t Curve (i-t)		
	p) Fourier Transform AC Voltammeter (FTAC)		
	q) Differential Pulse Amperometry (DPA)		
	r) Double Differential Pulse, Amperometr (DDPA)	У	
	s) Triple Pulse Amperometry (TPA)		
	t) Integrated Pulse Amperometry Detection	n	
	(IAPD)		
	u) Bulk Electrolysis with Coulometry (BE)		
	v) Hydrodynamic Modulation Voltammetr	У	
	(HMV)		
			Page 17 of 31

Page **17** of **31**

Sr. No	Technical Specification	Numeric Values & Other Information	Whether Comply (Yes/No
	w) Sweep-Step Functions (SSF)		
	x) Multi-Potential Steps (STEP)		
	y) AC Impedance (IMP) – 10uHz to 1MHz		
	z) Impedance – Time (IMPT), Impedance – Potential (IMPE)		
	aa) Chrono Potentiometry (CP)		
	bb) Chronopotentiometry with Current Ramp		
	(CPCR)		
	cc) Multi-Current Steps (ISTEP)		
	dd) Potentiometric Stripping Analysis (PSA)		
	ee) Open Circuit Potential – Time (OCPT)		
	ff) Galvanostat, RDE control (0-10V output)		
	Should be able to provide the corresponding Polarographic and stripping modes for most Voltammetry techniques.		
3.	Hardware Specification: a) Potentiostat / Galvanostat, 4 or 5 -electrode		
	configuration		
	a. Number of Channels: 01 and should have the		
	facility to upgrade more channels in same		
	chassis.		
	b. Scan rate: 1-10 microV/s to 10000 V/s or better		
	c. Measured current/potential Resolution: 0.05 to		
	0.0015%		
	d. Applied potential resolution: 1-150 microV or better		
	e. IMP amplitude range: 0.00001 to0.7V RMS or better (for impedance 10-1000 ohm)		
	f. Potentiostat rise time:400ns to 1µs or better		
	g. Current range +/- 10 nA - 250 mA or better		
	h. Potentiostat bandwidth: 1MHz or better		
	i. Compliance Voltage: ±15 to ±20V or better		
	j. Maximum potential: ±10V,		
	k. Input bias current: less than or equal to 1-10 pA or better		
	Applied current resolution 0.03-0.005% of current range		
	m. Maximum current: ± 250 to 400 mA or better		

o. Current accuracy: 20pA or better p. Fast data acquisition: dual channel 16bit ADC, 1,000,000 samples/sec simultaneously or better q. CA and CC pulse width: 0.0001 to 1000 sec r. USB port selectable for data communication s. Measured current/Potential resolution 0.05 to 0.0015% of current range AC Impedance / Impedance Time / Impedance – Potential Plots Bode: log Z vs log (freq) Bode: Phase, vs log (freq), Bode: log Z" & Z' vs log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/W, Cot (phase) vs w ½ Corrosion and Passivity study • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion current, etc. Photovoltaic studies: 6. I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Factures: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done	Sr. No	Technical Specification	Numeric Values & Other Information	Whether Comply (Yes/No
p. Fast data acquisition: dual channel 16bit ADC, 1,000,000 samples/sec simultaneously or better q. CA and CC pulse width: 0.0001 to 1000 sec r. USB port selectable for data communication s. Measured current/Potential resolution 0.05 to 0.0015% of current range AC Impedance / Impedance Time / Impedance – Potential Plots Bode: log Z vs log (freq), Bode: log Z vs log (freq), Bode: log Z" & Z' vs log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs M/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study 5. Tafel Plot (TAFEL), Potentiodynamic deactivation, Pitting corrosion, Corrosion current, etc. Photovoltaic studies: 6. I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing, a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		n. Bandwidth of electrometer: less than 4MHz		
1,000,000 samples/sec simultaneously or better q. CA and CC pulse width: 0.0001 to 1000 sec r. USB port selectable for data communication s. Measured current/Potential resolution 0.05 to 0.0015% of current range AC Impedance / Impedance Time / Impedance – Potential Plots Bode: log Z vs log (freq) Bode: log Z vs log (freq), Bode: log Z" & Z' vs log (freq) Bode: Og Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion rate, • Linear Polarisation, • Corrosion current, etc. Photovoltaic studies: 1-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		, ,		
better q. CA and CC pulse width: 0.0001 to 1000 sec r. USB port selectable for data communication s. Measured current/Potential resolution 0.05 to 0.0015% of current range AC Impedance / Impedance Time / Impedance – Potential Plots Bode: log Z vs log (freq) Bode: log Z vs log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z' vs log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study Tafel Plot (TAFEL), Potentiodynamic deactivation, Pitting corrosion, Corrosion rate, Linear Polarisation, Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done				
r. USB port selectable for data communication s. Measured current/Potential resolution 0.05 to 0.0015% of current range AC Impedance / Impedance Time / Impedance – Potential Plots Bode: log Z vs log (freq) Bode: log Z vs log (freq), Bode: log Z" & Z' vs log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs W1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion rate, • Linear Polarisation, • Corrosion current, etc. Photovoltaic studies: 1-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done				
s. Measured current/Potential resolution 0.05 to 0.0015% of current range AC Impedance / Impedance Time / Impedance – Potential Plots Bode : Dasse , vs log (freq) Bode : Phase , vs log (freq), Bode : log Z" & Z' vs log (freq) Bode: Og Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs W1/2 w-angular frequency, Z' vs w Z", Z' vs w Z", Z' vs w Z"/ x vs w Z'/ x vs w Z'		q. CA and CC pulse width: 0.0001 to 1000 sec		
AC Impedance / Impedance Time / Impedance – Potential Plots Bode: log Z vs log (freq) Bode: log Y vs log (freq), Bode: log Z" & Z' vs log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs W1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study 5. Potentiodynamic deactivation, Pitting corrosion, Corrosion rate, Linear Polarisation, Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user-defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		r. USB port selectable for data communication		
AC Impedance / Impedance Time / Impedance – 4. Potential Plots Bode : log Z vs log (freq) Bode : Phase, vs log (freq), Bode : log Z" & Z' vs log (freq) Bode: Phase, vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study 5.		s. Measured current/Potential resolution 0.05 to		
4. Potential Plots Bode: log Z vs log (freq) Bode: Phase, vs log (freq), Bode: log Z" & Z' vs log (freq) Bode: Phase, vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study 5. • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion rate, • Linear Polarisation, • Corrosion current, etc. Photovoltaic studies: 6. I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		0.0015% of current range		
Bode: Phase , vs log (freq), Bode: log Z" & Z' vs log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion rate, • Linear Polarisation, • Corrosion current, etc. Photovoltaic studies: 6. I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done	4.	Potential Plots		
log (freq) Bode: log Y vs log (freq), Nyquist; Z" vs Z', Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion rate, • Linear Polarisation, • Corrosion current, etc. Photovoltaic studies: 1-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done				
Interactive 3D Plots, Admittance; Y" vs Y' Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion rate, • Linear Polarisation, • Corrosion current, etc. Photovoltaic studies: 6. I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		log (freq)		
Warburg: Z" & Z' vs w1/2 w-angular frequency, Z' vs w Z", Z' vs Z"/w, Cot (phase) vs w ½ Corrosion and Passivity study • Tafel Plot (TAFEL), • Potentiodynamic deactivation, • Pitting corrosion, • Corrosion rate, • Linear Polarisation, • Corrosion current, etc. Photovoltaic studies: 6. I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user-defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done				
Corrosion and Passivity study		Warburg: Z" & Z' vs w1/2 w-angular frequency, Z'		
 Tafel Plot (TAFÉL), Potentiodynamic deactivation, Pitting corrosion, Corrosion rate, Linear Polarisation, Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, userdefined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done 				
Pitting corrosion, Corrosion rate, Linear Polarisation, Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done				
Corrosion rate, Linear Polarisation, Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		Potentiodynamic deactivation,		
Corrosion rate, Linear Polarisation, Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		,		
Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done				
Corrosion current, etc. Photovoltaic studies: I-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		'		
 I-V measurements, I max, Pmax, Fill factor, etc. The system should be capable of upgradation to Bipotentiostat and secm. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. Graphic Display Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done 				
I max, Pmax, Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done				
Fill factor, etc. 7. The system should be capable of upgradation to Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user-defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		· ·		
Bipotentiostat and secm. 8. Software Features: Software for data processing. a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		· · · · · · · · · · · · · · · · · · ·		
a) Software should have an Integrated digital CV simulator and fitting program, user- defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		Bipotentiostat and secm.		
defined and Mechanisms Integrated impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done	o.			
impedance simulator and fitting program. b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		CV simulator and fitting program, user-		
b) Graphic Display c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		defined and Mechanisms Integrated		
c) Present data plot, 3D surface plot: Overlay plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		impedance simulator and fitting program.		
plots: several sets of data overlaid for comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		b) Graphic Display		
comparison, add data to overlay: adding data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		c) Present data plot, 3D surface plot: Overlay		
data files to overlay plot, parallel plots, etc. d) Up-gradation of the software will be done		plots: several sets of data overlaid for		
d) Up-gradation of the software will be done		comparison, add data to overlay: adding		
		data files to overlay plot, parallel plots, etc.		
once a year or as and when updated		d) Up-gradation of the software will be done		
		once a year or as and when updated		

Sr. No	Technical Specification	Numeric Values & Other Information	Whether Comply (Yes/No
	versions of the software are available.		
9.	Additional Accessory: I. Pt Working Electrode – 02 No.		
	II. Glassy Carbon Working Electrode – 02 No.		
	III. Ag/AgCl Reference (aq) – 02 No.		
	IV. Ag/AgCl Reference (non aq) – 02 No.		
	V. Calomel Reference Electrode – 02 No.		
	VI. Pt Wire Counter Electrode – 02 No.		
	VII. Electrode Polishing Kit & Cell Stand* - 02		
	No.		
	VIII. Sample vial (Glass) (20 mL/50mL) (5 pcs)		
	IX. Teflon cap for sample holder (5pcs)		
	X. Electrode Holder suitable for 3 or 4 electrode		
	and thin films		
	XI. Purge tube		
	XII. Additional cable(1.5 m cell cable)		
10	Computer system: System should supply with suitable PC configuration with windows-based operating system, i7 processor (latest)/Ryzen 7, 4GB Graphics, minimum 16GB RAM, 19-inch monitor, 500GB SSD,keyboard, mouse and colour LaserJet printer, CPU should have a CD drive etc.		
11	Training:Demo should be provided and onsitesufficient training should be provided to the staff who will be operating the system.		
12	Provide at least 3 years' comprehensive warranty and spare parts for at least 7 years.		
13	Should be supplied with 3KVA UPS for backup		
14	supply to Instrument. Should be supplied with all the required assemblies and interfacing cables.		
15	Plug Type - India or should be supplied with a compatible plug convertor.		
16	Should provide the user list contact number and email.		
17	Should provide the live instrumental demo and technical clarifications before the technical bid is finalized.		
18	Custom Clearance at Goa Airport/Vasco Airport. (In Case of Imported Items)		
19	IQ, OQ to be provided by the vendor after successful installation		
20	Supply and Installation: National Forensic Sciences University, Goa Campus, Curti, Ponda, Goa, India, 403401.		

[B] IMPORTANT TERMS AND CONDITION FOR SUPPLY
--

1. <u>Delivery:</u> (FORD)
Dr. Naveen Chaudhari (Campus Director)
National Forensic Sciences University
NFSU Goa Campus, Curti, Near Goa Dairy Ponda,
Goa-403 401
Ph: 9902321100 ,0832-2313036/3026 & 0832-2313034/3032
E-mail: director_goa@nfsu.ac.in & Purchase goa@nfsu.ac.in
A I A H A A A A A A A A A A A A A A A A
2. <u>Installation/Inspection:</u> NFSU, Goa Campus
3. DSIR Certificate:
<u> </u>
This University DSIR Certificate to availing the custom duty exemption as
per notification of Ministry of Science and Technology, Department of
Scientific and Industrial Research Government of INDIA.
DSIR No: TU/RG-CDE (1155)/ 2022 Dtd: 16/09/2022 valid up to
31/08/2025.and Notification No: 42/2022-Customs Dtd: 13/07/2022.
4. Payment: By NFSU Goa Campus
<u>Lujmene</u> . 2j 11130 den dampud
5. Notification Regarding GST:
As per Govt. of India Ministry of Finance (Department of Revenue)
Notification No: 11/2022-Central tax - (Rate) Dtd: 13/07/2022 Taxes
will be livable as per GST prevailing rules and regulation.
1 1 5 5

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	(Signature of Bidder)
Name:	
	Seal of Bidder

FORMAT FOR MANUFACTURER'S AUTHORISATION LETTER (On letter head)

Tender No:	Date:
To, The Executive Registrar, National Forensic Sciences University, Gandhinagar – 382 007	
Sub.: Authorization Letter.	
Dear Sir,	
of, having authorize M/s	who are established and reputed manufactures factory at
We shall remain responsible for th M/s	e tender/ contract/ agreement by the said, jointly and severely.
on regular basis with technology/	rt/ facilitate the M/sproduct updates for up-gradation/ maintains/goods manufactured by us, during the warranty
changed it shall be obligatory on u obligations to the new Indian Agent fa	distributor are changed or agent/ distributor is s to automatically transfer all the duties and ailing which we will ipso-facto become liable for the part of new Indian Agent/ distributor.
Yours Faithfully,	
Name) (Name & Seal of Manufactures)	
	ould be on the letterhead of the manufacturing person competent and having the power of

attorney to bind the manufacturer.

Annexure-III

<<Organization Letter Head>> DECLARATION SHEET

we,				_nereby certify	that all the li	normation a	mu uata
furn	ished by	our	organization	with	regard	to	tender
(no.) specification a		•	
	ur knowledge. I ha	_	•		ns and stipula	ations in det	ails and
_	eed to comply with	•		•			
	is certified that ou	-				•	•
	ender. We further o		_				
	n in this tender nology/product u			_	support on	regular bas	SIS WILII
	price quoted in	•	• •	•	unnly to ac	adamic/gove	rnment
	anization.	tile illialicial	bius are subsit	dized due to 3	арріу со асс	definic/gove	iiiiiieiit
_	further specifically	certify that c	ur organization l	nas not been Bla	ck Listed/De	Listed or put	t to wav
	day by any Institut	-	_			-	-
yeaı		,	•	·			
1	Name o	f the	2				
_	Vendor/Manufa						
	•						
2		of the					
	Vendor/Manufa	cturer/Agen					
3	Contact Number	-					
4	E-Mail						
-	Livian						
5	Contact Person I	Name					
6	Mobile Number						
7	GST Number						
	Vendor/Manufa	cturer/Agen					
8	PAN of	of the					
	Vendor/Manufa	cturer/Agen	t				
			<u> </u>				
					(Si	gnature of	Bidder)
				Nam	201		
				ivan	ne:		
						Seal of	Bidder

TENDER FEES, EMD AND BANK DETAILS

Tender No:

1. Tender Fees	
Amount (Rs.)	
Bank Name	
Branch Name	
DD No.	
DD Date	
If exempted, fill the details of exemption	
(Please attach the relevant document)	
Note: Please attach Scan copy of DD along with t	his form.
2. EMD	
Amount (Rs.)	
Bank Name	
Branch Name	
DD No.	
DD Date	

Note: Please attach Scan copy of DD along with this form.

3. Bank Details of Bidder/Tenderer

If exempted, fill the details of exemption (Please attach the relevant document)

Name of Bidder/Account Holder Name Email id Contact No. PAN Bank Name Account No. IFSC Type of Account		
Contact No. PAN Bank Name Account No. IFSC	Name of Bidder/Account Holder Name	
Contact No. PAN Bank Name Account No. IFSC		
PAN Bank Name Account No. IFSC	Email id	
PAN Bank Name Account No. IFSC	Contact No.	
Bank Name Account No. IFSC	CONTROL NO.	
Account No. IFSC	PAN	
IFSC	Bank Name	
	Account No.	
Type of Account	IFSC	
Type of Account		
	Type of Account	

Note: Please attach original cancelled cheque along with this form.

	(Signature of Bidder)
Name:	
	Seal of Bidder

List of Users

(Industries/Forensic Labs/Government/Semi-Government/Automous body/private Sector and Educational Establishment)

Name of Organization	Name of Contact Person	Contact No.
e of application specialist / Septetency to handle and support	_	
	_	
petency to handle and supported.	the quoted product during Name of Contact	the warranty
petency to handle and supported.	the quoted product during Name of Contact	the warranty
petency to handle and supported.	the quoted product during Name of Contact	the warranty
petency to handle and supported.	the quoted product during Name of Contact	Contact No.
netency to handle and supported. Name of Organization	the quoted product during Name of Contact	Contact No.
netency to handle and supported. Name of Organization	Name of Contact Person	Contact No.

PREVIOUS SUPPLY ORDER DETAILS

Name of the Firm								
Purchase order submitted for three years (2020-2021, 2021-2022 & 2022-2023) experience :- Forensic Labs/Government/Semi-Government/Automous body/private Sector and Educational Establishment for whom the bidder has undertaken such work during last three year. (Must be supported with work orders from vendors/OEM)								
Order Placed by (Full address of Purchaser)	Order No. and Date	Description and quantity of order equipment	Value of order	Date of Completion of delivery as per contract	Has the equipment been installed satisfactorily (Attach a Certificate from the Purchaser/ Consignee)	Contact person along with Telephone No., Fax No. and email address		
Signature and Seal of the Manufacturer / Bidder								
Place:								
Date:	Date:							

(To be issued by Practising Cost/Chartered Accountant On the Letter Head)

CERTIFICATE OF TURNOVER/PROFIT

Address) is in the Services/	at M/s business of Manufa Their Turnover e) years are as given bel	cturing / and Profit in	Reselling of	EquipmentS /
<u>Year</u>	<u>Turnover</u> (In Ru	pees)	<u>i</u>	<u>Profit</u> (In Rupees)
FY 2020-21				
FY 2021-22				
FY 2022-23				
	rtify that the above tur ir Income Tax Returns fi			
Place:				
Date:				
	Seal an	d Signature (of Cost/Chart	ered Accountant

Certificate of Guarantee/Warranty (on letter head)

I / We certify that the guarantee / warranty shall be given for a period of **03 (Three Year)** starting from the date of the satisfactory installation, commissioning and handling over of the equipment and the work completed under the contract. During the guarantee / warranty period, I / we shall provide the "after sale service" and the replacement of defective / or any part(s) of the equipment or rectification of defects of work of the equipment will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above guarantee / warranty shall begin only from the date of successful installation. The benefit of change in dates of the guarantee / warranty period shall be in the interest of the user / your organization.

I/We shall try to repair the equipment at purchaser/consignee premises. However, in case it is not possible to repair the equipment at purchaser/consignee premises, we will take out the equipment to our site on our own expenses. We shall take the entire responsibility for the safe custody and transportation of the equipment taken out for repairs till the equipment is rehabilitated to the purchaser/consignee after repair. If any loss of equipment occurred during our custody, we will restore it / compensate to purchaser/consignee for such losses.

I / We guarantee that in case we fail to carry out the maintenance work within the stipulated period, the purchaser/consignee reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. The expenses of the same shall be recoverable from us with / without interest in accordance with the circumstances.

I / We undertake to perform calibration after every major repair / breakdown / taking the equipment out for repair from the purchaser/consignee premises. I / We guarantee that we will supply spare parts, if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.

I / We guarantee to the effect that before going out of production of the spare parts, we will give the adequate advance notice to purchaser/consignee so that purchaser/consignee may undertake to procure the balance of the life time requirements of the spare parts.

HIGHER PRICE / LOWER PRICE CERTIFICATE

1.	I/We	hereby c	ertify that the
	prices quoted by us in Tender No	are not h	nigher than the
	prices:		
	{a} Charged by us to wholesalers or for institutional supp	plies;	
2.	I/We further certify that I/We have not supplied or quenched in the supplied or quenched in the supplied of quenched in the supplied or quench	r the relevantle relevantle	ant items to any Organization /
3.	I/We further certify that I/We have not supplied or quentury #at prices lower than those quoted for Government / Semi Government / Public / Charita Institution within the period of validity of the offer.	r the releva	ant items to any
4.	I/We also undertake to bring to the attention of the E Gandhinagar any incidence of breach of any of the above the occurrence of the breach and further undertake to difference which may arise due to breach of any of the understand that the decision of the Executive Registrate regards to the determination of quantum payable shall	e paras with to refund / above para r, NFSU, Ga	nin 30 days from reimburse the as and I/We also
Da	ite:		
		(Sigi	nature of Bidder)
	Name	e:	
			Seal of Bidder

DECLARATION OF LOCAL CONTENT

(To be given on Company Letter Head – For tender value below Rs.10 Crores) (To be given by Statutory Auditor/Cost Accountant/ CA for tender value above Rs.10 Crores)

To, The	, e Executive Registrar,	
Nat	tional Forensic Sciences University,	
Gar	ndhinagar – 382 007	
Sub	bject:- Declaration of Local Content	
	nder Reference No: me of Tender/Work:	
1.	Country of Origin of Goods being offered:	
2.	We hereby declare that items offered has% local content	
3.	Details of the Location at which the Local Value Addition is made	
4.	Details of Local Content	
mir	the Nodal Ministry, be the total value of the item procured (excluding net domestic ind nus the value of the imported content in the item (including all customs duties) as a propertical value, in percent.	-
clai Insı	dder offering Imported products will fall under the category of Non Local Suppliers. The sime themselves as Class-I or Class-II Local Suppliers by claiming the services such as Transpurance, Installation, Commissioning, Training and after Sale Service Support like AMG Local Value Addition.	sportation,
Fina	False declaration will be in breach of Code of Integrity under Rule 175 (1) (i) (h) of the nancial Rules for which a bidder or its successors can be debarred for up to two years at (iii) of the General Financial Rules along with such other actions as may be permissible up to the content of the General Financial Rules along with such other actions as may be permissible up to the content of the General Financial Rules along with such other actions as may be permissible up to the content of the General Financial Rules along with such other actions.	as per Rule
You	urs faithfully,	
(Sig	gnature of the bidder, with Official Seal)	

Note: It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VIII for the same). The Annexure VIII once submitted in the Technical Bid will be final. Submission of Revised Annexure VIII will NOT be accepted.

BID SUBMISSION

Online Bid Submission:

The Online Bid (complete in all respect) must be uploaded online in two Envelops as explained below:

Envelope – 1							
(Following documents to be provided as single PDF file)							
_							
Sr. No.							
1.	Technical Bid (Technical Specification qualification)	Compliance Sheet/Report (Annexure-I)	.PDF				
2.		Manufacturer's (OEM) Authorization Letter (Annexure-II)	.PDF				
3.		Organization Declaration (Annexure-III)	.PDF				
4.		Technical literature/ leaflets, ISO/ISI/Other certification and complete specification of quoted model(s) along with commercial terms and conditions	.PDF				
5.	Technical Bid	Scanned Copy of Tender Fees, EMD along with Annexure-IV (Note: It is required to submit the same in original in sealed envelope at the following address on or before closing date: Purchase and Store Department, National Forensic Sciences University, Sector-9, Gandhinagar (Gujarat) – 382007 /In case of exemption from submission of EMD, proof of registration with NSICs/MSEs.	.PDF				
6.		List of organizations/ clients where the same products have been supplied (in last three years) along with their contact number(s). (Annexure-V)	.PDF				
7.		Previous Supply Order (Annexure-VI)	.PDF				
8.		Financial statements with net profit, duly audited / certified by Chartered Accountant (CA) of last three financial years along with ITR and Annexure-VII	.PDF				
9.		Certificate of Guarantee/Warranty (on letter head) as per Annexure-VIII	.PDF				
10.		The tenderer should furnish a certificate that the rates quoted by the tenderer are not more than those quoted to any other organization in India or aboard during the last one year (Annexure-IX)	.PDF				
11.		Declaration of Local Content (Annexure-X)	.PDF				
		Envlope-2					
Sr. No.	Document	Content	File Types				
1.	Financial Bid	Price bid should be submitted in given BoQ_XXXX.xls format. (Note: Comparison of prices will be done ONLY on the bids submitted for the Main Equipment anything asked as 'Optional' in the specs is not to be included	.XLS				
		for overall comparison.)					