

NOTICE INVITING TENDER

**Retender for Supply and Fixing of Furniture Work for SFS, SCSDF &
NDPS at NFSU, Gandhinagar**



Reference No: G_C/C.PUR/3-63/2024, Dated: 29 May 2025

Contact Details for this tender:

Campus Director
National Forensic Science University
Sector-09,Gandhinagar
Email: ar_purchase_gnr@nfsu.ac.in

**Gandhinagar Campus&
Headquarter**

Sector-9, Gandhinagar
Gujarat 382007
Ph:079-23977102/103
Fax: 079-23247465
Email:
Campus - director_gnr@nfsu.ac.in
HQ - exe_registrar@nfsu.ac.in

Academy:-Pune, Kamrup, Manipur

Delhi Campus

LNJN NICFS
Sector - 3
Outer Ring Road
Rohini, Delhi -110085
Ph:011-2752109, 27511580
Fax:011-27511571
Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
Adjacent to Buddha Mandir
Agartala-799001, Tripura
Ph: 0381-2310009/0006,
2312525/2828
Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
Barkhera Bonder,
P. O. Bairagarh Kalan,
Bhopal-462 030 (MP)
Ph:7552995271
Email: director_bhopal@nfsu.ac.in

Introduction

The National Forensic Sciences University (NFSU), an Institution of National Importance is the world's first and only Forensic Sciences University established by the Government of India under the Ministry of Home Affairs (MHA), Women Safety Division.

The university is intended to execute furniture work for which technical specifications are mentioned in the subsequent sections.

Schedule of Tender

Name of Organization	National Forensic Sciences University	
Open Tender Notice No. (NIT)	G_C/C.PUR/3-63/2024	
Tender Type	Open	
Tender Category	Work	
Type/Form of Contract	Supply & Fixing	
Product Category/Name	“Supply and Fixing of Furniture Work for SFS, SCSDF & NDPS at NFSU, Gandhinagar”	
Date of Issue/Publishing	29/05/2025 (17:00 Hrs)	
Document Download/Sale Start Date	29/05/2025 (17:00 Hrs)	
Document Download/Sale End Date	18/06/2025 (17:00 Hrs)	
Clarification Start Date	29/05/2025 (17:00 Hrs)	
Clarification End Date	12/06/2025(17:00 Hrs)	
Last Date and Time for Uploading Bids	18/06/2025 (17:00 Hrs)	
Date and Time of Opening of Technical Bids	19/06/2025 (17:00 Hrs)	
No. of Covers	02	
Bid Validity days	180 days	
Delivery	45 working days	
Tender Fees	1500/-	In form of DD in the name of “Campus Director, NFSU, Gandhinagar” payable at Gandhinagar (Gujarat)
EMD	Rs. 49,850/-	
Address of Communication	Purchase and Store Department National Forensic Sciences University, Sector-9, Gandhinagar (Gujarat) – 382007	
Contact No.	079-23977123/24	
Email Address	ar_purchase_gnr@nfsu.ac.in	

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
Gujarat 382007
Ph: 079-23977102/103
Fax: 079-23247465
Email:
Campus - director_gnr@nfsu.ac.in
HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
Sector - 3
Outer Ring Road
Rohini, Delhi -110085
Ph: 011-2752109, 27511580
Fax: 011-27511571
Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
Adjacent to Buddha Mandir
Agartala-799001, Tripura
Ph: 0381-2310009/0006,
2312525/2828
Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
Barkhera Bander,
P. O. Bairagarh Kalan,
Bhopal-462 030 (MP)
Ph: 7552995271
Email: director_bhopal@nfsu.ac.in

Technical Specifications

“Supply and Fixing of Furniture Work for SFS, SCSTF & NDPS NFSU, Gandhinagar”

1. Requirement for SFS

SR NO	ITEM	QTY	UNIT
1	P & F post laminated Work Top with mounter overall size 1200/1500/1800 /2100 X 750 - 1050 mm as per requirements, made from 34MM HDHMR(16+16) laminated board both side 1mm laminated. All edges are covered by 2 mm PVC edge bands glued by hot melt glue applied by auto edge banding machine. MS Brackets are provided to mount with Partition or Gable end. KD fitting: Entire table is assembled through 8mmX45mm concealed bolt with 15mm eccentric cranks, 8mm wooden dowels, etc. Complete drilling and boring work is done on Multi drill machine in KD – 32 System. All mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.		
		3.5	SMT
2	Gable End 800-700X710X34 mm (LEG) : P & F Gable end to support top having overall size 800-700/710/34mm. 34mm pre laminated/post laminated Plywood Panels of 16+16 mm BWR calibrated ply confirming to IS 303 covered with lamination in both sides, glued with PUR glue. All edges are covered with 2mm thick PVC edge bands.		
		4	NOS
3	Pre fabricated KD Panels: Providing and Fixing Pre fabricated Plywood KD panels : Pre Laminated/Post laminated Plywood, 16mm thick BWR calibrated ply confirming to IS 303 covered with lamination, on both sides, . All the edges are covered with matching 2/0.8mm thick PVC edge bands glued with hot melt glue on CNC controlled through feed edge banding machine with pre milling operation. KD fitting: Entire unit is assembled through 8mmX45mm concealed bolt with 15 m eccentric cranks, 8mm wooden dowels, etc. complete drilling and boring work is done on CNC Multi drill machine in KD – 32 System. All mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.		
		1.8	SMT

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector – 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa – 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

4	<p>Providing storage rack ready to assemble type, self-standing, over hanging or partition mounted storage system having 450 mm. Ready to assemble type, Self-standing storage unit having depth 450mm as per requirements with following details: Carcass and shelves: Made from 18mm pre laminated/post laminated panels of 16 mm BWR calibrated ply confirming to IS 303 covered with 0.8 mm laminate on both side glued with PUR glue, 0.8mm thick PVC edge bands glued with hot melt Glues on auto edge banding machine. All panels should be interchangeable to facilitate assembly at site. The shelves are connected with body through adjustable shelf supports. Back Panel: 3mm high pressure compact sheet both side laminated hold in slit formed in the body. Shutters: Made from Flat laminated Plywood confirming to IS 303 of 16mm BWR calibrated ply confirming to IS 303 covered with laminate on both side glued with PUR glue, with 2 mm thick PVC edge bands glued with hot melts Glues on auto edge banding machine with pre milling attachment, Hinged with concealed auto clip-on system "Blum", "Grass" or "Hettich" make OR top sliding mechanism with 25 x 25 mm aluminium extruded channels and Top mounted laterally guided ball bearing blocks. KD fittings: 8 mm x 45 mm concealed bolt with 15 mm eccentric cranks, 8 mm jute dowels, 75 x 50 mm M.S. brackets, etc. complete. Drilling and boring work is done on Multi drill machine in KD-32 system. All mounting holes are notched in all axis simultaneously in single reference. The maximum span between two adjacent holes should not be more than 96 mm.</p>	43	SMT
5	<p>Sofa 3 Seater : Providing and fixing in position of the Three seater sofas as per the drawing. It shall be made up of synthetic leather with the rubber wood frame. Seat foam shall be urethane foam with silicon fill and form shall have density of 31-33 kg/cubic cm and webbing material shall be s-spring. It shall have dimensions 1830W X 750D X 820H in mm complete as per design, drawing and as per specifications / additional specifications & as directed by Engineer-in-Charge.</p>		
		3	NOS
6	<p>Providing and fixing Roller blinds as per approved make as per suggested shade & spring drive system with steel ball chain/one touch with speed control action roller blind with end brackets with head rail, components, bottom bar. Fabric : screen classic 5% Fabric value : 465 gsm ,Thickness : 0.65 mm Fabric to be as per approved sample. All the work complete as per the detailed drawing , mock-up sample and instruction of Architect/EIC.All complete as per approval of designer. The mode of Measurement: The size of the blind will be measured from end to end bracket (Left to Right bracket) height will be measured from top of the pelmet to sill bottom level and clear opening size only there will be not extra payment towered overlapping.& mock-up sample approved by the Architect/ EIC.</p>		
		27.3	SMT
7	<p>Providing & Fixing 2 mm thick Poly Vinayle Clorine Flooring (PVC) with preparation of base, fixing with hitex,rdex endura or equivalent including rolling with 5 kg roller and making the surface bubble free all complete (make:- wonder floor, solarbrite, hego)</p>		
		68	SMT

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

2. Requirement for SCSDF

SR NO	ITEM	NOS	LENGTH	HEIGHT	QTY	UNIT
1	Providing and fixing modular partition full height with whole frame structure of Aluminium extruded alloy sections with all sections powder coated (50 micron) having overall partition thickness 80 mm (double skin) flush on both sides, with no screwing or gluing etc. visible. Panels should be 12mm thick MDF pre laminated boards as per approved list & selection from Engineer_in_charge.					
		2	2.75	2.4	13.2	SMT
		2	3.6	2.4	17.3	SMT
2	P & F Cabin Doors Providing and fixing Cabin Doors sturdy and matching with partitions having overall size 800X2400mm, including hardware like hinges, handles and dead lock, etc.(Without Door closer) DOOR FRAME :Aluminium extruded section having overall size 80X35X1.25 mm in curved contour with overlap pocket to mount door. It should have pocket to encapsulate wooden board for mounting Hinges and Lock. Door : Laminated (both side) Flush door with 30 mm core thickness covered with 3mm MDF board shall be provided including 4 no heavy duty hinges and dead lock. Edges of the door should be covered with 2mm PVC edge bands glued on door with hot melt glue on automatic edge banding machine after preparing the edge on milling machine.					
		2	0.9	2.4	4.32	SMT
3	P & F post laminated Work Top with mounter overall size 1200/1500/1800 /2100 X 750 - 1050 mm as per requirements, made from 34MM HDHMR(16+16) laminated board both side 1mm laminated. All edges are covered by 2 mm PVC edge bands glued by hot melt glue applied by auto edge banding machine. MS Brackets are					

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

	provided to mount with Partition or Gable end. KD fitting: Entire table is assembled through 8mmX45mm concealed bolt with 15mm eccentric cranks, 8mm wooden dowels, etc. Complete drilling and boring work is done on Multi drill machine in KD – 32 System. All mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.					
		2	1.8	0.9	3.24	SMT
		2	0.9	0.45	0.81	SMT
4	Gable End 800-700X710X34 mm (LEG) : P & F Gable end to support top having overall size 800-700/710/34mm. 34mm pre laminated/post laminated Plywood Panels of 16+16 mm BWR calibrated ply confirming to IS 303 covered with lamination in both sides, glued with PUR glue. All edges are covered with 2mm thick PVC edge bands.					
		2	2		4	NOS
5	Pre fabricated KD Panels: Providing and Fixing Pre fabricated Plywood KD panels : Pre Laminated/Post laminated Plywood, 16mm thick BWR calibrated ply confirming to IS 303 covered with lamination, on both sides, . All the edges are covered with matching 2/0.8mm thick PVC edge bands glued with hot melt glue on CNC controlled through feed edge banding machine with pre milling operation. KD fitting: Entire unit is assembled through 8mmX45mm concealed bolt with 15 m eccentric cranks, 8mm wooden dowels, etc. complete drilling and boring work is done on CNC Multi drill machine in KD – 32 System. All mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.					
		4	1.8	0.6	4.32	SMT

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector – 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa – 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

6	<p>Providing storage rack ready to assemble type, self-standing, over hanging or partition mounted storage system having 450 mm. Ready to assemble type, Self-standing storage unit having depth 450mm as per requirements with following details: Carcass and shelves: Made from 18mm pre laminated/post laminated panels of 16 mm BWR calibrated ply confirming to IS 303 covered with 0.8 mm laminate on both side glued with PUR glue, 0.8mm thick PVC edge bands glued with hot melt Glues on auto edge banding machine. All panels should be interchangeable to facilitate assembly at site. The shelves are connected with body through adjustable shelf supports. Back Panel: 3mm high pressure compact sheet both side laminated hold in slit formed in the body. Shutters: Made from Flat laminated Plywood confirming to IS 303 of 16mm BWR calibrated ply confirming to IS 303 covered with laminate on both side glued with PUR glue, with 2 mm thick PVC edge bands glued with hot melts Glues on auto edge banding machine with pre milling attachment, Hinged with concealed auto clip-on system "Blum", "Grass" or "Hettich" make OR top sliding mechanism with 25 x 25 mm aluminium extruded channels and Top mounted laterally guided ball bearing blocks. KD fittings: 8 mm x 45 mm concealed bolt with 15 mm eccentric cranks, 8 mm jute dowels, 75 x 50 mm M.S. brackets, etc. complete. Drilling and boring work is done on Multi drill machine in KD-32 system. All mounting holes are notched in all axis simultaneously in single reference. The maximum span between two adjacent holes should not be more than 96 mm.</p>					
		4	0.8	2.1	6.72	SMT

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:

Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

Academy:-Pune, Kamrup, Manipur

		2	0.9	0.75	1.35	SMT
7	Mesh Back medium chair - Supply and installation of approved make size W 660 X D 600 X 950 H with fabric upholstery on Pu Foam Seat, Adjustable head rest and arm rest, adjustable lumbar support, self adjustable mechanism with 4 locking position with nylon caster and star base, nylon star base for extra load carrying capacity, The chair include pneumatic seat height adjustment, tilt adjustment for back and also with two pair of caster, as per design given by the architect and approved by the engineer in charge.					
		2			2	NOS
8	Visitor chair : Upholstered shall with 50mm moulded PU foam as per the shape covered with tapestry cloth of basic rate Rs 250/00 per RMT. Bottom frame is made from 32/25mm dia MS ERW CRC tube with necessary stiffeners and powder coated in seven tank process.					
		4			4	NOS

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

3. Requirement for Case Receiving Room at NDPS

SR NO	ITEM	QTY	UNIT
1	<p>Providing and fixing modular partition full height with whole frame structure of Aluminium extruded alloy sections with all sections powder coated (50 micron) having overall partition thickness 80 mm (double skin) flush on both sides, with no screwing or gluing etc. visible. Panels should be 12mm thick MDF pre laminated boards as per approved list & selection from Engineer_in_charge.</p> <p>SIZE: - 6.1 X 2.4 X 1 = 14.60 SMT</p> <p>SIZE: - 3.6 X 2.4 X 1 = 8.64 SMT</p> <p>SIZE: - 3.1 X 2.4 X 2 = 14.90 SMT</p> <p>SIZE: - 1.2 X 0.9 X 1 = 1.08 SMT</p>	39.24	SMT
2	<p>P & F Cabin Doors Providing and fixing Cabin Doors sturdy and matching with partitions having overall size 800X2400mm, including hardware like hinges, handles and dead lock, etc.(Without Door closer) DOOR FRAME :Aluminium extruded section having overall size 80X35X1.25 mm in curved contour with overlap pocket to mount door. It should have pocket to encapsulate wooden board for mounting Hinges and Lock. Door : Laminated (both side) Flush door with 30 mm core thickness covered with 3mm MDF board shall be provided including 4 no heavy duty hinges and dead lock. Edges of the door should be covered with 2mm PVC edge bands glued on door with hot melt glue on automatic edge banding machine after preparing the edge on milling machine. SIZE:- 0.9 X 2.4 X 2 = 4.32 SMT</p>	4.32	SMT
3	<p>P & F Wooden Jamb Made From 12mm ply in visible side and 18mm ply for inside framing with 1mm lamination glued with PUR adhesive.</p> <p>SIZE:- 2.8 X 6 = 16.8 MTR</p> <p>SIZE:- 0.95 X 3 = 2.85 MTR</p>	19.65	MTR
4	<p>Providing storage rack ready to assemble type, self-standing, over hanging or partition mounted storage system having 450 mm. Ready to assemble type, Self-standing storage unit having depth 450mm as per requirements with following details: Carcass and shelves: Made from 18mm pre laminated/post laminated panels of 16 mm BWR calibrated ply confirming to IS 303 covered with 0.8 mm laminate on both side glued with PUR glue, 0.8mm thick PVC edge bands glued with hot melt Glues on auto edge banding machine. All panels should be interchangeable to facilitate assembly at site. The shelves are connected with body through adjustable shelf supports. Back Panel: 3mm high pressure compact sheet both side laminated hold in slit formed in the body. Shutters: Made from Flat laminated Plywood confirming to IS 303 of 16mm BWR calibrated ply confirming to IS 303 covered with laminate on both side glued with PUR glue, with 2 mm thick PVC edge bands glued with hot melts Glues on auto edge banding machine with pre milling attachment, Hinged with concealed auto clip-on system "Blum", "Grass" or "Hettich" make OR top</p>	1.92	SMT

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

Academy:-Pune, Kamrup, Manipur

	sliding mechanism with 25 x 25 mm aluminium extruded channels and Top mounted laterally guided ball bearing blocks. KD fittings: 8 mm x 45 mm concealed bolt with 15 mm eccentric cranks, 8 mm jute dowels, 75 x 50 mm M.S. brackets, etc. complete. Drilling and boring work is done on Multi drill machine in KD-32 system. All mounting holes are notched in all axis simultaneously in single reference. The maximum span between two adjacent holes should not be more than 96 mm. SIZE:- 0.8 X 2.4 X 1= 1.92 SMT		
--	--	--	--

Bidder's Minimum Eligibility Criteria and Instructions

1. The Bidder's firm should have existence for a minimum of 3 (three) years. (Enclose Company **Registration Certificate**)
2. The Bidder should have qualified technical service personnel for the instrument(s) based in India.
3. The bidder should sign and submit the declaration for Acceptance of Terms and Conditions as per Annexure -1.
4. The Bidder must not be blacklisted/banned/suspended or must not have a record of any service related dispute with any organization in India or elsewhere. A declaration to this effect has to be given as per Annexure - 2.
5. The intending bidder should have completed satisfactorily at least two similar works of Rs. 8.30 lakh each or one work of Rs. 13.30 lakh during the last three years ending 31st March, 2024. Similar works means work of supplying and installation of furniture. Authenticated documentary proof (eg PO/work completion report etc) is required to be submitted.
6. The annual turnover of the bidder should not be less than Rs.32 Lakhs during the last three consecutive financial years ending 31st March 2024 as per profit and loss, balance sheet duly audited by chartered accountant and the same should be attached as a documentary proof.
7. Copy of PAN card and GST registration certificate allotted by the concerned authorities.
8. EMD of an amount of Rs.49,850/- (Rupees Forty Nine Thousand Eight Hundred and Fifty only). This EMD will not bear any interest.
9. Any information furnished by the bidder found to be incorrect, either immediately or at a later date, would render the bidder liable to be debarred from tendering/taking up of work in NFSU.
10. Offered price must include all kinds items costs, delivery, installation, training, loading, unloading, packing, unpacking, Including Tax etc.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJ NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

11. The bidder must submit a hard copy (printout and spiral bound in one volume only) of the complete technical bid (as submitted by the bidder on CPPP) along with the EMD, which must reach to us (address given on first page as contact details for this tender) at least one day prior to the technical bid opening date through speed post / courier / by hand. For any delay or loss in transit, NFSU will not be responsible. It will be sole responsibility of the bidder to ensure delivery of this hard copy at NFSU on time. Non-receiving of this hard copy technical bid may lead to rejection of the technical bid. In case of any deviation in the hard copy technical bid from the online technical bid, the content on the online (CPPP) technical bid will only be considered. **Price Bid (BOQ) MUST NOT be sent in hard copy format.**
12. If there will be any modification felt by the NFSU committee, then it will be published in form of corrigendum on CPPP. NFSU has absolute right to accept or reject any query / request.
13. The Turnover of bidder should be certified by Chartered Accountant.
14. **Certificate of Financial Turnover:** The Bidder should not have been blacklisted by the registering authority or any Govt. department / State Govt. department / undertaking Govt. department etc. Bidder should produce copy of undertaking on their letter head with notary.
15. **Service Setup:**

Bidder shall have service setup, service support team in Gandhinagar/Ahmedabad to attend the service within three days. Bidder should submit service escalation matrix.

16. Machinery Details (If applicable):-

- i. The Manufacturer should have their own factory/Office for Furniture (Wooden) work manufacturing. Complete details of Machinery, equipment and tools with technological capabilities available in the manufacturing unit need to be submitted along with the photo and also submit the Factory license.

EARNEST MONEY DEPOSIT DETAILS

- i. **EMD of Rs.49,850/-** (Rupees Forty Nine Thousand Eight Hundred and Fifty only) in the form of Demand Draft of a scheduled bank in the name of Campus Director, NFSU, Gandhinagar Campus valid for **180 days** from the date of opening of the tender. Exemption of EMD is allowed as per Govt rules. Intended parties will have to give proof of registration along with their bid. EMD of the unsuccessful bidders shall be refunded without any interest at the earliest after finalization of the purchase of concerned item.
- ii. The EMD will be returned to the BIDDERS(s) whose offer is not accepted by NFSU. In case of the BIDDER(s) whose offer is accepted the EMD will be returned on submission of Bank Guarantee as Security Deposit (SD). However, if the return of EMD is delayed for any reason, no interest / penalty shall be payable to the BIDDERS.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

iii. The successful BIDDER, on award of contract / order, must send the contract / order acceptance in writing, within 15 days of award of contract / order failing which the EMD will be forfeited.

iv. **The EMD shall be forfeited:** In case a successful BIDDER fails to furnish the Security Deposit.

v. Earnest Money Deposit (EMD) of an amount as mentioned in this tender must be submitted in favor of Campus Director, NFSU, Gandhinagar along with Hard copy. Micro and Small Enterprises (MSEs) / startups firms are exempted from this deposit provided they submit a valid certificate as per GFR / Govt. India rules from an appropriate Govt. of India authority.

The technical offer should not contain any price information.

Acceptance of Terms & Conditions

1. The bid must be valid for at least 180 (One Hundred Eighty) days from the actual date of opening of the technical bid.
2. Two bid system (separate technical and financial bids) in sealed tenders will be followed.
3. Technical bids will be opened first. NFSU may seek clarifications after opening of technical bids. NFSU reserves the right to accept or cancel a bid or clarification. Decision of NFSU regarding evaluation of technical bids or price bids will be final and binding.
4. Price bids of only technically qualified vendors will be considered, and opening of the price bids through CPPP only.
5. **Warranty** – Minimum Warranty for 3 (Three) years is mandatory. Warranty period will start only once NFSU take over the items after the complete supply and installation and inspection and acceptance by NFSU of the provided item / solution. If the items are found to be defective, they have to be replaced or rectified at the cost of the bidder within 30 days from the date of receipt of written communications from NFSU. If there is any delay in replacement or rectification, the warranty period should be correspondingly extended.
6. Supply and Fixing should be completed within 45 working days of placing of order.
7. The items should be delivered, successfully installed at the site of NFSU, Sector-09, Gandhinagar-382007.
8. 100% payment will be released after complete delivery and satisfactory installation certificate by the Competent Authority. Payment will be subject to deduction of TDS as per rules/laws. Any advance payment will not be released.
9. NFSU reserves the right to cancel or modify the tender at any time without assigning any reason thereof.
10. As time is essence for this procurement, the successful bidder must have to adhere by the delivery and installation schedule as per purchase order, failing which Liquidity Damage

Gandhinagar Campus & Headquarter
 Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus
 LNIN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus
 Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus
 VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus
 NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

(LD) will be imposed for late delivery and installation at the rate of 0.5% of total order value for delay per week or part thereof (maximum up to 10% LD). NFSU may consider formal request for extension in delivery and installation schedule on genuine grounds, however it will be absolute right of the NFSU to accept or reject such request of the vendor. NFSU reserves the right to cancel the order if there is delay without a formal approval by NFSU.

11. Performance Bank Guarantee (PBG) of 5% of the total order value has to be provided by the successful bidder within One week of placement of order.
12. Conditional offer or incomplete bids will be treated as non-responsive bid.
13. The bidder may furnish any additional information, which is necessary to establish capabilities to successfully complete the envisaged work with the technical bid. It is however, advised not to furnish superfluous information.
14. The bidder may visit the installation site before submission of tender, with prior intimation.
15. Corrigendum / addendum, if any, shall be issued as part of the tender documents and shall be published on CPPP and/or on the NFSU website (www.NFSU.ac.in).
16. The technical bid will be opened first and evaluated.
17. Pre-qualification of the bidders shall not imply final acceptance of the Commercial Bid. The agency may be rejected at any point during technical evaluation or during commercial evaluation. The decision in regard to acceptance and / or rejection of any offer in part or full shall be the sole discretion of NFSU, and decision in this regard shall be binding on the bidders.
18. The award of contract will be subject to acceptance of the terms and conditions stated in this tender.
19. Any legal disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Ahmedabad/Gandhinagar, Gujarat, India.
20. The Bidder shall fill in rates for all items described in the Bill of Quantities (BOQ). L-1 (Lowest) will be determined based on the total price (including of all items) quoted by the bidder.

EVALUATION CRITERIA

The evaluation criteria will consist of two stages scrutiny as given below:

- Evaluation of Technical bid as per eligibility criteria.

COMMERCIAL BID EVALUATION:

Based on results of the Technical evaluation, NFSU evaluates the Commercial Bid of those Bidders who qualify in the Technical evaluation.

- a) NFSU, Gandhinagar shall correct arithmetical errors on the following basis:

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

- (i) If there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected.
- (ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) If there is a discrepancy between words & figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.
- b) After arriving at final pricing of individual offers of all the short listed firms, the lowest firm will be awarded with Contract/Purchase Order.

The Campus Director, NFSU reserves the right to accept the offer in full or in parts or reject summarily or partly.

AWARD OF CONTRACT

NFSU shall award the contract to the technically qualified eligible BIDDER whose bid has been determined as the lowest evaluated commercial bid and approval of the sample by NFSU.

Earnest Money Deposit (EMD)

1. All Bidders must submit Rs.49,850/- (Rupees Forty Nine Thousand Eight Hundred and Fifty only) as EMD or bid security in the form of DD/Bank guarantee etc. the Bidder must submit proof of EMD submission along with the technical bid. Failure to comply with this requirement will result in rejection of the bid. The account details of NFSU are provided below.
2. After the placement of the purchase order on the successful Bidder, the EMD amount will be returned to the unsuccessful Bidders without interest.
3. The EMD amount will be returned to the successful Bidder after the Institute places a firm purchase order for the procurement and the successful Bidder then submits a performance security/bank guarantee followed by its verification.
4. Micro and Small Enterprises (MSEs) or Startup firms will be exempted from submitting EMD as per GFR 2017 (amended from time to time). Such a Bidder must submit copy of valid certificate (from appropriate agency of Govt. of India) with the technical bid, failing which their bid will be declared as a non-responsive bid and hence not will considered for bid evaluation process.
5. The bid must be valid for at least 180 (One Hundred Eighty) days from the actual date of opening of the technical bid. Withdrawal of the bid within the period of validity will result in forfeiture of the EMD amount.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJ NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

Performance Security / Performance Bank Guarantee(PBG)

1. Successful bidder has to submit a Performance Security / Performance Bank Guarantee (PBG) issued by a nationalized bank or a scheduled commercial bank as per RBI list in India within two weeks of the issue date of purchase order. Performance Security / PBG will be for an amount of 5% (Five percent) of the total purchase order.
2. Performance Security should remain valid for a period of 01 year beyond the date of completion of all contractual obligations of the supplier including warranty obligations.
3. Any kind of payment will be released only after submission of Performance Security / PBG followed by its verification of genuineness.
4. The Earnest Money Deposit (EMD) of the successful Bidder shall be returned on submission of Performance Security / PBG without any interest.
5. EMD of unsuccessful bidder will be returned without any interest after placement of order. EMD will be forfeited, if bidders change their terms & conditions or fail to submit PBG on time or fails to accept the purchase order during bid validity period.
6. Performance Security / PBG will be returned without any interest after successful completion of the all contractual obligations including warranty period. However, if the successful Bidder fails to deliver the items / install and commission the items as per the order's terms and conditions within the stipulated period or fail to provide satisfactory services during contractual obligations include warranty period, the PBG shall be liable to be forfeited. Decision of NFSU in this regard will be final and binding.

INSPECTION OF ITEMS:

(During the time of manufacturing on site, NFSU inspection team may visit the manufacturer's site to inspect the quality of material viz a viz final product. If any inspected or tested goods fail to conform to the prescribed specifications, the NFSU may reject them and the supplier shall either replace the goods or make all alterations necessary to meet specifications free of cost.)

INTERPRETATION OF THE CLAUSES IN THE TENDER DOCUMENT / CONTRACT DOCUMENT

In case of any ambiguity / dispute in the interpretation of any of the clauses in this Tender Document, **Campus Director, NFSU, Gandhinagar interpretation of the clauses shall be final and binding on all parties.**

SPECIAL CONDITIONS OF CONTRACT

Prices: The price quoted shall be considered firm and no price escalation will be permitted.

The price criteria should be on F.O.R., NFSU, Govt. Levies, if any, shall be paid at actual rates applicable on the date of delivery. Rates should be quoted accordingly giving the basic price, GST, if any.

The actual GST if any, should be specified. Please provide GST No. allotted by the concerned authorities in your quotation.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

DELIVERY SCHEDULE

Items to be supplied and fixing within 45 working days after placement of purchase order.

WARRANTY/ SUPPORT/SERVICE/INSURANCE/PAYMENT:

- (i) The items covered by the schedule of requirement shall carry minimum **three (03) years of comprehensive warranty** from the date of acceptance of the same by NFSU. Warranty shall include free maintenance including free replacement of parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 72 hours. In case of failure to attend the complains/rectification, NFSU shall have right to get it rectified at the risk and cost of the agency. The cost towards this shall be recovered from the B.G.
- (ii) The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, labor charges, GST if any should be borne by the beneficiary or his agent.
- (iii) **Indemnity:** The vendor shall indemnify, protect and save NFSU against all claims, losses, costs, damages, expenses, action suits and other proceeding, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the materials supplied by him.
- (iv) **Insurance:** The furniture to be supplied will be insured by the vendor against all risks of loss or damage from the date of shipment till such time it is delivered at NFSU site.

• Penalty for delayed Services/LD.

As time is the essence of the contract, Delivery period mentioned in the Purchase Order should be strictly adhered to. Otherwise, the supplier shall forfeit EMD/SD and also LD clause will be applicable /enforced. If the supplier fails to Supply and install the furniture as per specifications mentioned in the order within the due date, the Supplier is liable to pay liquidated damages of 0.5% of order value per every week of delay subject to a maximum of 10% beyond the due date. Such money will be deducted from any amount due or which may become due to the supplier.

- **Service Facility:** Bidder should mention about the service set up in Gujarat and how capable they are to provide after sales services.

REFERENCE OF SUPPLY:

Name and contact details of the premier educational Institutes (IITs/ IISER/CSIR/NFSU etc.) where the quoted equipment has been installed in India should be enclosed. Copies of at least two purchase orders may be attached. NFSU reserves the right to inspect the equipment for its actual performance in any of the listed Institute.

Guidelines for Bid Submission

Bidder are required to submit their bid in e-tender mode through the Central Public

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

Procurement Portal (CPPP: <https://eprocure.gov.in/eprocure/app>) only. If a Bidder submits a response to the e- tender, then it is assumed that the Bidder accepts all the terms and conditions specified in this document. A bid submitted through any other mode will not be entertained and will be treated as non-responsive.

The submission consists of two parts, viz. a Technical Bid and a Commercial / Price Bid. The **Technical Bid** should be an *indexed and page-numbered* document containing:

- Duly filled-in and sealed & signed by the bidder (Annexure-1)
- Proof of EMD (MSE / startup certificate in case of EMD exemption)
- BoQ compliance (Annexure -4) (all tables), (without quoted price).
- Supporting technical materials for the items in the BoQ.
- Supporting documents listed in the Overall Compliance Statement.
- A signed document that the Bidder agrees to the Service Terms, Commercial Terms, and Payment Terms set forth in this tender (including all contents). A copy of this tender document (duly sealed and signed on all pages) must be submitted with the technical bid.

The Commercial / Price Bid should contain:

- The BoQ table (in the CPPP Excel sheet for this tender) with per quantity and total prices for every line item. This should be inclusive of the three (3)-year warranty and support, transportation and delivery to NFSU. Rate / Prices for GST must be quoted in the excel sheet. Prices must be quoted in INR (Indian Rupees) and on FOR basis.

Points to Note:

1. Prices of items in this tender's BoQ must NOT be mentioned in the Technical Bid.
2. Each of the line items in the Commercial (Price) Bid must be quoted in INR.
3. The commercial bid must be valid for at least 180 days from the actual date of opening of the technical bid.
4. A tender not complying with any of the above conditions is liable to be rejected. Incomplete proposals are liable to be rejected.
5. The Campus Director, NFSU, reserves the right to modify the technical specifications or the required quantities at any time. In such a case, the Bidders will be notified.
6. The Campus Director, NFSU, reserves the right to accept or reject any proposal or cancel the tender, in full or in part, at any stage of tendering process without assigning any reason.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
Gujarat 382007
Ph: 079-23977102/103
Fax: 079-23247465
Email:
Campus - director_gnr@nfsu.ac.in
HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
Sector - 3
Outer Ring Road
Rohini, Delhi -110085
Ph: 011-2752109, 27511580
Fax: 011-27511571
Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
Adjacent to Buddha Mandir
Agartala-799001, Tripura
Ph: 0381-2310009/0006,
2312525/2828
Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
Barkhera Bander,
P. O. Bairagarh Kalan,
Bhopal-462 030 (MP)
Ph: 7552995271
Email: director_bhopal@nfsu.ac.in

Annexure - 1: Details of Bidders (on the letter head of the bidder)
(to be submitted with Technical Bid)

To

The Campus Director, NFSU, Gandhinagar-382007(India)

Sir,

I hereby submit my bid for your tender no. -.....

Details are as under along with all required documents.

EMD Details (attach proof)	
Bidder's Name and Address (attach incorporation certificate)	
Registration No. / Trade License (attach certificate copy)	
Complete contact details (address, mobile no. / telephone no./ email ID /website address)	
GSTIN (attach GST Certificate)	
PAN (attach copy of PAN)	
Bank Accounts Details (attach copy of cancelled cheque or letter from bank)	
Category – (a) OEM, (b) OEM authorized distributor (mention clearly), (c) Other Supplier	
Authorization letter by the OEM (Yes / No)	
Details of the contact person, address, mobile no. / E-mail IDetc.	
Experience of the bidder in supply and installation of Furniture's (similar to this tender) (in no. of years and months) (attach purchase orders of the clients and completion certificate from the clients.)	

I have carefully gone through the Terms & Conditions and all the contents as mentioned in the above-referred tender document. I declare that all the provisions and contents of this tender document are acceptable to my company. I further certify that I am an authorized signatory of my company and am, therefore, competent to make this declaration. I copy of this tender document (duly sealed and signed on all pages) are being attached with this bid.

Thanking you.

Seal & Signature with name & date and PAN & Aadhar card no. of the signatory.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJ NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

Annexure - 2: Declaration regarding track record

(on the letter head of the bidder) (to be submitted with Technical Bid)

To

The Campus Director, NFSU, Gandhinagar-382007(India)

Sir,

I hereby submit my bid for your tender no. -

I have carefully gone through the Terms & Conditions contained in the above referred tender. I hereby declare that my company/firm is not currently not debarred/not blacklisted by any Government/Semi Government organizations/institutions in India or abroad. I further certify that I am the competent officer in my company/firm to make this declaration.

Or

I declare that my firm is debarred/blacklisted as per following details:

Sl. No.	Country in which the company is Debarred/ blacklisted/case is pending	Black listed/debarred by Government/Semi-Government/Organizations/Institutions	Reason	Since when and for how long

(NOTE: In case the company/firm was blacklisted previously. Please provide the details regarding period for which the company/firm was blacklisted and the reason/s for the same.).

Thanking you.

Seal & signature with name & date and PAN & Aadhar card no. of the signatory.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
Gujarat 382007
Ph:079-23977102/103
Fax: 079-23247465
Email:
Campus - director_gnr@nfsu.ac.in
HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
Sector - 3
Outer Ring Road
Rohini, Delhi -110085
Ph:011-2752109, 27511580
Fax:011-27511571
Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
Adjacent to Buddha Mandir
Agartala-799001, Tripura
Ph: 0381-2310009/0006,
2312525/2828
Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
Barkhera Bander,
P. O. Bairagarh Kalan,
Bhopal-462 030 (MP)
Ph:7552995271
Email: director_bhopal@nfsu.ac.in

Annexure - 3: Consolidated BoQ compliance Tables

(To be submitted with Technical Bid)

A compliance sheet should be submitted in the format given below along with the Technical Bid. Bidder MUST NOT write any Price here. PRICE must be written in BOQ Price Bid (Excel sheet) only separately.

Table-1

Please indicate whether you have 'QUOTED' or 'NOT QUOTED' for each item.

For each item of furniture please write 'CONFIRM' (if you are able to supply as per our specification) or 'DEVIATION' (if you are deviating from our specification). The specific deviation with complete details should invariably be recorded.

1. Requirement for SFS

SR NO	ITEM	QTY	UNIT	QUOTED OR NOT QUOTED	CONFIRM OR DEVIATION
1	P & F post laminated Work Top with mounter overall size 1200/1500/1800 /2100 X 750 - 1050 mm as per requirements, made from 34MM HDHMR(16+16) laminated board both side 1mm laminated. All edges are covered by 2 mm PVC edge bands glued by hot melt glue applied by auto edge banding machine. MS Brackets are provided to mount with Partition or Gable end. KD fitting: Entire table is assembled through 8mmX45mm concealed bolt with 15mm eccentric cranks, 8mm wooden dowels, etc. Complete drilling and boring work is done on Multi drill machine in KD - 32 System. All mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.				
		3.5	SMT		
2	Gable End 800-700X710X34 mm (LEG) : P & F Gable end to support top having overall size 800-700/710/34mm. 34mm pre laminated/post laminated Plywood Panels of 16+16 mm BWR calibrated ply confirming to IS 303 covered with lamination in both sides, glued with PUR glue. All edges are covered with 2mm thick PVC edge bands.				
		4	NOS		
3	Pre fabricated KD Panels: Providing and Fixing Pre fabricated Plywood KD panels : Pre Laminated/Post laminated Plywood, 16mm thick BWR calibrated ply confirming to IS 303 covered with lamination, on both sides, . All the edges are covered with matching 2/0.8mm thick PVC edge bands glued with hot melt glue on CNC controlled through feed edge banding machine with pre milling operation. KD fitting: Entire unit is assembled through 8mmX45mm concealed bolt with 15 m eccentric cranks, 8mm wooden dowels, etc. complete drilling and boring work is done on CNC Multi drill machine in KD - 32 System. All				

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
Gujarat 382007
Ph:079-23977102/103
Fax: 079-23247465
Email:
Campus - director_gnr@nfsu.ac.in
HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
Sector - 3
Outer Ring Road
Rohini, Delhi -110085
Ph:011-2752109, 27511580
Fax:011-27511571
Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
Adjacent to Buddha Mandir
Agartala-799001, Tripura
Ph: 0381-2310009/0006,
2312525/2828
Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
Barkhera Bander,
P. O. Bairagarh Kalan,
Bhopal-462 030 (MP)
Ph:7552995271
Email: director_bhopal@nfsu.ac.in

Academy:-Pune, Kamrup, Manipur

	mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.				
		1.8	SMT		
4	Providing storage rack ready to assemble type, self-standing, over hanging or partition mounted storage system having 450 mm. Ready to assemble type, Self-standing storage unit having depth 450mm as per requirements with following details: Carcass and shelves: Made from 18mm pre laminated/post laminated panels of 16 mm BWR calibrated ply confirming to IS 303 covered with 0.8 mm laminate on both side glued with PUR glue, 0.8mm thick PVC edge bands glued with hot melt Glues on auto edge banding machine. All panels should be interchangeable to facilitate assembly at site. The shelves are connected with body through adjustable shelf supports. Back Panel: 3mm high pressure compact sheet both side laminated hold in slit formed in the body. Shutters: Made from Flat laminated Plywood confirming to IS 303 of 16mm BWR calibrated ply confirming to IS 303 covered with laminate on both side glued with PUR glue, with 2 mm thick PVC edge bands glued with hot melts Glues on auto edge banding machine with pre milling attachment, Hinged with concealed auto clip-on system "Blum", "Grass" or "Hettich" make OR top sliding mechanism with 25 x 25 mm aluminium extruded channels and Top mounted laterally guided ball bearing blocks. KD fittings: 8 mm x 45 mm concealed bolt with 15 mm eccentric cranks, 8 mm jute dowels, 75 x 50 mm M.S. brackets, etc. complete. Drilling and boring work is done on Multi drill machine in KD-32 system. All mounting holes are notched in all axis simultaneously in single reference. The maximum span between two adjacent holes should not be more than 96 mm.	43	SMT		
5	Sofa 3 Seater: Providing and fixing in position of the Three seater sofas as per the drawing. It shall be made up of synthetic leather with the rubber wood frame. Seat foam shall be urethane foam with silicon fill and form shall have density of 31-33 kg/cubic cm and webbing material shall be s-spring. It shall have dimensions 1830W X 750D X 820H in mm complete as per design, drawing and as per specifications / additional specifications & as directed by Engineer-in-Charge.				
		3	NOS		
6	Providing and fixing Roller blinds as per approved make as per suggested shade & spring drive system with steel ball chain/one touch with speed control action roller blind with end brackets with head rail, components, bottom bar. Fabric screen classic 5% Fabric value : 465 gsm ,Thickness : 0.65 mm Fabric to be as per approved sample. All the work complete as per the detailed drawing , mock-up sample and				

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

	instruction of Architect/EIC.All complete as per approval of designer. The mode of Measurement: The size of the blind will be measured from end to end bracket (Left to Right bracket) height will be measured from top of the pelmet to sill bottom level and clear opening size only there will be not extra payment towered overlapping.& mock-up sample approved by the Architect/ EIC.				
		27.3	SMT		
7	Providing & Fixing 2 mm thick Poly Vinayle Chlorine Flooring (PVC) with preparation of base, fixing with hitex,rdex endura or equivalent including rolling with 5 kg roller and making the surface bubble free all complete (make:- wonder floor, solarbrite, hego)				
		68	SMT		

2. Requirement for SCSDF

SR NO	ITEM	NOS	LENGTH	HEIGHT	QTY	UNIT	QUOTED OR NOT QUOTED	CONFIRM OR DEVIATION
1	Providing and fixing modular partition full height with whole frame structure of Aluminium extruded alloy sections with all sections powder coated (50 micron) having overall partition thickness 80 mm (double skin) flush on both sides, with no screwing or gluing etc. visible. Panels should be 12mm thick MDF pre laminated boards as per approved list & selection from Engineer_in_charge.							
		2	2.75	2.4	13.2	SMT		
		2	3.6	2.4	17.3	SMT		
2	P & F Cabin Doors Providing and fixing Cabin Doors sturdy and matching with partitions having overall size 800X2400mm, including hardware like hinges, handles and dead lock, etc.(Without Door closer) DOOR FRAME :Aluminium extruded section having overall size 80X35X1.25 mm in curved contour with overlap pocket to mount door. It should have pocket to encapsulate wooden board for mounting Hinges and Lock. Door : Laminated (both side) Flush door with 30 mm core thickness covered with 3mm MDF board shall be provided including 4 no heavy duty hinges and dead lock.							

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

	Edges of the door should be covered with 2mm PVC edge bands glued on door with hot melt glue on automatic edge banding machine after preparing the edge on milling machine.							
		2	0.9	2.4	4.32	SMT		
3	P & F post laminated Work Top with mounter overall size 1200/1500/1800 /2100 X 750 - 1050 mm as per requirements, made from 34MM HDHMR(16+16) laminated board both side 1mm laminated. All edges are covered by 2 mm PVC edge bands glued by hot melt glue applied by auto edge banding machine. MS Brackets are provided to mount with Partition or Gable end. KD fitting: Entire table is assembled through 8mmX45mm concealed bolt with 15mm eccentric cranks, 8mm wooden dowels, etc. Complete drilling and boring work is done on Multi drill machine in KD – 32 System. All mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.							
		2	1.8	0.9	3.24	SMT		
		2	0.9	0.45	0.81	SMT		
4	Gable End 800-700X710X34 mm (LEG) : P & F Gable end to support top having overall size 800-700/710/34mm. 34mm pre laminated/post laminated Plywood Panels of 16+16 mm BWR calibrated ply confirming to IS 303 covered with lamination in both sides, glued with PUR glue. All edges are covered with 2mm thick PVC edge bands.							
		2	2		4	NOS		
5	Pre fabricated KD Panels: Providing and Fixing Pre fabricated Plywood KD panels : Pre Laminated/Post laminated Plywood, 16mm thick BWR calibrated ply confirming to IS 303 covered with lamination,							

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:

Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

	on both sides, . All the edges are covered with matching 2/0.8mm thick PVC edge bands glued with hot melt glue on CNC controlled through feed edge banding machine with pre milling operation. KD fitting: Entire unit is assembled through 8mmX45mm concealed bolt with 15 m eccentric cranks, 8mm wooden dowels, etc. complete drilling and boring work is done on CNC Multi drill machine in KD – 32 System. All mounting holes are notched in all axis simultaneously in single reference. Complete interchange ability is required in all parts.							
		4	1.8	0.6	4.32	SMT		
6	Providing storage rack ready to assemble type, self-standing, over hanging or partition mounted storage system having 450 mm. Ready to assemble type, Self-standing storage unit having depth 450mm as per requirements with following details: Carcass and shelves: Made from 18mm pre laminated/post laminated panels of 16 mm BWR calibrated ply confirming to IS 303 covered with 0.8 mm laminate on both side glued with PUR glue, 0.8mm thick PVC edge bands glued with hot melt Glues on auto edge banding machine. All panels should be interchangeable to facilitate assembly at site. The shelves are connected with body through adjustable shelf supports. Back Panel: 3mm high pressure compact sheet both side laminated hold in slit formed in the body. Shutters: Made from Flat laminated Plywood confirming to IS 303 of 16mm BWR calibrated ply confirming to IS 303 covered with laminate on both side glued with PUR glue, with 2 mm thick PVC edge bands glued with hot melts Glues on auto edge banding machine with pre milling attachment,							

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector – 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa – 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

	Hinged with concealed auto clip-on system "Blum", "Grass" or "Hettich" make OR top sliding mechanism with 25 x 25 mm aluminium extruded channels and Top mounted laterally guided ball bearing blocks. KD fittings: 8 mm x 45 mm concealed bolt with 15 mm eccentric cranks, 8 mm jute dowels, 75 x 50 mm M.S. brackets, etc. complete. Drilling and boring work is done on Multi drill machine in KD-32 system. All mounting holes are notched in all axis simultaneously in single reference. The maximum span between two adjacent holes should not be more than 96 mm.							
		4	0.8	2.1	6.72	SMT		
		2	0.9	0.75	1.35	SMT		
7	Mesh Back medium chair - Supply and installation of approved make size W 660 X D 600 X 950 H with fabric upholstery on Pu Foam Seat, Adjustable head rest and arm rest, adjustable lumbar support, self adjustable mechanism with 4 locking position with nylon caster and star base, nylon star base for extra load carrying capacity, The chair include pneumatic seat height adjustment, tilt adjustment for back and also with two pair of caster, as per design given by the architect and approved by the engineer in charge.							
		2			2	NOS		
8	Visitor chair : Upholstered shall with 50mm moulded PU foam as per the shape covered with tapestry cloth of basic rate Rs 250/00 per RMT. Bottom frame is made from 32/25mm dia MS ERW CRC tube with necessary stiffeners and powder coated in seven tank process.							
		4			4	NOS		

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:

Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNIN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

3. Requirement for Case Receiving Room at NDPS

SR NO	ITEM	QTY	UNIT	QUOTED OR NOT QUOTED	CONFIRM OR DEVIATION
1	<p>Providing and fixing modular partition full height with whole frame structure of Aluminium extruded alloy sections with all sections powder coated (50 micron) having overall partition thickness 80 mm (double skin) flush on both sides, with no screwing or gluing etc. visible. Panels should be 12mm thick MDF pre laminated boards as per approved list & selection from Engineer_in_charge.</p> <p>SIZE: - 6.1 X 2.4 X 1 = 14.60 SMT</p> <p>SIZE: - 3.6 X 2.4 X 1 = 8.64 SMT</p> <p>SIZE: - 3.1 X 2.4 X 2 = 14.90 SMT</p> <p>SIZE: - 1.2 X 0.9 X 1 = 1.08 SMT</p>	39.24	SMT		
2	<p>P & F Cabin Doors Providing and fixing Cabin Doors sturdy and matching with partitions having overall size 800X2400mm, including hardware like hinges, handles and dead lock, etc.(Without Door closer) DOOR FRAME :Aluminium extruded section having overall size 80X35X1.25 mm in curved contour with overlap pocket to mount door. It should have pocket to encapsulate wooden board for mounting Hinges and Lock. Door : Laminated (both side) Flush door with 30 mm core thickness covered with 3mm MDF board shall be provided including 4 no heavy duty hinges and dead lock. Edges of the door should be covered with 2mm PVC edge bands glued on door with hot melt glue on automatic edge banding machine after preparing the edge on milling machine. SIZE:- 0.9 X 2.4 X 2 = 4.32 SMT</p>	4.32	SMT		
3	<p>P & F Wooden Jamb Made From 12mm ply in visible side and 18mm ply for inside framing with 1mm lamination glued with PUR adhesive.</p> <p>SIZE:- 2.8 X 6 = 16.8 MTR</p> <p>SIZE:- 0.95 X 3 = 2.85 MTR</p>	19.65	MTR		

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bonder,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

4	<p>Providing storage rack ready to assemble type, self-standing, over hanging or partition mounted storage system having 450 mm. Ready to assemble type, Self-standing storage unit having depth 450mm as per requirements with following details: Carcass and shelves: Made from 18mm pre laminated/post laminated panels of 16 mm BWR calibrated ply confirming to IS 303 covered with 0.8 mm laminate on both side glued with PUR glue, 0.8mm thick PVC edge bands glued with hot melt Glues on auto edge banding machine. All panels should be interchangeable to facilitate assembly at site. The shelves are connected with body through adjustable shelf supports. Back Panel: 3mm high pressure compact sheet both side laminated hold in slit formed in the body. Shutters: Made from Flat laminated Plywood confirming to IS 303 of 16mm BWR calibrated ply confirming to IS 303 covered with laminate on both side glued with PUR glue, with 2 mm thick PVC edge bands glued with hot melts Glues on auto edge banding machine with pre milling attachment, Hinged with concealed auto clip-on system "Blum", "Grass" or "Hettich" make OR top sliding mechanism with 25 x 25 mm aluminium extruded channels and Top mounted laterally guided ball bearing blocks. KD fittings: 8 mm x 45 mm concealed bolt with 15 mm eccentric cranks, 8 mm jute dowels, 75 x 50 mm M.S. brackets, etc. complete. Drilling and boring work is done on Multi drill machine in KD-32 system. All mounting holes are notched in all axis simultaneously in single reference. The maximum span between two adjacent holes should not be more than 96 mm. SIZE:- 0.8 X 2.4 X 1= 1.92 SMT</p>	1.92	SMT		
---	--	------	-----	--	--

NFSU considers the bids only if the bidder is submitting the quote for all the three items and full quantity. Bids submitted for few quantities/ only few items will not be accepted.

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph: 079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph: 011-2752109, 27511580
 Fax: 011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph: 7552995271
 Email: director_bhopal@nfsu.ac.in

Annexure - 4

**Format for Bank Guarantee for Performance Security
(Performance Bank Guarantee)**

**(To be submitted by the successful bidder after placement of the
purchase Order)**

To

Campus Director

National Forensic Sciences University
Sector-09, Gandhinagar-382007 (Gujarat)

Subject: Performance Bank Guarantee (PBG)

Reference : NFSU :- Purchase Order No. _____, dated _____

Dear Sir,

1. We hereby issue a Bank Guarantee as follows: -

Bank Guarantee No. _____

Date: _____

Amount of Guarantee Rs. _____,

Guarantee covers From _____ To _____

Last Date for Lodgment of Claim: _____

2. This deed of Guarantee executed by the (Name of the Bank:_) constituted under _____ Act, _____ having its Central Office at and amongst other places a branch at _____ (hereinafter referred to as "The Bank") in favor of The Campus Director, National Forensic Sciences University, Gandhinagar-382007 (here in after referred to as NFSU.) for an amount of not exceeding Rs. _____ (in words: Rupees____only) at the request of M/s _____ (hereinafter referred to as the "Contractor" / "Supplier").
3. In consideration of The Campus Director, National Forensic Sciences University, Gandhinagar-382007 (here in after called NFSU.) having entered into an agreement vide NFSU's Purchase Order No. dated _____ with M/s _____ (hereinafter called the Supplier) to carry out the supply and installation of the <Name of the equipments /work/job> at National Forensic Sciences University, Gandhinagar-382007 as per their above order, the Supplier agreed to execute a Bank Guarantee for 5% of the total order value viz. Rs. _____ (Rupees _____) towards Performance Security / Performance Guarantee obligation for a period of _____ year(s)/ month(s) from _____ to _____.

**Gandhinagar Campus &
Headquarter**

Sector-9, Gandhinagar
Gujarat 382007
Ph: 079-23977102/103
Fax: 079-23247465
Email:
Campus - director_gnr@nfsu.ac.in
HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
Sector - 3
Outer Ring Road
Rohini, Delhi -110085
Ph: 011-2752109, 27511580
Fax: 011-27511571
Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
Adjacent to Buddha Mandir
Agartala-799001, Tripura
Ph: 0381-2310009/0006,
2312525/2828
Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
Barkhera Bander,
P. O. Bairagarh Kalan,
Bhopal-462 030 (MP)
Ph: 7552995271
Email: director_bhopal@nfsu.ac.in

4. We, the _____ Bank, _____ Branch (hereinafter referred to as a Guarantor) at the request of the supplier, irrevocably undertaketo indemnify and to keep indemnify NFSU. without any demur to the extent of Rs. _____(Rupees _____) in the event of the aforesaid Supplier failing to comply the Warranty / contractual Obligations as per the agreed terms to the full satisfaction of the Company as mentioned in the NFSU.'s purchase order.
5. NOW THIS BANK HEREBY GUARANTEES that in the event of the said Supplierfailing to abide by any of the conditions referred in tender document / purchase order/performance of the equipment/Machinery/service, etc. this Bank shall pay to National Forensic Sciences University,Gandhinagar-382007 on demand and without protest or demur Rs _____(Rupees _____).
6. We _____ Bank, further agree that the Guarantee herein contained shall remain in full force and affect during the period that would be taken for the performance of the equipment and / or services as stated in the Purchase Order issued by NFSU. and that it shall continue to be enforceable till the completion of the period andcertified that warranty and contractual obligations have been fully carried out by the supplierand accordingly discharges the Guarantee subject. However, NFSU. shall have no right under after the expiry of the Guarantee, i.e. _____(date).
7. We, _____ Bank undertake not to revoke this Guarantee, during itscurrency except with the previous consent of NFSU. in writing.
8. Notwithstanding anything contained herein,
 - (a) Our liability under the Bank Guarantee shall not exceed Rs. _____(Rupees _____).
 - (b) This Bank Guarantee shall be valid up to _____.
 - (c) We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if NFSU. serve upon us a written claim or demand on or before expiry of date (i.e. _____).

NOT WITH STANDING anything contained herein above, our liability under this Guarantee is restricted to Rs. _____(Rupees _____ only). Our guarantee shall remain in force until, unless a Demand or claim under the guarantee is made on our Bank in writing on or

Gandhinagar Campus& Headquarter

Sector-9, Gandhinagar
 Gujarat 382007
 Ph:079-23977102/103
 Fax: 079-23247465
 Email:
 Campus - director_gnr@nfsu.ac.in
 HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJJN NICFS
 Sector - 3
 Outer Ring Road
 Rohini, Delhi -110085
 Ph:011-2752109, 27511580
 Fax:011-27511571
 Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
 Goa - 403401
 Ph: 0832-2313036/3034
 Email:director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
 Adjacent to Buddha Mandir
 Agartala-799001, Tripura
 Ph: 0381-2310009/0006,
 2312525/2828
 Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
 Barkhera Bander,
 P. O. Bairagarh Kalan,
 Bhopal-462 030 (MP)
 Ph:7552995271
 Email: director_bhopal@nfsu.ac.in

before____, all your rights under the said guarantee be forfeited and we shall be relieved and discharged from all liabilities thereunder.

This Bank further agrees that the decision of National Forensic Sciences University, Gandhinagar-382007 as to whether the said Supplier has committed a breach of any of the conditions referred in tender document / purchase order shall be final and binding.

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at _____ situated _____ at _____ (Address of local branch) as following details:

Name of the Bank	
Branch Name	
Branch Code	
IFSC Code	
E-mail Id	
Phone / Mobile No.	

Seal & Signature of the Bank

Gandhinagar Campus & Headquarter

Sector-9, Gandhinagar
Gujarat 382007
Ph: 079-23977102/103
Fax: 079-23247465
Email:
Campus - director_gnr@nfsu.ac.in
HQ - exe_registrar@nfsu.ac.in

Delhi Campus

LNJN NICFS
Sector - 3
Outer Ring Road
Rohini, Delhi -110085
Ph: 011-2752109, 27511580
Fax: 011-27511571
Email: director_dc@nfsu.ac.in

Goa Campus

Curti, Ponda
Goa - 403401
Ph: 0832-2313036/3034
Email: director_goa@nfsu.ac.in

Tripura Campus

VIP Road, Radhanagar
Adjacent to Buddha Mandir
Agartala-799001, Tripura
Ph: 0381-2310009/0006,
2312525/2828
Email: director_tripura@nfsu.ac.in

Bhopal Campus

NFSU, C/o CFSL,
Barkhera Bander,
P. O. Bairagarh Kalan,
Bhopal-462 030 (MP)
Ph: 7552995271
Email: director_bhopal@nfsu.ac.in