

ANNEXURE-5

SCOPE OF WORK AND COMPONENTS

A. Civil & Acoustic Works

- 1. Establishment or modification of studio spaces as per the layout plans
- 2. Acoustic treatment with soundproofing panels, diffusers, and bass traps
- 3. False ceiling with integrated lighting grid and cable pathways
- 4. Electrical wiring, power points for high-load equipment
- 5. HVAC (Heating, Ventilation, and Air Conditioning) is designed for sound-sensitive environments
- 6. Sound isolation doors and acoustic-rated windows

Item	Usage
Studio	To create enclosed studio spaces, consol rooms, and sound
construction/modification	booths suitable for Audio-Visual production.
Soundproofing & acoustic panels	To eliminate external noise and echo, ensuring high-quality audio capture during recording and streaming.
Electrical systems & lighting grid	Provide power and suspension infrastructure for studio lighting, cameras, and AV equipment.
Air-conditioning (HVAC)	Low-noise systems should be used to avoid interference in recording to maintain a temperature-controlled environment for both equipment safety and user comfort

B. Audio-Visual Systems

- 1. Multi-camera 4K setup (minimum three cameras with PTZ/manual control)
- 2. Professional LED lighting systems with dimmable controls for key, fill, and backlight
- 3. Microphones: Lavalier (lapel), condenser studio mics, boom mics as needed
- 4. Audio mixer with multiple channel inputs and sound monitoring tools
- 5. Monitoring headphones, on-set preview monitors
- 6. Teleprompter for on-screen reading
- 7. Green screen backdrop (chroma key) for virtual background integration.

Item	Usage
Multi-cam 4K camera	Enables professional multi-angle recording of interviews, presentations,
setup (≥3 cams)	or shows; essential for dynamic live productions.
Lighting systems	To create balanced, cinematic lighting with control over the intensity
(LED, dimmable)	and colour temperature—crucial for visual quality.
Lapel and condenser	Lapel mics provide hands-free voice capture for presenters; condenser
microphones	mics are used for voice- over and podcast-quality sound.
Audio mixers	Combine and balance audio inputs from multiple microphones and
	sources before streaming or recording.
Monitoring	Used by audio technicians to ensure sound levels and clarity during both
headphones	recording and streaming.
Teleprompter	Displays scripted text in front of the camera lens so presenters can

Sianature of the bidder Paae 29 of 77



Item	Usage
	maintain eye contact with the audience.

C. Post-Production Infrastructure

- 1. Editing workstation: High-performance PC/Mac with SSD, GPU, and dual monitors
- 2. Licensed software: Adobe Premiere Pro, After Effects, DaVinci Resolve
- 3. Audio mastering tools: Studio monitors, soundproof editing booth
- 4. Archival system: NAS or RAID-based digital Storage (min. 10 TB).

Item	Usage
Video editing suite (workstation)	The high-performance computer system for video editing, colour correction and rendering.
Licensed software (Adobe, Resolve)	Professional tools for video editing, effects, transitions, audio sync, and final mastering.
Audio mastering setup	Ensures clarity, tone balance, and removal of noise from audio tracks—crucial for high-quality output.
Digital archiving (storage system)	Long-term Storage of raw and edited content in organized folders with backup protection.

D. Live Streaming Setup

- 1. Streaming encoder (hardware/software) capable of multi-platform distribution
- 2. Live switcher/mixer (ATEM Mini Pro or equivalent) for camera feeds
- 3. Control room setup with preview displays, intercom system
- 4. Platform integration: YouTube Live, Facebook Live, institutional websites
- 5. Internet redundancy with dual ISPs or bonded LTE/5G routers.

Item	Usage				
Streaming encoder	Converts camera and audio feeds into streamable formats for				
	platforms like YouTube, Facebook, or custom RTMP.				
Multi-platform	Simultaneously broadcasts the same live feed to multiple platforms,				
output	ncreasing audience reach.				
Consol room setup	Dedicated space for real-time switching between cameras, audio monitoring, graphics overlays, and error control during live streams.				

E. Furnishing & Utilities

- 1. Studio desks for control and talent
- 2. Modular backdrop panels with branding/logos
- 3. Acoustic-rated panel seating for talk shows/interviews
- 4. Furniture with sound-dampening material
- 5. UPS system with backup power capacity (minimum 30 minutes)
- 6. HVAC with noise-dampening ducts and zoning for different rooms.

Item Usage

Sianature of the bidder Page 30 of 77



Item	Usage		
Studio desks and seating	Provide ergonomic workspaces for hosts, operators, and guests		
	during recording or panel discussions.		
Backdrop and panel	Enhances the visual aesthetics and professionalism of on-camera		
seating	environments.		
Soundproof furniture	Minimizes reverberations and contributes to studio acoustics.		
UPS(Uninterruptible	Provides backup power to protect equipment from power loss or		
Power Supply)	voltage fluctuations.		
HVAC integration	Ensures air conditioning is compatible with sound-sensitive		
	recording setups by using quiet ducts and vents.		

F. Services

- 1. On-site installation and full system integration
- 2. Testing and commissioning of all systems
- 3. Preparation of Standard Operating Procedures (SOPs)
- 4. Hands-on training for technical and non-technical staff
- 5. Documentation, including system manuals, wiring schematics, and software licenses.

Item		Usage
Installation,	testing,	Ensures all components are installed professionally, function
commissioning		correctly, and meet the required performance benchmarks.
Training	and	Empower staff to operate the studio effectively with manuals,
documentation		SOPs, and hands-on training sessions.

Signature of the bidder Page 31 of 77



~Blank Page~

Sianature of the bidder Page 32 of 77



ANNEXURE-6

TECHNICAL COMPLIANCE STATEMENT/SHEET

The bidder needs to provide complete technical details of the offered components. Only mentioning Yes / No in compliance is not acceptable. Cross-references to proper technical datasheets/spec sheets/website links need to be provided against each parameter.

Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
ı						no.
	CAMERA					
1	Digital	This kit is ideal	Digital Cinema Camera Kit			
	Cinema	for both on-	combines a compact, full-			
	Camera	location and	frame 4K cinema camera,			
		studio	making it ideal for both			
		productions.	on-location and studio			
		This kit is	productions. Featuring a			
		perfect for	10.2MP Exmor R sensor,			
		studio	15+ stops of dynamic			
		interviews,	range, and advanced			
		cinematic	autofocus with Real-time			
		scenes, live	Eye AF, it delivers			
		production	exceptional image quality			
		• '	in a wide range of lighting			
		mobile	conditions. With 4K 120p,			
		filmmaking.	10-bit 4:2:2 internal			
			recording, RAW output,			
			and a built-in electronic			
			variable ND filter, this kit			
			is perfect for studio			
			interviews, cinematic			
			scenes, live production			
			setups, and mobile			
			filmmaking.			
			OEM should have a direct			
			presence in India for at			
			least 05 years, and the			
			bid-specific confirmation			
			letter that OEM will			
			provide support until the			
			warranty period.			
			(Supporting documents			
			required)			
2	Full-Frame Cinema	This compact kit	XLR Handle Unit delivers			

Signature of the bidder Page 33 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	(Ministry of Home Affairs, Gove	
	Truite of Tielli	1 ui pose	- Spacification	(Yes/No)	Deviation	Page
				(763/140)		no.
	Camera with XLR	is built for both	stunning 4K full-frame			
	Handle Unit	indoor studio	_			
			Paired with the PZ for			
		outdoor	wide, silent zooms for			
		filmmaking.	sharp, cinematic shots —			
		Perfect for	this compact kit is built			
		creators,	for both indoor studio			
		interviews,	setups and outdoor			
		documentaries,	filmmaking. Perfect for			
		and cinematic	creators, interviews,			
		shoots anywhere	documentaries, and			
			cinematic shoots			
			anywhere.			
			OEM should have a direct			
			presence in India for at			
			least 05 years, and the			
			bid-specific confirmation			
			letter that OEM will			
			provide support until the			
			warranty period.			
			(Supporting documents			
			required)			
3	UHD 4K HDR Pro		Professional 4K camcorder			
	Camcorder	for both on- location and	3			
		studio and	and outdoor use. It features a large 1.0"			
		productions.	features a large 1.0" CMOS sensor, records			
		•	UHD 4K 60p in 4:2:2 10-			
			bit, and supports HDR in			
		studio	PQ and HLG formats. With			
		interviews,	a 15x optical zoom lens,			
		cinematic	Dual Pixel CMOS AF with			
			Eye Detection, and built-in			
		production	ND filters, it delivers			
		•	sharp, cinematic footage in			
		mobile	any environment. Dual SD			
		filmmaking.	card slots, 12G-SDI,			
			HDMI, XLR inputs, and			
			UVC streaming support			
			make it perfect for			

Sianature of the bidder Page 34 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	
	Traine of Erem			(Yes/No)		Page
						no.
			broadcast, documentaries,			
			interviews, and live			
			productions. Rugged and			
			compact, it's ready for			
			field and studio alike.			
			OEM should have a direct			
			presence in India for at			
			least 05 years, and the			
			bid-specific confirmation			
			letter that OEM will			
			provide support until the			
			warranty period.			
			(Supporting documents			
4	C D-++	C	required)			
4	Camera Battery	•	It is used for photo and			
			video editing and is			
			compatible with the final output requirement of the			
		each camera	production with ongoing			
		each camera	capability.			
	LENSES		cupubiii y.			
5	24-70mm f/2.8 L IS	Which will be a	24-70mm f/2.8 L IS USM			
	USM Lens		is a professional-grade			
	2011	installed on a	'			
		Tripod and used	designed for the full-			
		•	frame mirrorless EOS R			
		Room	series. It features a			
			constant f/2.8 aperture,			
			up to 5 stops of image			
			stabilisation, and a fast,			
			silent Nano USM			
			autofocus motor—making			
			it ideal for weddings,			
			portraits, events, and			
			video work. With excellent			
			sharpness, weather-sealed			
			L-series build quality, and			
			versatile focal length, it's			
			a go-to lens for			
			professionals, though its			

Signature of the bidder Page 35 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
			·	(Yes/No)		Page
						no.
			higher price and 895g			
			weight may be a			
			consideration for some.			
6	70-200mm f/2.8 L IS	Which will be a	70-200mm f/4 L IS USM			
	USM Lens	fixed camera	is a compact, lightweight			
			telephoto zoom lens for			
		· ·	EOS R mirrorless cameras,			
		in the Studio				
		Room	image quality in a highly			
			portable design. With a			
			constant f/4 aperture, up			
			to 5 stops of image			
			stabilisation, and dual			
			Nano USM motors for			
			fast, silent autofocus, it's			
			ideal for travel, portrait,			
			sports, and nature			
			photography. Despite its			
			small size, it delivers			
			excellent sharpness,			
			beautiful bokeh, and durable L-series weather-			
			sealed construction,			
			making it a top choice for			
			those needing reach			
			without the bulk of an			
			f/2.8 lens.			
7	16-35mm f/2.8 <i>GM</i> II	Which will be a				
	Lens		compact, lightweight wide-			
			angle power zoom lens			
			designed for full-frame E-			
		in the Studio				
		Room	features a constant f/4			
			aperture, smooth internal			
			power zoom (ideal for			
			video), fast and silent AF			
			using dual linear motors,			
			and sharp G-series optics.			
			Weighing just 353g, it			
			offers excellent			
			portability for vloggers,			

Sianature of the bidder Page 36 of 77



				के _{स अमृते} और्क		
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	
				(Yes/No)		Page
			filmmeltand and landacene			no.
			filmmakers, and landscape shooters. With minimal			
			focus breathing, weather			
			resistance, and precise			
			zoom control (manual or			
			servo), it's a top pick for			
			hybrid creators seeking			
			professional performance			
			without the bulk of f/2.8			
			glass.			
8	24-70mm f/2.8 GM II	Which will be a	24-70mm f/2.8 <i>GM</i> II is a			
	Lens		flagship standard zoom			
			lens for E-mount full-			
			frame cameras, offering a			
		in the Studio	_			
		Room	aperture, stunning			
			sharpness, and G Master-			
			level optics in a			
			surprisingly compact			
			design. It's 22% lighter			
			and smaller than its			
			predecessor, with			
			improved autofocus speed			
			via four XD linear motors,			
			minimal focus breathing,			
			and de-clickable			
			aperture—making it equally			
			powerful for video and			
			stills. Ideal for weddings,			
			portraits, events, and			
			commercial work, this lens			
			delivers premium			
			performance, pro-level			
			reliability, and beautiful			
			bokeh in one of the best			
			all-around zooms available.			
9	1.4 prime lens kit	Which will be a				
	24mm, 35mm, 50mm,		includes the 24mm, 35mm,			
	and 85mm f/1.4 GM		50mm, and 85mm f/1.4 <i>GM</i>			
	lenses	•	lenses, premium full-frame			
		in the Studio	primes designed for			

Signature of the bidder Page 37 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
	Traine of Zioni	T di pose	- Spacification	(Yes/No)	Seviarion	Page
				(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		no.
		Room	ultimate image quality and			
			artistic expression. Each			
			lens features a fast f/1.4			
			aperture for exceptional			
			low-light performance and			
			beautiful background blur,			
			paired with G Master			
			optics for edge-to-edge			
			sharpness and stunning			
			bokeh. With fast, silent			
			XD linear motors, precise			
			manual controls, and			
			rugged weather-sealed			
			builds, this kit is ideal for			
			portrait, wedding,			
			cinematic video, and			
			creative storytelling.			
			Covering wide to			
			telephoto, it's a complete			
			toolkit for professionals			
			seeking top-tier			
			performance.			
10	70-200mm f/2.8 <i>GM</i>		70-200mm f/2.8 GM OSS			
	OSS II Lens with		II takes the classic fast			
	Filter Kit		zoom and elevates			
		· ·	performance to a whole			
			new level. This lens builds			
		Room	upon the best parts of the			
			original and makes them			
			even better while			
			simultaneously reducing			
			weight by 29%—making			
			this lens the lightest in its			
11	Mahaning J. MAIN 12:1	M/h: ale:U I	class.			
11	Motorised VND Kit		Built rugged for daily use			
			on your camera rig yet			
			lightweight for handheld,			
		in the Studio	gimbal, stabilizer, or drone work, the Tilta			
		Room	Mirage Motorized VND Kit			
		ROUM	is a modular component			
			is a modular component			

Sianature of the bidder Page 38 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	(Ministry of Home Affairs, Gove	Ref
	Nume of Item	runpose	Spacification	(Yes/No)	Deviation	Page
				(763/140)		no.
			system combining a matte			1.0.
			box that clips onto 95mm			
			OD and a variable ND			
			system, and a wireless			
			controller that allows you			
			to precisely adjust the ND			
			effect from 0.3 to 2.7			
			stops when needed. The			
			matte box weighs about			
			the same as a standard 4 x			
			5.65" glass filter, and it			
			accepts Tilta's 95mm			
			round filters with the			
			included filter adapter.			
			The modular design means			
			you can configure the			
			matte box to match your			
			needs on a shot-by-shot			
			basis.			
12	Illusion Black Mist	Which will be a	The 95mm, 1/8-grade			
	Filter (95mm, 1/8, 1/4,	fixed camera	Illusion Black Mist Filter			
	1/2)	installed on a	from is a nano-coated			
		·	diffusion filter designed			
		in the Studio	for the circular 95mm			
		Room	standard of the matte			
			box. By reducing contrast			
			and producing a subtle			
			glow around light sources,			
			this filter creates a soft			
			visual atmosphere. Still, it			
			retains more sharpness,			
			detail, and contrast in the			
			shadows than possible with			
			a standard mist filter. It's			
	CTURE COURTS AFE		ideal for			
12	STUDIO EQUIPMENT	NA/L : 1 -: 11 -:	4			
13	Television Studio 4K8		A powerful 8-input 12G-			
			SDI live switcher for			
		installed in the	'			
		Studio Room	production. It features			
			built-in streaming,			

Signature of the bidder Page 39 of 77



Ref
Page
no.
110.

Sianature of the bidder Page 40 of 77



6-	Nome of Thom	Dumpaga	Charification		(Ministry of Home Affairs, Gove	
Sr	Name of Item	Purpose	Spacification	Compliance (Yes/No)	Deviation	Ref
				(7es/190)		Page
			network storage device. It			no.
			supports HDMI monitoring			
			and Dropbox/Cloud sync,			
			and connects up to 50			
			users via SMB. Compact,			
			quiet, and powered by 12 V			
			DC, it's perfect for			
			collaborative editing in			
			studio or on-location			
			shoots, especially with			
			DaVinci Resolve workflows.			
17	Audio-Broadcast	Which will be a				
'	Stereo Headset		headphone with cardioid			
	orer correduser	installed in the	•			
		Studio Room	connectors (XLR + $\frac{1}{4}$ ").			
		Studio Room	Rugged, delivers clear			
			voice transmission—widely			
			used in TV/radio studios			
			and ENG field production.			
18	Editor keyboard	Which will be a	A premium metal keyboard			
	Zarror Noyboara		with a built-in jog/shuttle			
			wheel, designed for fast,			
		Studio Room	professional editing in			
		ordaro recini	DaVinci Resolve. Features			
			dedicated trim, timeline,			
			and multi-cam controls.			
			USB-C connected and built			
			for speed, precision, and			
			durability, perfect for			
			studio or on-location			
			editing.			
19	Fairlight Desktop	Which will be a	Console is a full audio			
	Console		control surface featuring a			
			bank of 12 touch-sensitive			
		Studio Room	faders and pan knobs,			
			built-in LCDs above each			
			channel strip, channel			
			control buttons,			
			automation transport and			
			navigation controls, an			
			HDMI graphical interface			
			HDMI graphical interface			

Signature of the bidder Page 41 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	(Ministry of Home Affairs, Gove	Ref
		, u. pos		(Yes/No)		Page
				(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		no.
			output for connecting a			
			monitor, and more.			
20	Fairlight Console Audio	Which will be a	Leave the mouse alone and			
	Editor	fixed camera	step up to precise, high-			
			speed editing for DaVinci			
		Studio Room	Resolve 17 systems with			
			the Audio Editor. This			
			control panel connects via			
			Ethernet directly to your			
			console. Designed with			
			over two decades of pro			
			audio engineering			
			expertise, all elements of			
			the Console Audio Editor			
			are made for unmatched			
			fluidity and efficiency.			
	MONITORS					
21	4K 17"	Which will be	4K is a robust 15.6" rack-			
		installed with	mount Ultra HD broadcast			
		the workstation	monitor featuring dual			
		used for photo	12G-SDI and SMPTE-2110			
		and video editing	IP inputs (copper &			
			optical) with automatic			
			format switching up to			
			2160p60. It offers real-			
			time overlays (focus			
			peaking, framing guides,			
			blue-only), built-in 3D LUT			
			support, and tally via a			
			9-pin port. Powered by AC			
			or 12 V DC and housed in			
			an aluminium chassis, it's			
			designed for studio racks			
			or mobile fly-packs,			
			delivering pro-grade			
			monitoring for live			
			broadcast, IP workflows,			
-	001144 0 414 1 15 5 75 7	1441 : 1 : 11 :	and multi-camera			
22	32" 16:9 4K HDR IPS	Which will be	' -			
	Photo and Video Editing		monitor for photo and			
	Monitor	the workstation	video editing with 99%			

Sianature of the bidder Page 42 of 77



				च्या अमृत अ	(Ministry of Home Affairs, Gove	
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	
				(Yes/No)		Page
						no.
		used for photo	AdobeRGB, 95% DCI-P3,			
		and video editing	and HDR10/HLG support.			
			Features 10-bit colour,			
			hardware calibration, USB-			
			C (60W), and factory			
			colour accuracy. Ideal for			
			colour grading, retouching,			
			and print-proofing in			
			studio workflows.			
23	Wireless Transceiver	Which will be	A 7" touchscreen monitor			
	Monitor (on camera)	installed with	with built-in wireless			
		the workstation	transmitter and receiver.			
		used for photo	Supports HDMI/SDI I/O,			
		and video editing	LUTs, waveform, and SD			
			card recording. Offers up			
			to 1,300 ft range with low			
			latency (~60 ms) over			
			2.4/5GHz. Rugged,			
			lightweight, and ideal for			
			wireless monitoring on set			
			 perfect for directors, 			
			focus pullers, or on-camera			
			use.			
24	4K HDMI/SDI	Which will be	Compact HDMI/SDI			
	Wireless Video		receiver with up to 4K30			
	Receiver		video support, 1,300 ft			
		used for photo	, ,			
		and video editing	_			
		and mass saming	band 2.4/5GHz			
			transmission, supports up			
			to 4 receivers, and works			
			with NP-F batteries or DC			
			power. Ideal for wireless			
			video monitoring in studio			
			or on-location shoots.			
25	5.2" HDMI HDR	Which will be				
	Monitor		touchscreen monitor with			
	Monitor		1500 nits brightness, 4K30			
		used for photo	=			
		•	(HLG/PQ), LUT preview,			
		and video editing	and pro tools like			
<u> </u>			and pro 10015 like			

Signature of the bidder Page 43 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
				(, , , , , ,		no.
			waveform and peaking.			
			Supports USB-C camera			
			control and NP-F/USB-C			
			power. Perfect for outdoor			
			shoots, vlogging, and			
			studio monitoring.			
26	4K Ultra HD Smart	Which will be	A 65" 4K Ultra HD Smart			
	LED Google TV	installed with	LED TV with vivid colours,			
		the workstation	HDR10, and smooth motion			
		used for photo	powered by X1 Processor.			
		and video editing	Runs Google TV with built-			
			in Chromecast, Google			
			Assistant, and Dolby			
			Audio.			
27	Smart LED as back		Display coming to live as			
	drop for use in studio		back penl for studio things			
			over all monitoering things			
		,	during the show and shoot			
		and video editing	time as final out put			
			OEM should have a direct			
			presence in India for at			
			least 05 years and the bid- specific confirmation			
			specific confirmation letter that OEM will			
			provide support until the			
			warranty period.			
			(Supporting documents			
			required)			
28	Tale prompter as	Which will be	Display coming to live as			
	attached display as		back panel for studio			
	smart out to LED		things overall monitoring			
	backdrop		things during the show and			
		•	shoot time as the final			
			output			
			OEM should have a direct			
			presence in India for at			
			least 05 years and the bid-			
			specific confirmation			
			letter that OEM will			

Sianature of the bidder Page 44 of 77



Sr	Name of Item	Purpose	Spacification	Compliance		Ref
	Name of Tiem	rurpose	Spacification	(Yes/No)	Deviation	Page
				(765/140)		no.
			provide support until the			1.0.
			warranty period.			
			(Supporting documents			
			required)			
	SOFTWARES		1 ,			
29	Photo & Video Editing	One-year	professional video editing			
	Software	Subscription	software used worldwide			
		•	for film, TV, and online			
			content. It offers			
			powerful tools for editing,			
			color correction, audio,			
			effects, and seamless			
			integration with Adobe			
			apps like After Effects			
			and Photoshop — perfect			
			for everything from			
			YouTube videos to feature			
			films.			
30	Photo & Video Editing	One-year	professional all-in-one			
	Software	Subscription	software for video editing,			
			colour grading, VFX, audio			
			post, and finishing. Known			
			for its Hollywood-grade			
			colour tools and multi-user			
			collaboration, it's ideal for			
			everything from indie films			
			to big-budget productions			
			— all in one powerful, free			
		_	or studio-level package.			
31	Photo Editing Software	One-year	use for photo video editing			
		Subscription	and compatible as per the			
			final output requirement			
			of the production with			
	MTCD COLLON ISC. A		ongoing capability			
	MICROPHONES &					
22	MONITORS Company Mount	\\/\landsight\)	A sampact plus suduit			
32	Camera-Mount		A compact, plug-and-play			
	Wireless Microphone		wireless mic system for			
	System (1.9 GHz)	the workstation				
		used for photo and video editing				
		una viaeo eaiting	automatic setup, 98ft			<u></u>

Signature of the bidder Page 45 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
	Nume of Item	rurpose	Spacification	(Yes/No)	Deviation	Page
				(/63/140)		no.
			range, 19 ms latency, and			110.
			AES-256 encryption.			
			Includes ME 2-II omni lav			
			mic, bodypack transmitter,			
			and XLR receiver. Ideal			
			for interviews, vlogs, and			
			documentaries.			
33	2-Way 100W Powered	Which will be	Powerful 8" studio			
	Studio Monitor (Pair)	installed with	monitors with 150W bi-			
		the workstation	amp output, delivering			
		used for photo	clear, accurate sound from			
		and video editing	37Hz-22kHz.			
		_	It features a Kevlar			
			woofer, silk-dome tweeter,			
			XLR/TRS inputs, and			
			acoustic tuning, which are			
			ideal for mixing,			
			mastering, and music			
			production in any studio			
			setup.			
34	Podcast Microphone	Which will be	hybrid USB/XLR dynamic			
		installed with	microphone designed for			
		the workstation	creators. It delivers			
		used for photo	professional-grade,			
		and video editing	·			
			with built-in voice			
			isolation, dual outputs, and			
			a touch-sensitive panel for			
			gain, headphone volume,			
			and mute controls.			
35	Moisture-Resistant		A compact, supercardioid			
	Shotgun Microphone		shotgun mic kit ideal for			
		the workstation				
		· ·	recording. Delivers clear,			
		and video editing	focused audio with a low-			
			cut filter, battery or			
			phantom power, and low			
			handling noise. Kit includes			
			shock mount, windshield,			
			and XLR-to-3.5mm cable			
			perfect for interviews,			

Sianature of the bidder Page 46 of 77



	N	Δ.	c. :c	4 alfus		D
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
						no.
			film, and run-and-gun			
			shoots.			
36	Shotgun Microphone		A compact, supercardioid			
			shotgun mic ideal for			
		the workstation	DSLR and location			
		•	recording. Delivers clear,			
		and video editing	focused audio with a low-			
			cut filter, battery or			
			phantom power, and low			
			handling noise. Kit includes			
			shock mount, windshield,			
			and XLR-to-3.5mm cable			
			perfect for interviews,			
			film, and run-and-gun			
			shoots.	_		
37	Shotgun Microphone	Which will be	A compact, lightweight			
	Boom Kit with	installed with	shotgun mic with			
	Boompole &	the workstation	· · · · · · · · · · · · · · · · · · ·			
	Accessories	•	40Hz-20kHz range, low			
		and video editing	self-noise, and built-in low-			
			cut filter. Phantom-			
			powered and includes furry			
			windscreen — ideal for			
			clear audio in interviews,			
			film, and outdoor shoots.			
	TRIPOD SYSTEMS					
38	Fluid Head and Tripod	•	A pro video tripod system			
	System	speakers	with a smooth fluid head,			
			5kg load capacity, and			
			sturdy 2-stage aluminium			
			legs with mid-spreader.			
			Delivers stable, fluid			
			motion perfect for studio,			
			events, and field shoots.			
39	Camera Pedestal Dolly	·	A heavy-duty dolly that			
	for Heavy-Duty	speakers	fits onto spiked feet			
	Tripods		tripods, enabling smooth			
			mobility in the studio or on			
			location. It supports up to			
			220 lb (100 kg) loads, has			
			4" rubber wheels with			

Signature of the bidder Page 47 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
	Nume of Trem	rurpose	Spacification	(Yes/No)	Deviation	Page
				(/63/140)		no.
			individual foot brakes, and			110.
			folds flat for easy			
			transport. With a wide 39"			
			footprint, it's ideal for			
			moving large camera			
			setups quickly between			
			shots.			
40	PTZ Pedestal with	Used by	Move your PTZ			
	Legs, 100mm Flat Base	speakers	camera/teleprompter rig			
	& Dolly	•	with ease around your			
			studio or on your set with			
			this PTZ Pedestal with			
			Legs, 100mm Flat Base &			
			Dolly from ikan. This kit			
			consists of a heavy-duty			
			tripod pedestal, a 100mm			
			flat base, and the tripod			
			dolly. Carry bags for the			
			pedestal legs and dolly are			
			also included.			
	COMPUTER SYSTEMS					
41	All-in-one Desktop with	Used for Editing	14-core CPU, 32-core GPU,			
	27" Display	purposes	16-core Neural Engine			
			36GB unified memory			
			512GB SSD storage			
			+5K Retina display, 68.29			
			cm / 27" (diagonal) 5K			
			Retina display, 5120x2880			
			resolution at 218 pixels			
			per inch,600 nits			
			brightness			
			Support for 1 billion			
			coloursWide colour (P3)			
4.0	AII		True Tone technology			
42	All-in-one Desktop with					
	24" Display	purposes	4.5K Retina display, Apple			
			M-series (or equipvelent)			
			chip, and vibrant color			
			accuracy perfect for			
			graphic design, photo			
			editing, and creative work.			

Sianature of the bidder Page 48 of 77



6	Name of Item	Dumpaga	Specification	Compliance	(Ministry of Home Affairs, Gove	Ref
Sr	Name of Tiem	Purpose	Spacification	(Yes/No)	Deviation	
				(765/140)		Page
			Compact, powerful, and			no.
			ideal for modern studios.			
	ACCECCONTEC		ideal for modern studios.			
42	ACCESSORIES		A			
43	Track Top System for	system for				
	lighting		lighting suspension system			
			for studios that clears the			
			floor of stands and cables,			
			allowing fixtures to glide			
		-	smoothly along ceiling-			
			mounted rails. The system			
		backgrounds	supports heavy loadsu p to			
			200 kg per meter and is			
		complex sets	ideal for mounting lights, soft boxes or			
			,			
			backgrounds over small or			
4.4	Calada		complex sets			
44	C-stands		C-Stands are heavy-duty			
			support stands used in film			
			and photo studios to hold			
			lights, flags, reflectors, or			
			modifiers. Known for their			
			durability and stability,			
			they feature a 3-leg base,			
		backgrounds over small or	riser columns, and grip arm with knuckle for flexible			
		complex sets	positioning. Ideal for			
			precise, secure mounting in both studio and outdoor			
			shoots.			
45	C-lamps, rigging clamps	system for	C-Lamps (or C-Clamps) and			
73	o-lamps, rigging clamps		rigging clamps are			
		clears the floor				
			securely mounting lights,			
			cameras, or accessories to			
		mounting lights,	·			
		1	unconventional surfaces.			
		backgrounds	Made from steel or			
		_	aluminum, they offer			
		complex sets	strong grip and adjustable			
			tightening for safe,			
			flexible rigging widely			
			TICKIDIE TIGGING WIDELY			L

Signature of the bidder Page 49 of 77



C	Name of Item	Dumpaga	Specification	Compliance	(Ministry of Home Affairs, Gove	
Sr	Name of Item	Purpose	Spacification	(Yes/No)	Deviation	Page
				(765/140)		no.
			used in studio, stage, and			no.
			location setups.			
46	4TB SSD	Storage solution	A high-speed storage			
'	117000	a rerage serament	device with no moving			
			parts, offering faster data			
			access, quicker boot times,			
			and better durability than			
			traditional hard drives			
			ideal for video editing,			
			gaming, and everyday			
			computing.			
47	1TB SSD	Storage solution	A high-speed storage			
		_	device with no moving			
			parts, offering faster data			
			access, quicker boot times,			
			and better durability than			
			traditional hard drives			
			ideal for video editing,			
			gaming, and everyday			
			computing.			
48	Boom Poles	·	Boom poles are extendable			
			rods used to position			
			microphones close to the			
			sound source while staying			
			out of the camera frame.			
		mounting lights,				
		soft boxes, or	materials like carbon fiber			
		backgrounds	or aluminum, they're			
		over small or	essential for capturing			
		complex sets	clean audio in film, TV, and			
40	V:+:+b 2 \/ 44+	h an a fit a	documentary shoots.			
49	Kit with 2 V-Mount	benefits	Professional-grade			
	Batteries and Charger (99Wh)	_	rechargeable batteries used to power cameras,			
	(J) WII)	•	lights, monitors, and other			
		-	gear. Known for high			
			capacity, compact size, and			
		•	versatile D-Tap/USB			
		3	•			
			'			
		resolution continuous raw photo shooting.	outputs ideal for film sets, outdoor shoots, and mobile rigs.			

Sianature of the bidder Page 50 of 77



6	None of Thom	D	C: £: +:	l:	N	D-£
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
						no.
50	Type A TOUGH 80 GB	benefits	Memory Card from			
	Memory Card	recording a	provides fast read speeds			
		variety of video	up to 800 MB/s along with			
		resolutions, bit-	write speeds up to 700			
		rates, and	MB/s. This quick			
		compressions as	performance benefits			
		well as high-	recording a variety of			
		resolution	video resolutions, bit-			
		continuous raw	rates, and compressions as			
		photo shooting.	well as high-resolution			
			continuous raw photo			
			shooting.			
51	Type A TOUGH120	benefits	Memory Card from			
	GB Memory Card	recording a	provides fast read speeds			
		variety of video	up to 800 MB/s along with			
		resolutions, bit-	write speeds up to 700			
			MB/s. This quick			
		compressions as	'			
		· ·	recording a variety of			
		resolution	video resolutions, bit-			
			rates, and compressions as			
		photo shooting.	well as high-resolution			
		photo shooting.	continuous raw photo			
			shooting.			
52	Scrim Flag Kit (24 x	augtom for	Scrim Flag Kit (24 x 36")			
52	,	*				
	36")		is a versatile light control			
			tool for filmmakers and			
			photographers. It includes			
			5 collapsible frames with			
			various fabrics: 1-stop and			
		soft boxes, or	· ·			
		backgrounds	black/white solids, and			
			single/double nets. Ideal			
		complex sets	for blocking, diffusing, and			
			shaping light on set. Comes			
			in a compact carry bag—			
			great for studio or			
			location work.			
	VIDEO CABLES					
53	HDMI	Connect camera	HDMI			
	(Standard/Mini/Micro)	to monitor,	(Standard/Mini/Micro) -			

Signature of the bidder Page 51 of 77



C.	Name of Thom	Dumpaga	Charification	Arm suph ship		Dof
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
						no.
		switcher, or				
		recorder	monitor, switcher, or			
			recorder			
54	SDI (BNC)	Long-distance	SDI (BNC) - Long-distance			
		professional	professional video signal			
		video signal	(camera to			
			recorder/switcher)			
55	USB-C to HDMI	Connect laptop	USB-C to HDMI - Connect			
		to external	laptop to external display			
		display				
56	DisplayPort to HDMI	PC to monitor or	DisplayPort to HDMI - PC			
		projector	to monitor or projector			
57	Convertors kit along	to convert Audio				
	with with Cat6 and		Optic-to-HDMI Converter			
	relevent accesaries	format and	•			
		tranmisions	"bayonet" style fiber			
			connectors. Video and			
			Audio conversion,			
			transmission and optical			
			fiber interfacing. Support			
			• ''			
			for SD to 8K, up to 4:4:4			
			12-Bit, HDMI, Ethernet,			
			Serial data/GPIO and			
			Analogue Sync over fibre.			
			Innovative 1RU rack frame			
			with redundant power			
			supply, remote			
			configuration and			
			monitoring.HDMI to 12 <i>G</i> -			
			SDI Converter with Frame			
			Synchronizer and Analog			
			Audio Embedder			
	AUDIO CABLES					
58	XLR (Male to Female)	Connect	XLR (Male to Female) -			
		microphone to	Connect microphone to			
		audio interface	audio interface or mixer			
		or mixer				
59	1/4" TRS	Connect studio	1/4" TRS - Connect studio			
		monitors or	monitors or instruments			
		instruments				
60	3.5mm Aux (Stereo)	For headphones.	3.5mm Aux (Stereo) - For			
	J.J. 107 (376160)	, or medaphones,	5.511111 / (516160) 101		l	<u> </u>

Sianature of the bidder Page 52 of 77



-		_			(Ministry of Home Affairs, Gove	
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
						no.
		mobile mic	headphones, mobile mic			
		connections	connections			
61	TRRS (3.5mm 4-pole)	Connect lavalier	TRRS (3.5mm 4-pole) -			
		mics or headsets	Connect lavalier mics or			
		to phones	headsets to phones			
62	RCA to 3.5mm	Connect older	RCA to 3.5mm - Connect			
		mixers or audio	older mixers or audio			
		players to	players to modern devices			
		modern devices				
63	USB Audio Interface	Connect audio	USB Audio Interface			
	Cable	interface to	Cable - Connect audio			
		computer	interface to computer			
	LIGHTING CABLES					
64	IEC Power Cable	Power for studio	IEC Power Cable (C13/C14)			
	(C13/C14)		- Power for studio lights			
	(0-0, 0-1,	monitors	and monitors			
65	DMX Cable (3-pin or 5-		DMX Cable (3-pin or 5-pin)			
	pin	RGB/stage lights				
	P'''	No Dr 3 rage rights	RGB/stage lights			
66	PowerCON Cable	Secure power	PowerCON Cable - Secure			
	- ower our our	connection for				
		high-power	power lights			
		lights	power ngmis			
67	Heavy-duty Extension	Extend power to	Heavy-duty Extension			
"	Cord	lights or gear	Cord - Extend power to			
	Coru	ingitis or gear	lights or gear			
68	Power Strip / Surge	Safe multi-	Power Strip / Surge			
	Protector		Protector - Safe multi-			
	110166101	source	device power source			
	COMPUTER CABLES	Jour CE	device power source			
69	USB-A/B/C	Connect studio	USB-A/B/C - Connect			
	000 11/0/0	monitors or				
		instruments	interface, webcam,			
		mon unterno	keyboard)			
70	Thunderbolt ³ / ₄	Connect studio	'			
	munuer bort 4	monitors or				
		instruments	video capture			
71	SD Card Reader Cable		SD Card Reader Cable -			
/ ¹	SO Cara Reader Cadie	'				
		from camera	Import footage from			
			camera			

Signature of the bidder Page 53 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
	Nume of Tiem	ruipose	Spacification	(Yes/No)	Deviation	Page
				(/63/140)		no.
72	HDMI to USB Capture	Connect camera	HDMI to USB Capture			no.
/ _	Dongle		Dongle - Stream or record			
	Dongle		camera feed to computer			
		recorder	camera reed to computer			
73	Ethernet (Cat6)		Ethernet (Cat6) - Fast			
/3	Emerner (caro)		network access and file			
	LIGHTS	control of gear	sharing			
7.4		5 6 1 6	4 (1/00)// 1: 1			
74	Bi-Color LED Light		A powerful 600W bi-color			
	Panel (4 × 4')		LED panel with 2700-			
		location lighting.	8500K range, CRI/TLCI			
			≥96, and 19,900 lux at 1m.			
			Foldable, IP65-rated, and			
			DMX/app controllable —			
			perfect for studio and			
			location lighting.			
75	Bi-Color LED Light		Compact 200W bi-color			
	Panel (2.1 x 2.1', 2-		LED panels (2700-8500K)			
	Light Kit)	shoots.	with CRI/TLCI ≥96, IP65			
			rating, and 8300 lux			
			output. Foldable design			
			with softboxes, DMX,			
			Bluetooth, and app control			
			ideal for studio and on-			
			location shoots.			
76	MixPanel 150 RGBWW	it's ideal for	A versatile 150 W LED			
	LED Panel	creative lighting	panel (19"×16") offering			
		in both studio	three lighting modes—			
		and location	hard, soft, and full			
		shoots.	RGBWW with color			
			temperature from 2700-			
			7500 K and			
			CRI 98/TLCI 95 accuracy.			
			It delivers up to			
			~15,000 lux (boost mode)			
			at 5600 K, features			
			l	Ī	I	1
			green/magenta tuning, 43			
			green/magenta tuning, 43 gel presets, nine effects,			
			-			
			gel presets, nine effects,			
	LED Panel	in both studio and location	three lighting modes—hard, soft, and full RGBWW with color temperature from 2700-7500 K and CRI 98/TLCI 95 accuracy. It delivers up to ~15,000 lux (boost mode) at 5600 K, features			

Sianature of the bidder Page 54 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	(Ministry of Home Affairs, Gove	Ref
	Nume of Tiem	ruipose	Spacification	(Yes/No)	Deviation	Page
				(/63/140)		no.
			creative lighting in both			1.0.
			studio and location shoots.			
77	RGB LED Light Panel	Rugged rolling	A 300 W RGBWW soft			
	(Travel Kit)		light delivering over 9,000			
	(, , , , , , , , , , , , , , , , , , ,		lux at 1m, with an ultra-			
			wide 2,000-10,000 K CCT			
			range, plus/minus green			
			shift, CRI/TLCI≥95, and			
			full HSI/RGB control			
		creative	including 300+ gel presets			
		flexibility.	and 15 built-in FX.			
			Stepless 0-100% dimming,			
			fan-cooled, and powered			
			via AC or 24-48 V DC.			
			Comes in a rugged rolling			
			case with control box and			
			cablesideal for studio or			
			location work with full			
			creative flexibility.			
78	Bi-Color LED Monolight	ideal for both	A 300 W Bi-Color LED soft			
	(V-Mount) with Soft-	studio setups	light delivering around			
	box	and on-location	12,000 lux at 1 m. It offers			
		shoots.	a wide 2700-6500 K range,			
			flicker-free stepless			
			dimming, CRI/TLCI ≥95,			
			and includes a powerful			
			reflector and diffusion for			
			soft wraparound lighting.			
			Supports AC and V-mount			
			options ideal for both			
			studio setups and on-			
	a. a. 1 2		location shoots.			
79	Bi-Color LED Monolight		A 600 W bi-color LED soft			
	(V-Mount with Soft-	1.	light delivering up to			
	box		approximately 25,000 lux			
			at 1m with a wide 2700-			
		location shoots.	6500 K range. It offers			
			stepless dimming, high			
			color accuracy (CRI/TLCI			
			≥95), and versatile			
			reflector/diffuser options.			

Signature of the bidder Page 55 of 77



6 -	Name of Thom	Dumpaga	Enssification	Camplianas		
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
			Supports AC power and			no.
			optional battery kit, making it ideal for			
			powerful key lighting in			
			both studio and on-location			
			shoots.			
80	Flash Projection	Ideal for	A precision lighting tool			
00	Attachment for	creating sharp	'			
	Bowens with Irish &	patterns,	featuring an 85mm lens,48			
	Gobo set	shapes, and				
	6000 set	· ·	holder, and EF lens mount.			
		_	Ideal for creating sharp			
		setups.	patterns, shapes, and			
		serups.	textured light effects in			
			studio setups.			
-	Onsite Manpower		studio setups.			
81	•	An onsite	Ongita Tankning Sunnant			
01	onsite Support Assistant	technical	Onsite Technical Support			
	ASSISTANT		Assistant to provide quick			
		support assistant will	assistant and support. This manpower is not for			
			' '			
		1.	operation of entire system or content creation.			
		'''	He/She should manage the proper usage of each and			
		·	every euipment supplied to			
			NFSU Studio and manage			
		·	the inventory of all the			
		· ·	items including prevention			
		creation.	of misuse.			
-	Works	creation.	of misuse.			
82	Wooden Partition	Main periphenial	Main peripherial partition			
02	wooden Fairmon		of rooms			
		rooms	0) 1 001113			
83	False ceiling		False ceiling in all required			
03	i aise ceiling	all required	,			
			ui cus			
84	Electrician	areas Note - Media	Note - Media Doom angoist			
04	LIECTITICIUN		Note - Media Room special			
		•	requirements to be taken			
		•	care by the respective			
		be taken care by the respective	lugericy			
		the respective				<u> </u>

Sianature of the bidder Page 56 of 77



					ernment of India)	
Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
						no.
		agency				
85	Lights	This number	This number shall vary			
		shall vary based	based on the number of			
		on the number	light and the type of light			
		of light and the	that we select as well as			
		type of light	fans if needed.			
		that we select				
		as well as fans if				
		needed.				
86	Colour	Asian Paints	Asian Paints Royale Paint,			
			Malemine Polish.			
		Malemine Polish.				
87	AC Ducting for Studio	AC Ducting As	AC Ducting As per actual			
	Room	_	Site Requirement			
		Requirement	'			
88	A/C Piping	1	As per AC Layout and Site			
			requirement			
89	Curtain		As per layout and Site			
	our run		requirement			
90	Loose furniture		As per requirment and			
	2003e fullitule		Site requirement			
91	AC units	AC Cooling	Subjective to brand would			
91	AC units		be as per client approval.			
		the Rooms				
		The Rooms	Minimum Eight eight-ton			
00	E		capacity with 5 star rating.			
92	Furniture		As per current defined			
			furniture items in list of			
			items			
93	Accessories		Need to be place as per			
			droing and layout desing			
94	Veneer/Laminate		To be decided based on			
			design			
95	Plywood, Wood, MDF		This includes the labour			
			charge till 5th floor.			
96	Acoustic panel		Paneling with framing at			
			back for extra absorption			
97	Fixed glass + aluminium		Entry door plus double			
			volume glazing+editor room			
			door+ glass fixed piece			
98	Fabrication		Rods in media room and			
	1		1		1	

Signature of the bidder Page 57 of 77



Sr	Name of Item	Purpose	Spacification	Compliance	Deviation	Ref
				(Yes/No)		Page
						no.
			podcast room with			
			labour+material			
99	Carpet Flooring		sound requirement and			
			other studio spacification			
100	Professional Fees		part of trunkey project			
			costing			
101	Branding and Graphics		overall			
102	Networking	Computer-	this area covers, shifting			
		related	of existing networking			
		networking work	component which includes			
		as per the NFSU	fibre connectivity,			
		Standard	Existing Rack, Existing			
			Cables, Additional Cables			
			(if Required). NFSU is			
			using Cat7a cables.			
			Networking switches,			
			CCTV Camera, WiFi Access			
			Point, Network Patch Cord			
			and Cat7a Cables are to be			
			provided by NFSU.			

Actual: As per the actual side Requirement

Job: Job as per drawing and site requirements

Works:

1. The successful bidder needs to obtain approval from NFSU before proceeding further.

- 2. Items mentioned in the works are not covered under "Compliance(Y/N)".
- 3. The successful bidder must provide at least 2-4 options/samples or designs.
- 4. The successful bidder needs to provide a 3D layout of space Management for the look and feel.

Sianature of the bidder Paae 58 of 77